
**Plastics — Determination of drawing
characteristics of thermoplastics in the
molten state**

*Plastiques — Détermination des caractéristiques d'étirage des
thermoplastiques à l'état fondu*



PDF disclaimer

This PDF file may contain embedded typefaces. In accordance with Adobe's licensing policy, this file may be printed or viewed but shall not be edited unless the typefaces which are embedded are licensed to and installed on the computer performing the editing. In downloading this file, parties accept therein the responsibility of not infringing Adobe's licensing policy. The ISO Central Secretariat accepts no liability in this area.

Adobe is a trademark of Adobe Systems Incorporated.

Details of the software products used to create this PDF file can be found in the General Info relative to the file; the PDF-creation parameters were optimized for printing. Every care has been taken to ensure that the file is suitable for use by ISO member bodies. In the unlikely event that a problem relating to it is found, please inform the Central Secretariat at the address given below.

This document is a preview generated by EVS

© ISO 2005

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Case postale 56 • CH-1211 Geneva 20
Tel. + 41 22 749 01 11
Fax + 41 22 749 09 47
E-mail copyright@iso.org
Web www.iso.org

Published in Switzerland

Contents

Page

Foreword.....	iv
1 Scope	1
2 Normative references	1
3 Terms and definitions.....	1
4 Principle.....	3
5 Apparatus	3
6 Calibration	7
7 Sampling.....	8
8 Procedure	8
9 Calculation and expression of results.....	13
10 Precision.....	15
11 Test report	15

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of technical committees is to prepare International Standards. Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights.

ISO 16790 was prepared by Technical Committee ISO/TC 61, *Plastics*, Subcommittee SC 5, *Physical-chemical properties*.

Plastics — Determination of drawing characteristics of thermoplastics in the molten state

1 Scope

This International Standard specifies a method for determining the drawing and break characteristics of molten plastics. The method involves the measurement of the force generated in deforming a molten filament under defined extrusion temperature and drawing conditions.

Data is generated under non-isothermal and non-homogeneous deformation conditions. However, it is useful for the interpretation of polymer behaviour in extensional flow.

The method is suitable for thermoplastics moulding and extrusion materials that can be extruded using a capillary extrusion rheometer, or an extruder with capillary rod die or other extrusion devices, and have sufficient melt strength to be handled without difficulty.

Such materials should be chemically stable and produce a uniform extrudate free from heterogeneities, bubbles, unmelted impurities, etc.

This method may provide information on:

- processability for all extrusion techniques;
- the effect of mechanical and thermal history;
- the effect of chemical structure, such as branching, entanglements and molecular mass.

This technique is one of a number of techniques that can be used to measure the extensional flow behaviour of a material. This method of measurement does not necessarily reproduce the drawing conditions to which thermoplastics are subjected to during their processing.

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 291, *Plastics — Standard atmospheres for conditioning and testing*

ISO 1133, *Plastics — Determination of the melt mass-flow rate (MFR) and the melt volume-flow rate (MVR) of thermoplastics*

ISO 11443, *Plastics — Determination of the fluidity of plastics using capillary and slit-die rheometers*

3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.