

Steel drums - Removable head (open head) drums with a minimum total capacity of 210 l

Steel drums - Removable head (open head) drums with a minimum total capacity of 210 l

EESTI STANDARDI EESSÕNA

NATIONAL FOREWORD

<p>Käesolev Eesti standard EVS-EN 209:2000 sisaldab Euroopa standardi EN 209:1999 ingliskeelset teksti.</p> <p>Käesolev dokument on jõustatud 16.06.2000 ja selle kohta on avaldatud teade Eesti standardiorganisatsiooni ametlikus väljaandes.</p> <p>Standard on kättesaadav Eesti standardiorganisatsioonist.</p>	<p>This Estonian standard EVS-EN 209:2000 consists of the English text of the European standard EN 209:1999.</p> <p>This document is endorsed on 16.06.2000 with the notification being published in the official publication of the Estonian national standardisation organisation.</p> <p>The standard is available from Estonian standardisation organisation.</p>
--	---

<p>Käsitlusala: This European Standard specifies the characteristics and dimensions of removable head (open head) drums, manufactured from steel sheet, having a minimum total capacity of 210 litres.</p>	<p>Scope: This European Standard specifies the characteristics and dimensions of removable head (open head) drums, manufactured from steel sheet, having a minimum total capacity of 210 litres.</p>
---	---

ICS 55.140

Võtmesõnad: barrels, capacity, containers, designation, dimensional tolerances, dimensions, equipment specifications, mass, materials specifications, measurement, steel products

English version

Steel drums

Removable head (open head) drums with a minimum total capacity of 210 l

Fûts en acier – Fûts à ouverture totale
d'une capacité totale de 210 l
minimum

Stahlfässer – Deckfässer mit einem
Gesamtvolumen von mindestens 210 l

This European Standard was approved by CEN on 1999-10-23.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the Central Secretariat or to any CEN member.

The European Standards exist in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the Central Secretariat has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, the Czech Republic, Denmark, Finland, France, Germany, Greece, Iceland, Ireland, Italy, Luxembourg, the Netherlands, Norway, Portugal, Spain, Sweden, Switzerland, and the United Kingdom.

CEN

European Committee for Standardization
Comité Européen de Normalisation
Europäisches Komitee für Normung

Central Secretariat: rue de Stassart 36, B-1050 Brussels

Contents

	Page
Foreword	2
1 Scope	3
2 Normative references	3
3 Terms and definitions	3
4 Dimensions	4
5 Material	4
6 Construction	4
7 Finish	5
8 Designation	5
Annex A (normative) Capacity measurement method for removable head (open head) steel drums	7
Bibliography	8

Foreword

This European Standard has been prepared by Technical Committee CEN/TC 261 "Packaging", the secretariat of which is held by AFNOR.

This European Standard replaces EN 209:1986.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by June 2000, and conflicting national standards shall be withdrawn at the latest by June 2000.

According to the CEN/CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Czech Republic, Denmark, Finland, France, Germany, Greece, Iceland, Ireland, Italy, Luxembourg, Netherlands, Norway, Portugal, Spain, Sweden, Switzerland and the United Kingdom.

This standard is one of a series of standards on steel drums of 17 l to 230 l and closures.

Efficient packaging is of great importance for the distribution and the protection of goods. Insufficient or inappropriate packaging can lead to damage or wastage of the contents of the package.

1 Scope

This European Standard specifies the characteristics and dimensions of removable head (open head) drums, manufactured from steel sheet, having a minimum total capacity of 210 l.

2 Normative references

This European Standard incorporates by dated or undated reference, provisions from other publications. These normative references are cited at the appropriate places in the text and the publications are listed hereafter. For dated references, subsequent amendments to or revisions of any of these publications apply to this European standard only when incorporated in it by amendment or revision. For undated references the latest edition of the publication referred to applies.

EN 10111:1998	Continuously hot-rolled low carbon steel sheet and strip for cold forming - Technical delivery conditions.
EN 10130+A1:1998	Cold rolled low carbon steel flat products for cold forming - Technical delivery conditions.
EN 10131:1991	Cold rolled uncoated low carbon and high yield strength steel flat products for cold forming - Tolerances on dimensions and shape.
prEN 12928:1999	Inserted flange type closure systems for steel drums with a total capacity of 17 l to 230 l.
EN ISO 90-2:1999	Light gauge metal containers — Definitions and determination of dimensions and capacities — Part 2: General use containers (ISO 90-2:1997).
ISO 228-1:1994	Pipe threads where pressure-tight joints are not made on the threads - Part 1 : Dimensions, tolerances and designation.

3 Terms and definitions

For the purposes of this standard, the following terms and definitions apply.

3.1

removable head (open head) drum (OH)

cylindrical packaging made of steel, the bottom end of which is permanently fixed to the body, and the top end of which can be removed as a lid and closed by means of a closing ring

3.2

nominal capacity (NC)

capacity in litres which, by convention, is used to represent a class of drums of similar brimful capacities

3.3

brimful capacity (BC)

volume of water in litres held by the drum when filled through the filling orifice to the point of overflowing

NOTE Annex A specifies the method for measuring brimful capacity.