

English Version

**Railway applications - Communication, signalling and processing
systems - European Rail Traffic Management System - Driver-
Machine Interface - Part 2: Ergonomic arrangements of GSM-R
information**

Applications ferroviaires - Systèmes de signalisation, de
télécommunications et de traitement - Système européen
de gestion du trafic ferroviaire - Interface de conduite -
Partie 2: Aménagement ergonomique des informations
GSM-R

Bahnanwendungen - Telekommunikationstechnik,
Signaltechnik und Datenverarbeitungssysteme -
Europäisches Leitsystem für den Schienenverkehr -
Mensch-Maschine Schnittstelle - Teil 2: Ergonomische
Anordnung der GSM-R Informationen

This Technical Specification was approved by CENELEC on 2015-10-26.

CENELEC members are required to announce the existence of this TS in the same way as for an EN and to make the TS available promptly at national level in an appropriate form. It is permissible to keep conflicting national standards in force.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.



European Committee for Electrotechnical Standardization
Comité Européen de Normalisation Electrotechnique
Europäisches Komitee für Elektrotechnische Normung

CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

Contents

Page

European foreword	3
Introduction	4
1 Scope	5
2 Normative references	5
3 Terms, definitions and abbreviated terms	5
3.1 Terms and definitions	5
3.2 Abbreviated terms	8
4 General DMI-related principles	9
4.1 General ergonomic principles	9
4.2 Hardware	9
4.3 Areas on the DMI	9
4.4 Colours	14
4.5 Information	14
4.6 Flashing	21
4.7 Sounds	21
4.8 Lists	21
5 GSM-R functions shown on the DMI	22
5.1 Introduction	22
5.2 General functions	22
5.3 Registration functions	42
5.4 Network selection	46
5.5 Call-related functions: incoming non-emergency	47
5.6 Call-related functions: outgoing non-emergency	50
5.7 Call-related functions: incoming emergency	55
5.8 Call-related functions: outgoing emergency	56
5.9 Supplementary Services	58
5.10 Other calls	66
5.11 Select a called party	72
5.12 Use of in-call menu	76
5.13 Loss of network	77
5.14 Shunting	78
5.15 Direct mode	82
5.16 Text messaging	83
6 Sounds	84
6.1 General	84
6.2 Incoming calls	86
6.3 The outgoing calls	89
6.4 R9 - Public address – incoming / outgoing	94
6.5 R10 - Positive link assurance	95
6.6 R11 - Negative link assurance	96
6.7 R12 – Loss of the network	97
6.8 R13 – PTT pressed	98
6.9 R14 – Uplink Busy	99
6.10 R15 – Failed action	100
Bibliography	101

European foreword

This document (CLC/TS 50459-2:2015) has been prepared by CLC/SC 9XA “Communication, signalling and processing systems”, of Technical Committee CLC/TC 9X “Electrical and electronic applications for railways”.

This document supersedes CLC/TS 50459-2:2005.

CLC/TS 50459-2:2015 includes the following significant technical changes with respect to CLC/TS 50459-2:2005:

- update general principles for the presentation of ERTMS/ETCS/GSM-R information correlated with ERA document ERA_ERTMS_015560.
- update ergonomic arrangements with EN 16186 series.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC [and/or CEN] shall not be held responsible for identifying any or all such patent rights.

CLC/TS 50459 series consists of the following parts under the general title *Railway applications — Communication, signalling and processing systems — European Rail Traffic Management System — Driver-Machine Interface*:

- *Part 1: General principles for the presentation of ERTMS/ETCS/GSM-R information;*
- *Part 2: Ergonomic arrangements of GSM-R information [the present document];*
- *Part 3: Ergonomic arrangements of non ETCS information.*

Introduction

This document should be read in conjunction with ERA_ERTMS_015560, *ETCS Driver Machine Interface*, and the EN 16186 series, *Railway applications — Driver's cab*.

CLC/TS 50459 series contains the ergonomic arrangements of information on the ERTMS/DMI Display (CCD and TRD). Most items are illustrated with an example.

The reasons for defining the ergonomics of the DMI are as follows:

- achieving harmonized and coherent presentation for ERTMS/ETCS and NTC information;
- defining Driver-Machine Interface ergonomics that is compatible with agreed interoperable ERTMS specifications;
- to reduce the risk of incorrect operation by a driver;
- facilitating train operation with a unified ergonomics, hence reducing the cost of driver training;
- better understanding of the tasks to be performed;
- increasing speed and accuracy of driver actions.

1 Scope

This Technical Specification describes from an ergonomic point of view how GSM-R information shall be arranged and displayed. More specifically it covers information that is out of the scope of ERA document ERA_ERTMS_015560. This Technical Specification describes more ergonomic details than currently provided by the GSM-R specifications.

This Technical Specification defines the ergonomics for the Driver-Machine Interface (DMI) for the stand alone ERTMS/GSM-R Voice Radio Systems.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 16186-1, *Railway applications — Driver's cab — Part 1: Anthropometric data and visibility*

prEN 16186-2, *Railway applications — Driver's cab — Part 2: Integration of displays, controls and indicators*

prEN 16186-3:2014, *Railway applications — Driver's cab — Part 3: Design of displays*

CLC/TS 50459-1:2015, *Railways applications — Communication, signalling and processing systems — European Rail Traffic Management System — Driver-Machine Interface — Part 1: General principles for the presentation of ERTMS/ETCS/GSM-R information*

UIC 612-01, *Display System in driver cabs (DDS) — General Requirements, Set Up and Technical Specifications*, version 1 July 2011

UIC 612-04, *Display System in Driver's Cabs (DDS) — Train Radio Display (TRD)*, version 1 September 2012

UIC ERTMS/GSM-R OPERATORS GROUP Document No. O-2680, V1.0, dated 03/02/2005

UIC Project EIRENE, *Functional Requirements Specification*, Version 7.3.0, UIC CODE 950, 8 March 2012

UIC Project EIRENE, *System Requirements Specification*, Version 15.3.0, UIC CODE 951, 8 March 2012

3 Terms, definitions and abbreviated terms

3.1 Terms and definitions

For the purposes of this document, the terms and definitions given in CLC/TS 50459-1:2015 and the following apply.

3.1.1

auto-answered

according to EIRENE, automatically answered from a mobile station to a call if the incoming call is of or exceeds a defined priority level

3.1.2

broadcast call

call made to all members of a pre-defined group within a local geographical area

Note 1 to entry: Only the initiator of the call may talk, with all other group members listening only.