Infotöötlus. Iselaaduvad kassetid 12,7 mm (0,5 tolli) laiusele magnetlindile

nagn.

Ochonologia

Fig. Information processing - Self-loading cartridges for 12,7 mm (0,5 mm in) wide magnetic tape



EESTI STANDARDI EESSÕNA

NATIONAL FOREWORD

	This Estonian standard EVS-EN 26098:1999 consists
Euroopa standardi EN 26098:1993 ingliskeelset	of the English text of the European standard EN
teksti.	26098:1993.
-0	
Standard on jõustunud sellekohase teate avaldamisega EVS Teatajas.	This standard has been endorsed with a notification published in the official bulletin of the Estonian Centre for Standardisation.
	Date of Availability of the European standard is 31.08.1993.
Standard on kättesaadav Eesti Standardikeskusest.	The standard is available from the Estonian Centre for Standardisation.

Tagasisidet standardi sisu kohta on võimalik edastada, kasutades EVS-i veebilehel asuvat tagasiside vormi või saates e-kirja meiliaadressile standardiosakond@evs.ee.

ICS 35.220.23

Võtmesõnad: cassettes for magnetic tapes, characteristics, data processing, data storage devices, dimensions, information interchange, magnetic tapes, mechanical propert ies,

Standardite reprodutseerimise ja levitamise õigus kuulub Eesti Standardikeskusele

Andmete paljundamine, taastekitamine, kopeerimine, salvestamine elektroonsesse süsteemi või edastamine ükskõik millises vormis või millisel teel ilma Eesti Standardikeskuse kirjaliku loata on keelatud.

Kui Teil on küsimusi standardite autorikaitse kohta, võtke palun ühendust Eesti Standardikeskusega: Aru 10, 10317 Tallinn, Eesti; www.evs.ee; telefon 605 5050; e-post info@evs.ee

The right to reproduce and distribute standards belongs to the Estonian Centre for Standardisation

No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying, without a written permission from the Estonian Centre for Standardisation.

If you have any questions about copyright, please contact Estonian Centre for Standardisation: Aru 10, 10317 Tallinn, Estonia; www.evs.ee; phone 605 5050; e-mail info@evs.ee

EUROPEAN STANDARD

EN 26098:1993

NORME EUROPÉENNE

EUROPÄISCHE NORM

August 1993

UDC 681.327.64

Descriptors:

Data processing, information interchange, magnetic tapes, cassettes for magnetic tapes, testing conditions, storage, performance evaluation, dimensions, catches, positioning, locking devices, interchangeability

English version

Information processing - Self-loading cartridges for 12,7 mm (0.5 in) wide magnetic tape (ISO 6098:1984)

Traitement de l'information - Cartouches à chargement automatique pour bande magnétique de 12,7 mm (0,5 in) de large (ISO 6098:1984)

Informationsverarbeitung - Selbstladeringe für Spulen mit Magnetband 12,7 mm (0.5 in) zur Speicherung digitaler Daten (ISO 6098:1984)

This European Standard was approved by CEN on 1993-08-13. CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical-references concerning such national standards may be obtained on application to the Central Secretariat or to any CEN member.

The European Standards exist in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the Central Secretariat has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Denmark, Finland, France, Germany, Greece, Iceland, Ireland, Italy, Luxembourg, Netherlands, Norway, Portugal, Spain, Sweden, Switzerland and United Kingdom.

CEN

European Committee for Standardization Comité Européen de Normalisation Europäisches Komitee für Normung

Central Secretariat: rue de Stassart, 36 B-1050 Brussels

Foreword

On the proposal of the CEN Central Secretariat, the Technical Board has decided to submit the International Standard:

"Information processing - Self-loading cartridges for 12,7 mm (0.5 in) wide magnetic tape (ISO 6098:1984)"

to the formal vote.

The result of the formal vote was positive.

For the time being, this document exists only in English and in French.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by February 1994, and conflicting national standards shall be withdrawn at the latest by February 1994.

In accordance with the CEN/CENELEC Internal Regulations, the following countries are bound to implement this European Standard:

Austria, Belgium, Denmark, Finland, France, Germany, Greece, Iceland, Ireland, Italy, Luxembourg, Netherlands, Norway, Portugal, Spain, Sweden, Switzerland and United Kingdom.

Endorsement notice

The text of the International Standard ISO 6098:1984 was approved by CEN as a European Standard without any modification.

International Standard



6098

INTERNATIONAL ORGANIZATION FOR STANDARDIZATION®MEЖДУНАРОДНАЯ ОРГАНИЗАЦИЯ ПО СТАНДАРТИЗАЦИИ®ORGANISATION INTERNATIONALE DE NORMALISATION

Information processing — Self-loading cartridges for 12,7 mm (0.5 in) wide magnetic tape

Traitement de l'information — Cartouches à chargement automatique pour bande magnétique de 12,7 mm (0,5 in) de large

Second edition - 1984-12-15

UDC 681.327.64

Ref. No. ISO 6098-1984 (E)

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work.

Draft International Standards adopted by the technical committees are circulated to the member bodies for approval before their acceptance as International Standards by the ISO Council. They are approved in accordance with ISO procedures requiring at least 75 % approval by the member bodies voting.

International Standard ISO 6098 was prepared by Technical Committee ISO/TC 97, *Information processing systems*.

ISO 6098 was first published in 1982. This second edition cancels and replaces the first edition; sub-clause 5.1 of the previous edition having been technically revised.

🖭 International Organization for Standardization, 1984 🛛 🗨

C	ontents	Page
2 3 4 5 6 7 8 9	Scope and field of application Reference Environment Description and operation Dimensions Cartridge/drive interface Optional features Functional characteristics Tape and reel requirements	. 1 . 1 . 2 . 4 . 5 . 6
В	Instrumentation for measuring the pneumatic impedance	10

This document is a preview denotated by tills

Information processing — Self-loading cartridges for 12,7 mm (0.5 in) wide magnetic tape

1 Scope and field of application

This International Standard specifies mechanical and functional interchangeability requirements for self-loading cartridges, to be used with reels of 12,7 mm (0.5 in) wide magnetic tape specified in ISO 1864.

Minimum dimensional and functional requirements of the cartridge are given, in order to ensure interchangeability of cartridges between tape drives designed for self-loading operation. Some dimensions and features, other than those strictly required for interchangeability, are also given but have to be considered as recommended or optional.

NOTE — The numeric values in the SI and Imperial measurement systems in this International Standard may have been rounded and, therefore, are consistent with, but not exactly equal to, each other. Either system may be used but the two should be neither intermixed nor reconverted. The original design was completed using the Imperial measurement system.

2 Reference

ISO 1864, Information processing — Unrecorded 12,7 mm (0.5 in) wide magnetic tape for information interchange — 32 ftpmm (800 ftpi) NRZ1, 126 ftpmm (3 200 ftpi) phase encoded and 356 ftpmm (9 042 ftpi), NRZ1.

3 Environment

3.1 Testing environment

Tests and measurements made to check the requirements of this International Standard shall be carried out under following conditions:

temperature : 23 \pm 2 °C (73 \pm 5 °F)

relative humidity : 40 to 60 %

conditioning time before testing: 24 h

3.2 Operating environment

temperature: 16 to 32 °C (60 to 90 °F)

relative humidity: 20 to 80 %

wet bulb temperature : not greater than 25 °C (78 °F)

3.3 Storage environment

3.3.1 Cartridges loaded with unrecorded tape

temperature: 5 to 48 °C (40 to 120 °F)

relative humidity: 20 to 80 %

wet bulb temperature : not greater than 26 °C (80 °F)

3.3.2 Cartridges loaded with recorded tape

temperature: 5 to 32 °C (40 to 90 °F)

relative humidity: 20 to 80 %

wet bulb temperature : not greater than 25 °C (78 °F)

3.3.3 Cartridges without tape

Temperature and relative humidity of storage environment for cartridges without tape should be according to the recommendations of the manufacturers of the cartridge.

4 Description and operation

4.1 General

The self-loading cartridge is a collar which can be attached to the rim of a reel of magnetic tape and protect the tape against dust and contamination during storage and handling.