Aerospace series - Cables, electrical, single and multicore for general purpose - Operating temperatures between - 55 °C and 260 °C - Part 008: Screened (braided) and jacketed, UV laser printable - Product standard

Aerospace series - Cables, electrical, single and multicore for general purpose - Operating temperatures between - 55 °C and 260 °C - Part 008: Screened (braided) and jacketed, UV laser printable - Product standard



EESTI STANDARDI EESSÕNA

NATIONAL FOREWORD

Käesolev Eesti standard EVS-EN 2714-
008:2006 sisaldab Euroopa standardi EN
2714-008:2006 ingliskeelset teksti.

This Estonian standard EVS-EN 2714-008:2006 consists of the English text of the European standard EN 2714-008:2006.

Käesolev dokument on jõustatud 20.09.2006 ja selle kohta on avaldatud teade Eesti standardiorganisatsiooni ametlikus väljaandes.

This document is endorsed on 20.09.2006 with the notification being published in the official publication of the Estonian national standardisation organisation.

Standard on kättesaadav Eesti standardiorganisatsioonist.

The standard is available from Estonian standardisation organisation.

Käsitlusala:

This standard specifies the characteristics of UV laser printable, single and multicore screened (braided) and jacketed electrical cables for use in the on-board electrical systems of aircraft, at operating temperatures between – 55 °C and 260 °C.

Scope:

This standard specifies the characteristics of UV laser printable, single and multicore screened (braided) and jacketed electrical cables for use in the on-board electrical systems of aircraft, at operating temperatures between – 55 °C and 260 °C.

ICS 49.060

Võtmesõnad:

EUROPEAN STANDARD

EN 2714-008

NORME EUROPÉENNE

EUROPÄISCHE NORM

August 2006

ICS 49.060

English Version

Aerospace series - Cables, electrical, single and multicore for general purpose - Operating temperatures between - 55 °C and 260 °C - Part 008: Screened (braided) and jacketed, UV laser printable - Product standard

Série aérospatiale - Câbles, électriques, mono et multiconducteurs d'usage général - Températures de fonctionnement comprises entre - 55 °C et 260 °C - Partie 008 : Blindés (tressés) et gainés, marquables au laser UV - Norme de produit

Luft- und Raumfahrt - Leitungen, elektrisch, ein- und mehradrig, für allgemeine Verwendung -Betriebstemperaturen zwischen - 55 °C und 260 °C - Teil 008: Geschirmt (Umflechtung) und ummantelt, UV Laser bedruckbar - Produktnorm

This European Standard was approved by CEN on 19 May 2006.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the Central Secretariat or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the Central Secretariat has the same status as the official versions

CEN members are the national standards bodies of Austria, Belgium, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION COMITÉ EUROPÉEN DE NORMALISATION EUROPÄISCHES KOMITEE FÜR NORMUNG

Management Centre: rue de Stassart, 36 B-1050 Brussels

	Contents	
-		•
Forew I	ord	
2	Normative references	
- 3	Terms and definitions	
ļ	Materials and construction	
5	Required characteristics	
, }	Quality assurance	
7	Designation	
3	Identification and marking	
)	Packaging, labelling and delivery lengths	
10	Technical specification	

Foreword

This European Standard (EN 2714-008:2006) has been prepared by the Aerospace and Defence Industries Association of Europe - Standardization (ASD-STAN).

After enquiries and votes carried out in accordance with the rules of this Association, this Standard has received the approval of the National Associations and the Official Services of the member countries of ASD, prior to its presentation to CEN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by February 2007, and conflicting national standards shall be withdrawn at the latest by February 2007.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

According to the CEN/CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and the United Kingdom.

1 Scope

This standard specifies the characteristics of UV laser printable, single and multicore screened (braided) and jacketed electrical cables for use in the on-board electrical systems of aircraft, at operating temperatures between $-55\,^{\circ}\text{C}$ and $260\,^{\circ}\text{C}$.

It shall also be possible to mark these cables by hot stamp printing or ink jet printing.

These markings shall be in accordance with EN 3838.

This standard is not valid for new study.

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 2083, Aerospace series — Copper or copper alloy conductors for electrical cables — Product standard.

EN 2235, Aerospace series — Single and multicore electrical cables, screened and jacketed — Technical specification.

EN 2267-003, Aerospace series — Cables, electrical, for general purpose — Operating temperatures between – 55 °C and 260 °C — Part 003: Ink jet printable — Product standard.

EN 2714-002, Aerospace series — Cables, electrical, single and multicore for general purpose — Operating temperatures between – 55 °C and 260 °C — Part 002: Screened and jacketed — General.

EN 3475-100*, Aerospace series — Cables, electrical, aircraft use — Test methods — Part 100: General.

EN 3838, Aerospace series — Requirements and tests on user-applied markings on aircraft electrical cables. 1)

EN 9133, Aerospace series — Quality management systems — Qualification Procedure for aerospace standard parts.

5

3 Terms and definitions

For the purposes of this standard, the terms and definitions given in EN 3475-100 apply.

^{*} And all parts quoted in Table 2.

Published as AECMA Prestandard at the date of publication of this standard.