
**Information technology — Biometric
application programming interface —**

**Part 2:
Biometric archive function provider
interface**

*Technologies de l'information — Interface de programmation
d'applications biométriques —*

Partie 2: Interface du fournisseur de fonction d'archives biométriques

PDF disclaimer

This PDF file may contain embedded typefaces. In accordance with Adobe's licensing policy, this file may be printed or viewed but shall not be edited unless the typefaces which are embedded are licensed to and installed on the computer performing the editing. In downloading this file, parties accept therein the responsibility of not infringing Adobe's licensing policy. The ISO Central Secretariat accepts no liability in this area.

Adobe is a trademark of Adobe Systems Incorporated.

Details of the software products used to create this PDF file can be found in the General Info relative to the file; the PDF-creation parameters were optimized for printing. Every care has been taken to ensure that the file is suitable for use by ISO member bodies. In the unlikely event that a problem relating to it is found, please inform the Central Secretariat at the address given below.

This document is a preview generated by EVS

© ISO/IEC 2007

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Case postale 56 • CH-1211 Geneva 20
Tel. + 41 22 749 01 11
Fax + 41 22 749 09 47
E-mail copyright@iso.org
Web www.iso.org

Published in Switzerland

Contents

Page

Foreword	iv
Introduction	v
1 Scope	1
2 Conformance	1
3 Terms and definitions	1
4 Interface architecture	1
5 BAFPI Definition	3
5.1 BAFPI data structures	3
5.1.1 BioAFPI_EventHandler	3
5.1.2 BioAFPI_BAFPPropertyID	3
5.1.3 BioAFPI_BAFPPropertySchema	4
5.1.4 BioAFPI_UnitPropertyID	4
5.1.5 BioAFPI_UnitPropertySchema	5
5.2 BAFP Functions	6
5.2.1 BioAFPI_BAFPLoad	6
5.2.2 BioAFPI_BAFPUnload	7
5.2.3 BioAFPI_UnitAttach	8
5.2.4 BioAFPI_UnitDetach	9
5.2.5 BioAFPI_QueryUnits	10
5.2.6 BioAFPI_Free	11
5.2.7 BioAFPI_ControlUnit	12
5.2.8 BioAFPI_Cancel	13
5.2.9 BioAFPI_SetPowerMode	14
5.2.10 BioAFPI_DbOpen	15
5.2.11 BioAFPI_DbClose	16
5.2.12 BioAFPI_DbCreate	17
5.2.13 BioAFPI_DbDelete	18
5.2.14 BioAFPI_DbSetMarker	19
5.2.15 BioAFPI_DbFreeMarker	20
5.2.16 BioAFPI_DbStoreBIR	21
5.2.17 BioAFPI_DbGetBIR	22
5.2.18 BioAFPI_DbGetNextBIR	23
5.2.19 BioAFPI_DbDeleteBIR	24

Foreword

ISO (the International Organization for Standardization) and IEC (the International Electrotechnical Commission) form the specialized system for worldwide standardization. National bodies that are members of ISO or IEC participate in the development of International Standards through technical committees established by the respective organization to deal with particular fields of technical activity. ISO and IEC technical committees collaborate in fields of mutual interest. Other international organizations, governmental and non-governmental, in liaison with ISO and IEC, also take part in the work. In the field of information technology, ISO and IEC have established a joint technical committee, ISO/IEC JTC 1.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of the joint technical committee is to prepare International Standards. Draft International Standards adopted by the joint technical committee are circulated to national bodies for voting. Publication as an International Standard requires approval by at least 75 % of the national bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO and IEC shall not be held responsible for identifying any or all such patent rights.

ISO/IEC 19784-2 was prepared by Technical Committee ISO/IEC JTC 1, *Information technology*, Subcommittee SC 37, *Biometrics*.

ISO/IEC 19784 consists of the following parts, under the general title *Information technology — Biometric application programming interface*:

- *Part 1: BioAPI specification*
- *Part 2: Biometric archive function provider interface*

Introduction

This part of ISO/IEC 19784 specifies the interface to an archive BFP. An archive BFP is responsible for the storage and management of BIRs. The archive BFP interface covers functions to attach, detach and operate related functional units by the biometric service provider, to store BIRs, to retrieve information about stored BIRs and to retrieve formerly stored BIRs for further processing by a BSP.

ISO/IEC 19784-1 provides a high-level generic biometric authentication model. This part of ISO/IEC 19784 specifies a BSP archive interface. An archive is responsible for the management of biometric data storage. Because of the application-specific requirements of biometric data storage, an archive interface is standardized.

The BioAPI Unit where the BIRs are stored is completely under control of the archive BFP. The general model for the handling of BIRs is as if they were data records in a database.

This document is a preview generated by EVS

Information technology— Biometric application programming interface —

Part 2: Biometric archive function provider interface

1 Scope

This part of ISO/IEC 19784 specifies the interface to an archive biometric function provider.

NOTE The interface assumes that the archive will be handled as a database, regardless of its physical realization. (Smartcards, tokens, memory sticks, files on hard drives and any other kind of memory can be handled via an abstraction layer presenting a database interface.)

This part of ISO/IEC 19784 enables any third party to create biometric archive function providers, which may be plugged into any biometric service provider supporting this interface.

It is not in the scope of this part of ISO/IEC 19784 to define security and privacy requirements for storage and management of BIRs.

2 Conformance

A conformant BAFP is required to support all functions and parameters specified in this part of ISO/IEC 19784. No subsets of conformant BAFP functions are defined.

NOTE BSPs may require any of those functions and parameters.

3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

NOTE Function names and data element names are not included here, but are defined within the body of this part of ISO/IEC 19784.

3.1

biometric archive function provider

BAFP

BioAPI component, attached to a BSP via its interface, for storage, management and interchange of BIRs

3.2

biometric archive function provider interface

BAFPI

BAFP-to-BSP interface which supports the functions to manage the BAFP itself, its databases or BIRs

4 Interface architecture

ISO/IEC 19784-1:2006 specifies the interface at the top of the BioAPI Framework, which a biometric application uses to interact with BSPs, and through that to biometric units either directly or through BFPs (see Figure 1 and Figure 2 of ISO/IEC 19784-1:2006).