Plastics - Smoke generation - Part 2: Determination of optical density by a single-chamber test (ISO 5659-2:2017)



EESTI STANDARDI EESSÕNA

NATIONAL FOREWORD

See Eesti standard EVS-EN ISO 5659-2:2017 sisaldab Euroopa standardi EN ISO 5659-2:2017 ingliskeelset teksti.	
Standard on jõustunud sellekohase teate avaldamisega EVS Teatajas	This standard has been endorsed with a notification published in the official bulletin of the Estonian Centre for Standardisation.
Euroopa standardimisorganisatsioonid on teinud Euroopa standardi rahvuslikele liikmetele kättesaadavaks 21.06.2017.	Date of Availability of the European standard is 21.06.2017.
Standard on kättesaadav Eesti Standardikeskusest.	The standard is available from the Estonian Centre for Standardisation.

Tagasisidet standardi sisu kohta on võimalik edastada, kasutades EVS-i veebilehel asuvat tagasiside vormi või saates e-kirja meiliaadressile <u>standardiosakond@evs.ee</u>.

ICS 13.220.40, 83.080.01

Standardite reprodutseerimise ja levitamise õigus kuulub Eesti Standardikeskusele

Andmete paljundamine, taastekitamine, kopeerimine, salvestamine elektroonsesse süsteemi või edastamine ükskõik millises vormis või millisel teel ilma Eesti Standardikeskuse kirjaliku loata on keelatud.

Kui Teil on küsimusi standardite autorikaitse kohta, võtke palun ühendust Eesti Standardikeskusega: Koduleht www.evs.ee; telefon 605 5050; e-post info@evs.ee

The right to reproduce and distribute standards belongs to the Estonian Centre for Standardisation

No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying, without a written permission from the Estonian Centre for Standardisation.

If you have any questions about copyright, please contact Estonian Centre for Standardisation:

Homepage www.evs.ee; phone +372 605 5050; e-mail info@evs.ee

EUROPEAN STANDARD

EN ISO 5659-2

NORME EUROPÉENNE

EUROPÄISCHE NORM

June 2017

ICS 13.220.40; 83.080.01

Supersedes EN ISO 5659-2:2012

English Version

Plastics - Smoke generation - Part 2: Determination of optical density by a single-chamber test (ISO 5659-2:2017)

Plastiques - Production de fumée - Partie 2: Détermination de la densité optique par un essai en enceinte unique (ISO 5659-2:2017) Kunststoffe - Rauchentwicklung - Teil 2: Bestimmung der optischen Dichte durch Einkammerprüfung (ISO 5659-2:2017)

This European Standard was approved by CEN on 9 May 2017.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION COMITÉ EUROPÉEN DE NORMALISATION EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

European foreword

This document (EN ISO 5659-2:2017) has been prepared by Technical Committee ISO/TC 61 "Plastics" in collaboration with Technical Committee CEN/TC 249 "Plastics" the secretariat of which is held by NBN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by December 2017, and conflicting national standards shall be withdrawn at the latest by December 2017.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

This document supersedes EN ISO 5659-2:2012.

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

Endorsement notice

The text of ISO 5659-2:2017 has been approved by CEN as EN ISO 5659-2:2017 without any modification.

Co	ntent	SS .	Page	
Fore	word		v	
Intr	oductio	011	vi	
1		De		
2	7. O.	mative references		
3		ns and definitions		
4		ciples of the test		
5		ability of a material or product for testing		
	5.1 5.2	Material or product geometry Surface characteristics		
	5.2 5.3	Asymmetrical products		
6		cimen construction and preparation		
0	6.1	Number of specimens		
	6.2			
	6.3	Specimen preparation		
	6.4	Conditioning		
	6.5	Wrapping of specimens		
7		aratus and ancillary equipment		
	7.1 7.2	General Test chamber		
	7.2	7.2.1 Construction		
		7.2.2 Chamber pressure control facilities		
		7.2.3 Chamber wall temperature		
	7.3	Specimen support and heating arrangements		
		7.3.1 Radiator cone	10	
		7.3.2 Framework for support of the radiator cone, specimen holder and heat flux meter	10	
		7.3.3 Radiator shield		
		7.3.4 Heat flux meter		
		7.3.5 Specimen holder		
		7.3.6 Pilot burner		
	7.4	Gas supplyPhotometric system	15	
	7.5	7.5.1 General	15 15	
		7.5.2 Light source		
		7.5.3 Photo detector		
		7.5.4 Additional equipment		
	7.6	Chamber leakage		
	7.7 7.8	Cleaning materials Ancillary equipment		
	7.0	7.8.1 Balance		
		7.8.2 Timing device	18	
		7.8.3 Linear measuring devices	18	
		7.8.4 Auxiliary heater		
		7.8.5 Protective equipment		
		7.8.6 Recorder 7.8.7 Water-circulating device		
0	m ·			
8		environment		
9		ing-up and calibration procedures		
	9.1 9.2	General Alignment of photometric system		
	7.4	9.2.1 General		

	9.2.2 Beam collimation		
	9.2.3 Beam focusing		
	9.3 Selection of compensating filter(s)		
	9.4 Linearity check		
	9.5 Calibration of range-extension filter		
	9.6 Chamber leakage rate test		
	9.8 Radiator cone calibration		
	9.9 Cleaning		
	9.10 Frequency of checking and calibrating procedure		
10	Test procedure		
10	10.1 General		
	10.2 Preparation of test chamber		
	10.3 Tests with pilot flame		
	10.4 Preparation of the photometric system		
	10.5 Loading the specimen		
	10.6 Recording of light transmission		23
	10.7 Observations		
	10.8 Termination of test		
	10.9 Testing in different modes		
11	Expression of results		25
	11.1 Specific optical density, $D_{\rm S}$		25
	11.2 Clear-beam correction factor, <i>D</i> _c		
12	Precision		26
13	Test report		26
Ann	ex A (normative) Calibration of heat flux meter		28
	ex B (informative) Variability in the specific optical de		
	single-chamber test		29
	ex C (informative) Determination of mass optical density		
	ex D (informative) Precision data from tests on intume	A ()	
Ann	ex E (informative) Guidance on optical density testing		38
Ann	ex F (informative) Specific sample preparation		
Bibli	iography		49

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation on the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT) see the following URL: www.iso.org/iso/foreword.html.

This document was prepared by Technical Committee ISO/TC 61, *Plastics*, Subcommittee SC 4, *Burning behaviour*.

This fourth edition cancels and replaces the third edition (ISO 5659-2:2012), which has been technically revised. It details several technical points for sampling (essentially $\frac{Annex\ F}{Annex\ F}$) and harmonizes sample preparation with other standards like ISO 5660-1.

A list of all parts in the ISO 5659 series can be found on the ISO website.

Introduction

Fire is a complex phenomenon; its development and effects depend upon a number of interrelated factors. The behaviour of materials and products depends upon the characteristics of the fire, the method of use of the materials and the environment in which they are exposed to (see also ISO/TS 3814 and ISO 13943).

A test such as is specified in this document deals only with a simple representation of a particular aspect of the potential fire situation, typified by a radiant heat source, and it cannot alone provide any direct guidance on behaviour or safety in fire. A test of this type may, however, be used for comparative purposes or to ensure the existence of a certain quality of performance (in this case, smoke production) considered to have a bearing on fire behaviour generally. It would be wrong to attach any other meaning to results from this test.

The term "smoke" is defined in ISO 13943 as a visible suspension of solid and/or liquid particles in gases resulting from incomplete combustion. It is one of the first response characteristics to be manifested and should almost always be taken into account in any assessment of fire hazard as it represents one of the greatest threats to occupants of a building or other enclosure, such as a ship or train, on fire.

The responsibility for the preparation of ISO 5659 was transferred during 1987 from ISO/TC 92 to ISO/TC 61 on the understanding that the scope and applicability of the standard for the testing of e but materials should not be restricted to plastics but should also be relevant to other materials where possible, including building materials.

Plastics — Smoke generation —

Part 2:

Determination of optical density by a single-chamber test

1 Scope

This document specifies a method of measuring smoke production from the exposed surface of specimens of materials or composites. It is applicable to specimens that have an essentially flat surface and do not exceed 25 mm in thickness when placed in a horizontal orientation and subjected to specified levels of thermal irradiance in a closed cabinet with or without the application of a pilot flame. This method of test is applicable to all plastics.

It is intended that the values of optical density determined by this test be taken as specific to the specimen or assembly material in the form and thickness tested and are not to be considered inherent, fundamental properties.

The test is intended primarily for use in research and development and fire safety engineering in buildings, trains, ships, etc. and not as a basis for ratings for building codes or other purposes. No basis is provided for predicting the density of smoke that can be generated by the materials upon exposure to heat and flame under other (actual) exposure conditions. This test procedure excludes the effect of irritants on the eye.

NOTE This test procedure addresses the loss of visibility due to smoke density, which generally is not related to irritancy potency (see $\underbrace{\text{Annex E}}$).

It is emphasized that smoke production from a material varies according to the irradiance level to which the specimen is exposed. The results yielded from the method specified in this document are based on exposure to the specific irradiance levels of 25 kW/m 2 and 50 kW/m 2 .

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 291, *Plastics* — *Standard atmospheres for conditioning and testing*

ISO 13943, Fire safety — Vocabulary

ISO 14934-3, Fire tests — Calibration and use of heat flux meters — Part 3: Secondary calibration method

3 Terms and definitions

For the purposes of this document, the terms and definitions given in ISO 13943 and the following apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- IEC Electropedia: available at http://www.electropedia.org/
- ISO Online browsing platform: available at http://www.iso.org/obp