

Household appliances network and grid connectivity -
Part 1: General Requirements, Generic Data Modelling
and Neutral Messages

EESTI STANDARDI EESSÕNA

NATIONAL FOREWORD

See Eesti standard EVS-EN 50631-1:2017 sisaldab Euroopa standardi EN 50631-1:2017 ingliskeelset teksti.	This Estonian standard EVS-EN 50631-1:2017 consists of the English text of the European standard EN 50631-1:2017.
Standard on jõustunud sellekohase teate avaldamisega EVS Teatajas	This standard has been endorsed with a notification published in the official bulletin of the Estonian Centre for Standardisation.
Euroopa standardimisorganisatsioonid on teinud Euroopa standardi rahvuslikele liikmetele kättesaadavaks 08.12.2017.	Date of Availability of the European standard is 08.12.2017.
Standard on kättesaadav Eesti Standardikeskusest.	The standard is available from the Estonian Centre for Standardisation.

Tagasisidet standardi sisu kohta on võimalik edastada, kasutades EVS-i veebilehel asuvat tagasiside vormi või saates e-kirja meiliaadressile standardiosakond@evs.ee.

ICS 97.120

Standardite reprodutseerimise ja levitamise õigus kuulub Eesti Standardikeskusele

Andmete paljundamine, taastekitamine, kopeerimine, salvestamine elektroonsesse süsteemi või edastamine ükskõik millises vormis või millisel teel ilma Eesti Standardikeskuse kirjaliku loata on keelatud.

Kui Teil on küsimusi standardite autorikaitse kohta, võtke palun ühendust Eesti Standardikeskusega:
Koduleht www.evs.ee; telefon 605 5050; e-post info@evs.ee

The right to reproduce and distribute standards belongs to the Estonian Centre for Standardisation

No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying, without a written permission from the Estonian Centre for Standardisation.

If you have any questions about copyright, please contact Estonian Centre for Standardisation:

Homepage www.evs.ee; phone +372 605 5050; e-mail info@evs.ee

ICS 97.120

English Version

Household appliances network and grid connectivity - Part 1: General Requirements, Generic Data Modelling and Neutral Messages

Appareils domestiques connectés au réseau et réseau
intelligent - Partie 1: Exigences générales, modélisation de
données génériques et messages neutres génériques

Netzwerk- und Stromnetz-Konnektivität von
Haushaltsgeräten - Teil 1: Allgemeine Anforderungen,
allgemeine Datenmodellierung und neutrale Meldungen

This European Standard was approved by CENELEC on 2017-09-18. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.



European Committee for Electrotechnical Standardization
Comité Européen de Normalisation Electrotechnique
Europäisches Komitee für Elektrotechnische Normung

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

Contents

Page

European foreword	6
Introduction	7
1 Scope	8
2 Normative references	8
3 Terms, definitions and abbreviations	8
4 Process & Requirements to enable interoperability	14
4.1 Introduction	14
4.2 Conceptual Architecture Model	15
4.3 Top Down Approach	17
4.4 Process	18
5 User Stories and Use Cases	19
5.1 Introduction	19
5.2 User Stories	20
5.2.1 Demand Response (DR)	20
5.2.2 Demand Side Management (DSM), see “EURELECTRIC Views on Demand-Side Participation” [5]	21
5.2.3 Emergency Blackout Prevention (see [2])	22
5.2.4 Remote Control of a Smart Appliance (see [3])	22
5.2.5 Remote Monitoring of a Smart Appliance (see [3])	23
5.2.6 Manual Operation of a Smart Appliance (see [3])	23
5.3 Derived use cases	23
5.3.1 Introduction	23
5.3.2 Actors	24
5.3.3 Main level of Smart Appliances use cases	24
5.3.4 Flexible Start	25
5.3.5 Direct Load Control	34
5.3.6 Emergency Blackout Prevention	38
5.3.7 Remote Programming	41
5.3.8 Remote Monitoring	44
5.3.9 Manual Operation	48
5.3.10 Install Smart Appliance	50
5.3.11 Remove Smart Appliance	52
6 Requirements & Common Function Descriptions	54
6.1 Introduction	54
6.2 Requirements	54
6.2.1 JWG-R100 – Provide fallback mechanism of Smart Device to regular device (autonomous operation) if no CCM is available	54
6.2.2 JWG-R101 – Safety relevant requirements	54
6.3 Common Function Descriptions	54
6.3.1 JWG-F100/101 – Register / De-Register Smart Appliance with available options	54
6.3.2 JWG-F102 – Provide alternatives on power profiles with available optimization targets, Notify about pending job(s) that were initiated by Smart Appliance and/or the end-customer	57
6.3.3 JWG-F103 – Plan automated start in advance	58
6.3.4 JWG-F104 – Query and show information as well as status and/or status change of a Smart Appliance	60
6.3.5 JWG-F105 – Immediately control device (no emergency case)	62
6.3.6 JWG-F106 – Modify configuration of Smart Device during runtime to increase/decrease power consumption	63

6.3.7	JWG-F107 – Emergency control device (cooperative with Smart Device)	64
7	Mappings	65
7.1	Introduction	65
7.2	Mapping use cases – use case functions	66
7.3	Mapping common use case functions – SPINE data model	67
8	SPINE Data Model	70
8.1	Introduction	70
8.2	Brief outlook to the next chapters	73
8.3	General notations	74
8.3.1	Used keywords	74
8.3.2	Data model specialization: From “generic XSD models” to “adjusted models” in “tables” and feature types	74
8.3.3	Multiple “entity” tags	75
8.3.4	Common data types	75
9	SPINE Protocol	76
9.1	Introduction	76
9.2	Architecture requirements	76
9.2.1	General rules	76
9.2.2	Address level details	77
9.3	SPINE Datagram	78
9.3.1	Introduction	78
9.3.2	Header	79
9.3.3	Payload	86
9.4	Communication modes	97
9.4.1	Simple communication mode	98
9.4.2	Enhanced communication mode	98
9.5	Functional commissioning	99
9.5.1	Detailed discovery	99
9.5.2	Destination list	113
9.5.3	Binding	116
9.5.4	Subscription	124
10	SPINE Resource Definitions	132
10.1	Overall model hierarchy concept overview	132
10.1.1	Resource Type Definition Concept	132
10.1.2	Class Concept	134
10.2	Common technical details	136
10.2.1	Introduction	136
10.2.2	Time information (absolute / relative / recurring)	136
10.2.3	List Data concept	136
10.2.4	Identifier concept	137
10.2.5	Restricted function exchange for list based functions	138
10.2.6	On the use of “label” and “description”	138
10.2.7	Empty elements as “tags”	139
10.2.8	Common data types	140
10.2.9	Result	154
10.3	Device Model Facets Definitions	155
10.3.1	Device Types	155
10.3.2	Entity Types	157
10.3.3	Feature Types	160
10.4	Complex Classes	219
10.4.1	NodeManagement	219
10.4.2	SmartEnergyManagementPs	219
10.5	Standard Classes	237
10.5.1	ActuatorSwitch	237
10.5.2	BindingManagement	240
10.5.3	DeviceClassification	245
10.5.4	DirectControl	249

10.5.5	LoadControl.....	253
10.5.6	Measurement.....	258
10.5.7	Messaging	267
10.5.8	NetworkManagement.....	271
10.5.9	OperatingConstraints.....	296
10.5.10	PowerSequences	305
10.5.11	Sensing	332
10.5.12	Setpoint.....	336
10.5.13	SubscriptionManagement.....	343
10.5.14	TaskManagement.....	348
10.5.15	Threshold.....	354
10.5.16	TimeInformation.....	359
10.5.17	TimeTable	365
10.5.18	Version.....	372
Annex A	(normative) XSDs in alphabetic order.....	375
A.1	SPINE_TS_ActuatorSwitch.....	375
A.2	SPINE_TS_BindingManagement.....	375
A.3	SPINE_TS_CommandCommonDefinitions	377
A.4	SPINE_TS_CommandFrame.....	380
A.5	SPINE_TS_CommonDataTypes.....	381
A.6	SPINE_TS_Datagram.....	392
A.7	SPINE_TS_DeviceClassification	392
A.8	SPINE_TS_DirectControl	393
A.9	SPINE_TS_LoadControl.....	394
A.10	SPINE_TS_Measurement	396
A.11	SPINE_TS_Messaging.....	399
A.12	SPINE_TS_NetworkManagement	400
A.13	SPINE_TS_NodeManagement	405
A.14	SPINE_TS_OperatingConstraints	413
A.15	SPINE_TS_PowerSequences.....	416
A.16	SPINE_TS_Result.....	423
A.17	SPINE_TS_Sensing.....	423
A.18	SPINE_TS_Setpoint	425
A.19	SPINE_TS_SmartEnergyManagementPs	427
A.20	SPINE_TS_SpecificDeviceEntityDefinitions	436
A.21	SPINE_TS_SubscriptionManagement	437
A.22	SPINE_TS_TaskManagement	438
A.23	SPINE_TS_Threshold.....	440
A.24	SPINE_TS_TimeInformation	442
A.25	SPINE_TS_TimeTable.....	443
A.26	SPINE_TS_Version	445
Annex B	(informative) Examples and supplementary overviews.....	446
B.1	PowerSequence Example	446
B.1.1	101 read nodeManagementDetailedDiscoveryData	447
B.1.2	102 reply nodeManagementDetailedDiscoveryData	448
B.1.3	301 call nodeManagementSubscriptionRequestCall	449
B.1.4	302/306 reply resultData.....	450
B.1.5	303 read smartEnergyManagementPsData.....	450
B.1.6	304 reply smartEnergyManagementPsData.....	450
B.1.7	305 call nodeManagementBindingRequestCall.....	451
B.1.8	308 write partial smartEnergyManagementPsData startTime.....	452
B.1.9	309 notify partial smartEnergyManagementPsData scheduled	452
B.1.10	310 notify partial smartEnergyManagementPsData running	453
B.1.11	311 notify partial smartEnergyManagementPsData completed.....	454
B.2	Identifier list.....	455
B.3	Examples of enhanced communication mode and DestinationList.....	456
B.3.1	Introduction	456
B.3.2	“Interfaces” and “internal routing”.....	456

B.3.3	Forwarding to “next hop”	458
B.3.4	Access “simple” devices via proxy	459
B.3.5	Network aspects	461
	Bibliography	462

This document is a preview generated by EVS

European foreword

This document (EN 50631-1:2017) has been prepared by the WG 7 "Smart Household Appliances" of CLC/TC 59X "Performance of household and similar electrical appliances".

The following dates are fixed:

- latest date by which this document has (dop) 2018-09-18
to be implemented at national level by
publication of an identical national
standard or by endorsement
- latest date by which the national (dow) 2020-09-18
standards conflicting with this document
have to be withdrawn

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC shall not be held responsible for identifying any or all such patent rights.

This document has been prepared under a mandate given to CENELEC by the European Commission and the European Free Trade Association.

Introduction

Energy management systems will more and more become necessary due to change from fossil and nuclear to renewable production and the associated decentralisation. Since an appropriate standard for a home & building management is in preparation this European Standard specifies how sets of products from multiple manufacturers are able to interoperate with Home & Building / Customer Energy Management Systems, located in a home network or in the cloud, in the most interoperable manner.

This standard focuses on interoperability of household appliances and describes the necessary control and monitoring. It defines a set of functions of household and similar electrical appliances. The functions in this standard cover next to energy-management main remote-control and – monitoring use cases.

This European Standard does not deal with safety and security requirements. Safety requirements have been set in IEC/EN 60335-x [17].

EN 50631 will provide interoperability on information exchange among various appliances in the home. The standard will be split into 4 parts:

EN 50631-1: *Household appliances network and grid connectivity — Part 1: General Requirements, Generic Data Modeling and Neutral Messages*

EN 50631-2-x: *Household appliances network and grid connectivity — Part 2: Product Specific Requirements and -Specifications*

EN 50631-3: *Household appliances network and grid connectivity — Part 3: General Test-Requirements & -Specifications*

EN 50631-4-x: *Household appliances network and grid connectivity — Part 4: Technology Specific Implementation and Test Requirements*

Data communication heavily depends on the environment of appliances. Sometimes low bitrate or energy efficient communication puts strict requirements to selected communication technologies. Therefore, popular and de facto standards had been and will be developed by the industry to fulfil such requirements. To not influence common data modeling for appliances because of such restrictions, the standardized data models and neutral message structures need to be applied to communication technologies.

This standard series therefore is intended to separate data modeling and neutral message structure from the attached communication.

Part 1 defines general requirements, generic data modeling and generic neutral messages without relation to any specific communication technology or any product specific layout.

Part 2 lists and specifies product specific requirements and implementation guidance based on the generic data model and generic neutral messages.

Part 3 defines Test-Requirements and Test-Specifications.

Part 4 defines the mapping of neutral messages to examples of typical communication protocols like ZigBee, KNX, OIC, SHIP, Echonet light, Thread and so forth. These communication protocols are neither mandatory nor to be seen as complete spectrum of communication protocols. A few can be found at [6] - [13].

1 Scope

This document defines data models for Interoperable Connected Household Appliances. The data model is derived from a logical decomposition of use cases into functional blocks that themselves are realized by abstract actions on the data model itself.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 60335 (all parts), *Household and similar electrical appliances – Safety*

RFC 2119, *Key words for use in RFCs to Indicate Requirement Levels*, March 1997

3 Terms, definitions and abbreviations

For the purposes of this document, the following terms and definitions apply.

- 3.1
appliance**
electrical apparatus intended for household or similar use
- Examples: Refrigerators, dishwashers, clothes washers, clothes dryers, air conditioners, water heaters, circulation pumps etc.
- 3.2
binding**
concept for connecting functionally matching features
- 3.3
(standard or complex) class**
set of SPINE functions used to describe a specific functionality. A class can be considered as a topic where functions are defined for. For example the SPINE class "Measurement" is a collection of SPINE functions that are used to describe measurement values
- 3.4
classifier**
specifies whether a message serves to read, reply, write, etc.
- 3.5
client**
role that specifies that a node uses data from a "server" or can request for change
- 3.6
command**
functional part of a Message
- 3.7
complex class**
SPINE class that is built up by parts of SPINE standard classes and combines them in a new, ordered way
- 3.8
Customer Connectivity Manager (CCM), see also 4.2**
component or set of functions with the capability to:

- 1) Receive and process Grid Information, Appliance Information and User Instructions, and