INTERNATIONAL STANDARD



Second edition 2009-02-15

Photography — Electronic still-picture cameras — Methods for measuring optoelectronic conversion functions (OECFs)

Photographie — Appareils de prises de vue électroniques — Méthodes de mesure des fonctions de conversion opto-électroniques



Reference number ISO 14524:2009(E)

PDF disclaimer

This PDF file may contain embedded typefaces. In accordance with Adobe's licensing policy, this file may be printed or viewed but shall not be edited unless the typefaces which are embedded are licensed to and installed on the computer performing the editing. In downloading this file, parties accept therein the responsibility of not infringing Adobe's licensing policy. The ISO Central Secretariat accepts no liability in this area.

Adobe is a trademark of Adobe Systems Incorporated.

Details of the software products used to create this PDF file can be found in the General Info relative to the file; the PDF-creation parameters were optimized for printing. Every care has been taken to ensure that the file is suitable for use by ISO member bodies. In the unlikely event that a problem relating to it is found, please inform the Central Secretariat at the address given below

This document is a preview denerated by Fig.



COPYRIGHT PROTECTED DOCUMENT

© ISO 2009

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office Case postale 56 • CH-1211 Geneva 20 Tel. + 41 22 749 01 11 Fax + 41 22 749 09 47 E-mail copyright@iso.org Web www.iso.org Published in Switzerland

Contents

Forewo	ord	iv
Introdu	ntroduction	
1	Scope	1
2	Normative references	1
3	Terms and efinitions	1
4 4.1 4.2 4.3 4.4 5 5.1 5.2 6	Test methods General Camera OECF measurement Focal plane OECF measurement (method A) Alternative focal plane OECF measurement (method B) Illumination Focal plane OECF measurement (method A) Alternative focal plane (method B) and camera OECF measurement Test conditions	3 4 4 4 5 5 5
6.1 6.2 6.3 6.4 7 7.1	Temperature and relative humidity White balance (only applicable to colour cameras) Infrared-blocking (IR-blocking) filter Focus	5 5 6 6 7 7
۲.۲ ۵		י א
9 9.1 9.2 9.3	Presentation of results	8 8 9 . 11
Annex	A (normative) ISO 14524 camera OECF test chart	. 13
Annex	B (informative) Relevance of the ISO 7589 spectral distribution index	. 20
Annex Bibliog	C (informative) Reporting of the camera OECF in relative reflectance units	. 22 . 23
	C)	

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in Maison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of technical committees is to prepare International Standards. Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights.

ISO 14524 was prepared by Technical Committee ISO/TC 42, Photography.

This second edition cancels and replaces the tedition (ISO 14524:1999), which has been technically revised.



Introduction

This International Standard establishes standard methods for measuring the functional relationship between the focal plane log exposures or scene luminances, and the digital output levels of a digital camera. This information is required for the development and testing of digital cameras, is used in other electronic still-picture camera measurement standards and may be helpful in the processing of digital image data.

An opto-electronic conversion function (OECF) measurement standard is required for several reasons, as outlined below.

- a) Well-established measurement methods have been used to determine the characteristic curves for television cameras, where the characteristic curve is known as the "gamma correction" curve, and for silver halide photography, where the characteristic curve is known as the "H&D" or "DlogH" curve. However, these methods cannot be easily or unambiguously applied to the characterization of electronic still-picture cameras.
- b) The sampling and quantization processes found in digital systems present fundamental issues that need to be addressed in a standardized manner.
- c) The flexibility of digital systems complicates the determination and presentation of the functional relationship between the camera's optical input and digital output levels. This International Standard attempts to account for all the variables and ensure that results are presented in a consistent fashion.

The OECF of a digital camera might appear to be the analogue of the characteristic curve used in photography and television, but this observation is only partly true. Characteristic curves show the relationship between a physical input, such as log exposure or reflectance, and a physical output, such as density or volts. The OECF, on the other hand, shows the relation between a similar physical input and a digital code value assigned to the physical response produced by that apput. Since this assignation can be arbitrary, digital values themselves do not have physical meaning or units. For example, a change of a factor of two in digital values could correspond to a doubling of the physical response to the input, to an order of magnitude change, or to something else, depending on how the code values are assigned.

In digital photography applications, it is generally not necessary to know the physical response produced in a digital camera. It is sufficient to know what digital values will be produced by a variety of inputs. Consequently, this International Standard does not specify how to measure the true characteristic curve of a digital camera. Rather, it specifies how to measure the relationship between the input to a digital camera and the digital code values produced. These values are only absolutely meaningful in that they represent information. The graphical reporting formats specified in this International Standard support his viewpoint by allowing OECFs to be reported with either digital code values or bits on the vertical axis. This is the convention in information theory. Users of this International Standard are advised that the actual physical response of a digital camera, or of a complete digital photography system, can be linear, logarithmic, or something else, regardless of the form of the OECF plot and whether digital code values or bits are reported on the vertical axis.

NOTE In accordance with the rules given in the ISO/IEC Directives, Part 2, commas are used rather than full-stops as the decimal radix in this International Standard.

this document is a preview denerated by EUS

Photography — Electronic still-picture cameras — Methods for measuring opto-electronic conversion functions (OECFs)

1 Scope

This International Standard specifies methods for the measurement of opto-electronic conversion functions (OECFs) of electronic still-picture cameras whose output is encoded as a digital image file. The OECF is defined as the relationship between the focal plane log exposures or scene log luminances, and the digital output levels of an opto-electronic digital image capture system.

This International Standard apples to both monochrome and colour electronic still-picture cameras.

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

- ISO 5-1, Photography Density measurements, Part 1: Terms, symbols, and notations
- ISO 5-2, Photography Density measurements Bart 2: Geometric conditions for transmission density
- ISO 5-3, Photography Density measurements Par 3: Spectral conditions
- ISO 5-4, Photography Density measurements Part A geometric conditions for reflection density
- ISO 516, Photography Camera shutters Timing
- ISO 554, Standard atmospheres for conditioning and/or testing Specifications

ISO 7589:2002, Photography — Illuminants for sensitometry — Specifications for daylight, incandescent tungsten and printer

3 Terms and definitions

For the purposes of this document, the following terms and definitions $apply^{1}$.

3.1

camera opto-electronic conversion function

camera OECF

relationship between the input scene log luminances and the digital output levels for an opto-electronic digital image capture system

NOTE The units of measurement for this function are log₁₀ candelas per square metre.

¹⁾ Additional definitions of interest can be found in ISO 12232.