ISO/IEC 80079-38

Edition 1.0 2016-02

INTERNATIONAL STANDARD

NORME INTERNATIONALE

This document is a preview generated by EVS

Explosive atmospheres –
Part 38: Equipment and components in explosive atmospheres in underground mines

Atmosphères explosives –
Partie 38: Appareils et composants destinés à être utilisés dans les mines souterraines grisouteuses



ISO/IEC 80079-38:2016-02(en-fr)

THIS PUBLICATION IS COPYRIGHT PROTECTED
Copyright © 2016 ISO/IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about ISO/IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de l'IEC ou du Comité national de l'IEC du pays du demandeur. Si vous avez des questions sur le copyright de l'ISO/IEC ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de l'IEC de votre pays de résidence.

IEC Central Office
3, rue de Varembé
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
Fax: +41 22 919 03 00
info@iec.ch
www.iec.ch

About the IEC
The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications
The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

IEC Catalogue - webstore.iec.ch/catalogue
The stand-alone application for consulting the entire bibliographical information on IEC International Standards, Technical Specifications, Technical Reports and other documents. Available for PC, Mac OS, Android Tablets and iPad.

IEC publications search - www.iec.ch/searchpub
The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee,…). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished
Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and also once a month by email.

Electropedia - www.electropedia.org
The world's leading online dictionary of electronic and electrical terms containing 20 000 terms and definitions in English and French, with equivalent terms in 15 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

IEC Glossary - std.iec.ch/glossary
65 000 electrotechnical terminology entries in English and French extracted from the Terms and Definitions clause of IEC publications issued since 2002. Some entries have been collected from earlier publications of IEC TC 37, 77, 86 and CISPR.

IEC Customer Service Centre - webstore.iec.ch/csc
If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: csc@iec.ch.

A propos de l'IEC
La Commission Electrotechnique Internationale (IEC) est la première organisation mondiale qui élabore et publie des Normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

A propos des publications IEC
Le contenu technique des publications IEC est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

Catalogue IEC - webstore.iec.ch/catalogue
Application autonome pour consulter tous les renseignements bibliographiques sur les Normes internationales, Spécifications techniques, Rapports techniques et autres documents de l'IEC. Disponible pour PC, Mac OS, tablettes Android et iPad.

Recherche de publications IEC - www.iec.ch/searchpub
La recherche avancée permet de trouver des publications IEC en utilisant différents critères (numéro de référence, texte, comité d'études,…). Elle donne aussi des informations sur les projets et les publications remplacées ou retirées.

IEC Just Published - webstore.iec.ch/justpublished
Restez informé sur les nouvelles publications IEC. Just Published détaille les nouvelles publications parues. Disponible en ligne et aussi une fois par mois par email.

Electropedia - www.electropedia.org
Le premier dictionnaire en ligne de termes électroniques et électriques. Il contient 20 000 termes et définitions en anglais et en français, ainsi que les termes équivalents dans 15 langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International (IEV) en ligne.

Glossaire IEC - std.iec.ch/glossary
65 000 entrées terminologiques électrotechniques, en anglais et en français, extraites des articles Termes et Définitions des publications IEC parues depuis 2002. Plus certaines entrées antérieures extraites des publications des CE 37, 77, 86 et CISPR de l'IEC.

Service Clients - webstore.iec.ch/csc
Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions contactez-nous: csc@iec.ch.

This document is a preview generated by EVS

ISO/IEC 80079-38

Edition 1.0 2016-02

INTERNATIONAL STANDARD

NORME INTERNATIONALE

This document is a preview generated by EVS

Explosive atmospheres –
Part 38: Equipment and components in explosive atmospheres in underground mines

Atmosphères explosives –
Partie 38: Appareils et composants destinés à être utilisés dans les mines souterraines grisouteuses

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

COMMISSION
ELECTROTECHNIQUE
INTERNATIONALE

ICS 13.230; 29.260.20

ISBN 978-2-8322-3180-7

Warning! Make sure that you obtained this publication from an authorized distributor.
Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.

CONTENTS

FOREWORD....5
INTRODUCTION....7
1 Scope....9
2 Normative references....9
3 Terms, definitions and abbreviated terms....10
4 Requirements for equipment (machines) and components....14
4.1 General....14
4.2 Ignition hazard assessment....15
4.2.1 Formal analysis....15
4.2.2 Assessment for equipment-group I, EPL Mb....15
4.2.3 Establishing the maximum surface temperature....15
4.2.4 Dust deposits and other material in the gap of moving parts....15
4.2.5 Ignition hazard assessment report....16
4.2.6 Ignition sources....16
4.3 Non-electrical equipment and components....16
4.4 Electrical equipment and components....16
4.4.1 General....16
4.4.2 Electrical equipment protection....17
4.4.3 Over-current protection....17
4.4.4 Earth-fault protection....18
4.4.5 Mechanical protection of live parts....19
4.4.6 Electric cables that are part of the equipment....19
5 Additional requirements for specific equipment and components....20
5.1 Cutting and stripping equipment....20
5.1.1 General....20
5.1.2 Machines with cutting picks....20
5.1.3 Stripping machines....21
5.2 Rope haulages for level and inclined transport....21
5.3 Fans....21
5.3.1 Ventilating fans for use in underground parts of mine....21
5.3.2 Other fans....23
5.4 Internal combustion engines....23
5.5 Air compressors....24
5.6 Drilling equipment and components....24
5.7 Brakes....25
5.7.1 Brakes used only for stopping in emergency....25
5.7.2 Service brakes (including friction brakes and fluid based retarders)....25
5.7.3 Parking brakes....25
5.8 Traction batteries, starter batteries and vehicle lighting batteries....25
5.9 Optical fibres used on machines and electromagnetic radiation from components on machines....26
5.9.1 External pipes/optical fibres....26
5.9.2 Radio-frequency radiation from equipment....26
5.10 Gas monitoring systems....26
6 Fire protection....27
6.1 General....27

This document is a preview generated by EVS

6.2 Non-metallic materials 27
6.3 Hydraulic and pneumatic equipment 27
6.4 Requirements for cable-reeled equipment 29
6.4.1 General 29
6.4.2 Special requirements 29
6.5 Fire prevention on electric cables that are part of the machine 29
6.6 Conveyor belting 29
7 Information for use 30
7.1 Signals and warning notices 30
7.2 Instructions 30
7.2.1 Information on use 30
7.2.2 Information on maintenance and repair 30
8 Marking 30
Annex A (informative) Example of an ignition hazard assessment for a conveyor belt intended for use in a coal mine 32
A.1 General 32
A.2 EPL and intended use of the equipment 32
A.3 Construction and description of the equipment 32
A.4 Assessment 33
Annex B (informative) Example of an ignition hazard assessment for a shearer loader intended for use in a potentially explosive atmosphere of a coal mine 36
B.1 General 36
B.2 EPL and intended use of equipment 36
B.3 Construction/description of the equipment with regard to ignition protection 36
B.4 Ignition control and monitoring system 37
B.5 Compliance with the basic methodology and requirements in ISO 80079-36 37
B.6 Ignition hazard assessment of the electrical parts of the equipment 38
B.7 Ignition hazard assessment of non-electrical ignition sources 38
B.8 Equipment marking 38
Annex C (normative) Ignition sources 42
C.1 Hot surfaces 42
C.2 Flames and hot gases (including hot particles) 42
C.3 Mechanically generated sparks 43
C.4 Electrical equipment 43
C.5 Stray electric currents 43
C.6 Static electricity 44
C.7 Lightning 44
C.8 Radio frequency (RF) electromagnetic waves from 10^4 Hz to 3×10^{12} Hz (high frequency) 44
C.9 Electromagnetic waves from 3×10^{11} Hz to 3×10^{15} Hz 45
C.10 Ionizing radiation 45
C.11 Ultrasonics 45
C.12 Adiabatic compression and shock waves 45
C.13 Exothermic reactions, including self-ignition of dusts 46
Annex D (informative) Guidance on potential risks for converter-fed motors 47
Annex E (normative) Tests for surface protective coating for group I hand tools of EPL Mb 48
E.1 Incendive impact tests in explosive mixture 48
E.1.1 Verification of ignition of the raw light alloy material 48

This document is a preview generated by EVS

E.1.2 Estimation of protective coating efficiency 48
E.1.3 Evaluation of results 49
E.2 Adhesion test of the protective coating 49
Bibliography 51

Figure B.1 – Layout and construction of the coal face shearer loader 37
Figure E.1 – Rig for impact ignition test 50

Table 1 – Combination of materials 23
Table 2 – Limit values for hydraulic fluids 28
Table A.1 – Example of an ignition hazard assessment for a mining conveyor, EPL Mb *(1 of 2)* 33
Table B.1 – Example of an ignition hazard assessment for a shearer loader, EPL Mb *(1 of 3)* 39

This document is a preview generated by EVS

© ISO/IEC 2016

INTERNATIONAL ELECTROTECHNICAL COMMISSION

_____

EXPLOSIVE ATMOSPHERES –

Part 38: Equipment and components in explosive atmospheres in underground mines

FOREWORD

1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
6) All users should ensure that they have the latest edition of this publication.
7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard ISO/IEC 80079-38 has been prepared by subcommittee 31M: Non-electrical equipment and protective systems for explosive atmospheres, of IEC technical committee 31: Equipment for explosive atmospheres.

It is published as a double logo standard.

The text of this standard is based on the following documents of the IEC:

FDIS	Report on voting
31M/105/FDIS	31M/111/RVD

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table. In ISO, the standard has been approved by 13 P members out of 21 having cast a vote.

This document is a preview generated by EVS

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

"A list of all parts in the IEC 60079 series, under the general title *Explosive atmospheres*, as well as the International Standard 80079 series, can be found on the IEC website."

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC web site under "http://webstore.iec.ch" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

This document is a preview generated by EVS

INTRODUCTION

This part of ISO/IEC 80079 specifies requirements for the constructional features of equipment and components that may be an individual item or form an assembly, to enable them to be used in mines, or parts of mines, susceptible to explosive atmospheres of firedamp and/or combustible dust.

Most of the electrical equipment used on mining machinery is certified as an individual item of equipment, e.g. the motor, switchgear etc., and meets its own marking requirements. This certification, however, does not deal with the interconnection of these items of equipment by cables or the machine electrical power system as an entity. The equipment and components, including their interconnections, should be assessed, from an ignition point of view, by the manufacturer.

Both non-electrical equipment and the interconnection of electrical/non-electrical equipment require an ignition hazard assessment.

Therefore, it is necessary that not just the equipment, but all its parts, is examined by the manufacturer according to a formally documented ignition hazard assessment that establishes and lists all the possible ignition sources of the equipment including the cables and electrical supply system. The documentation shall list the measures that shall be introduced to keep possible ignition sources from becoming effective.

The need for this International Standard arises because of major operational differences between underground mining operations and those in other industries working with, or in, explosive atmospheres. Examples of these differences are:

– the product being won from the underground strata may be combustible and may continually release firedamp during the winning process;
– the ignitability of the atmosphere around equipment and components usually depends upon the amount of dilution offered by an active ventilating system;
– the atmosphere in the general body of mine air in which machinery is working may change from one that is potentially explosive to one that is explosive (for example, during an outburst of firedamp);
– persons working in the mine are usually situated within the potentially explosive atmosphere;
– there is a need to monitor constantly the mine atmosphere at strategic places to ensure that power can be disconnected from all equipment except Ma equipment which is suitable for use in a constantly explosive atmosphere;
– in gassy coal mines, an explosion of firedamp at a machine can raise a combustible dust cloud that exacerbates the explosion;
– some mining machinery, especially that associated with winning the product, contains cutting devices and drilling devices that are intended to cut into the combustible product as part of their normal operation. This introduces an ignition risk from frictional heating or frictional sparking from contact with strata containing high concentrations of quartz or iron pyrites;
– long roadways in coal mines are equipped with mineral conveying systems carrying a product that has a potential for raising a combustible dust cloud and the production of firedamp.

To decide which equipment or its component parts should merit inclusion in this International Standard, ignition data has been examined based on international experience.

When drafting this International standard, it has been assumed that equipment and components are:

This document is automatically generated by EVS

– designed in accordance with good engineering practice, taking account of expected shocks, vibrations and failure modes;

– of sound mechanical and electrical construction;

– made of materials with adequate strength and of suitable quality;

– free from defects; and

– kept in good repair and working order, e.g. so that the required dimensions remain within permissible tolerance despite wear.

This document is a preview generated by EVS

EXPLOSIVE ATMOSPHERES –

Part 38: Equipment and components in explosive atmospheres in underground mines

This document is a preview generated by EVS

1 Scope

This part of ISO/IEC 80079 specifies the explosion protection requirements for the design, construction, assessment and information for use (maintenance, repair, marking) of equipment that may be an individual item or form an assembly.

This includes machinery and components for use in mines susceptible to explosive atmospheres of firedamp and/or combustible dust. The standard atmospheric conditions (relating to the explosion characteristics of the atmosphere) under which it may be assumed that equipment can be operated are:

- temperature -20 °C to +60 °C;
- pressure 80 kPa (0,8 bar) to 110 kPa (1,1 bar); and
- air with normal oxygen content, typically 21 % v/v.

This part of ISO/IEC 80079 applies for equipment and components according to EPL Mb to be used in explosive atmospheres containing firedamp and/or combustible dust.

NOTE 1 In some countries, there might be differences according to the classification, e.g. Mb is similar to category M2 in the European Union.

For equipment and components according to EPL Ma, the requirements of this standard and of ISO 80079-36 and IEC 60079-0 apply.

NOTE 2 A standard with additional requirements for EPL Ma is under preparation.

It is necessary to take account of external conditions to the equipment which may affect the hazard and the resultant protection measures. These measures may include ventilation, gas detection or gas drainage.

This part of ISO/IEC 80079 also deals with the prevention of ignitions of explosive atmospheres caused by burning (or smouldering) of combustible material such as fabric fibres, plastic ”O”-rings, rubber seals, lubricating oils or greases used in the construction of the equipment if such items could be an ignition source. For example, the mechanical failure of rotating shaft bearings can result in frictional heating that ignites its plastic cage, plastic seal or lubricating grease.

Detailed requirements and test procedures for the fire protection of conveyer belts are not part of this part of ISO/IEC 80079.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60079-0, *Explosive atmospheres – Part 0: Equipment – General requirements*

IEC 60079-25, *Explosive atmospheres – Part 25: Intrinsically safe electrical systems*

IEC 60204-1, *Safety of machinery – Electrical equipment of machines – Part 1: General requirements*

IEC 60204-11, *Safety of machinery – Electrical equipment of machines – Part 11: Requirements for HV equipment for voltages above 1 000 V a.c. or 1 500 V d.c. and not exceeding 36 kV*

IEC 60332-1 (all parts), *Tests on electric and optical fibre cables under fire conditions*

IEC 60529, *Degrees of protection provided by enclosures (IP Code)*

IEC 62061, *Safety of machinery – Functional safety of safety-related electrical, electronic and programmable electronic control systems*

ISO 340, *Conveyor belts – Laboratory scale flammability characteristics – Requirements and test method*

ISO 630-5, *Structural steels – Part 5: Technical delivery conditions for structural steels with improved atmospheric corrosion resistance*

ISO 1940-1, *Mechanical vibration – Balance quality requirements for rotors in a constant (rigid) state – Part 1: Specification and verification of balance tolerances*

ISO 7010, *Graphical symbols – Safety colours and safety signs – Registered safety signs*

ISO 13849-1, *Safety of Machinery – Safety-related parts of control systems – Part 1: General principles for design*

ISO 14916, *Thermal spraying – Determination of tensile adhesive strength*

ISO 14935, *Petroleum and related products – Determination of wick flame persistence of fire-resistant fluids*

ISO 15029-1, *Petroleum and related products – Determination of spray ignition characteristics of fire-resistant fluids – Part 1: Spray flame persistence – Hollow-cone nozzle method*

ISO/TS 15029-2, *Petroleum and related products – Determination of spray ignition characteristics of fire-resistant fluids – Part 2: Spray test – Stabilized flame heat release method*

ISO 80079-36:2016, *Explosive atmospheres – Part 36: Non-electrical equipment for explosive atmospheres – Basic method and requirements*

ISO 80079-37:2016, *Explosive atmospheres – Part 37: Non-electrical equipment for explosive atmospheres – Non-electrical type of protection constructional safety 'c', control of ignition sources 'b', liquid immersion 'k'*

3 Terms, definitions and abbreviated terms

For the purposes of this document, the terms and definitions given in IEC 60079-0, ISO/IEC 80079-36, ISO/IEC 80079-37 and the following apply.

This document is a preview generated by EVS