# INTERNATIONAL STANDARD

ISO 14813-1

First edition 2007-02-15

# Intelligent transport systems — Reference model architecture(s) for the ITS sector —

# Part 1:

ITS service domains, service groups and services

Systèmes intelligents de transport (ITS) — Architecture(s) de modèle de référence pour le secteur ITS

Partie 1: Domaines de service, groupes de service et services ITS



# PDF disclaimer

This PDF file may contain embedded typefaces. In accordance with Adobe's licensing policy, this file may be printed or viewed but shall not be edited unless the typefaces which are embedded are licensed to and installed on the computer performing the editing. In downloading this file, parties accept therein the responsibility of not infringing Adobe's licensing policy. The ISO Central Secretariat accepts no liability in this area.

Adobe is a trademark of Adobe Systems Incorporated.

Details of the software products used to create this PDF file can be found in the General Info relative to the file; the PDF-creation parameters were optimized for printing. Every care has been taken to ensure that the file is suitable for use by ISO member bodies. In the unlikely event that a problem relating to it is found, please inform the Central Secretariat at the address given below

This document is a preview denotated by this

#### © ISO 2007

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office Case postale 56 • CH-1211 Geneva 20 Tel. + 41 22 749 01 11 Fax + 41 22 749 09 47 E-mail copyright@iso.org Web www.iso.org

Published in Switzerland

Contents	Page
	. ago

Introduction
1 Scope
2 Terms and definitions
3 Abbreviate derms
4 General requirements 4.1 ITS service domains, service groups and services 4.2 ITS users 5 ITS service domains
6 ITS service groups for each domain. 6.1 Traveller information service groups. 6.2 Traffic management and operations service groups. 6.3 Vehicle service groups. 6.4 Freight transport service groups. 6.5 Public transport service groups. 6.6 Emergency service groups. 6.7 Transport-related electronic payment service groups. 6.8 Road transport-related personal safety. 6.9 Weather and environmental conditions positoring service groups. 6.10 Disaster response management and coordination service groups. 6.11 National security service groups. 6.12 ITS Data Management. 6.11 2 2
7 Summary of ITS reference architecture service brerarchy
6.12 ITS Data Management

# **Foreword**

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in Maison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of technical committees is to prepare International Standards. Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights.

ISO 14813-1 was prepared by Technical Committee ISO/TC 204, Intelligent transport systems.

This first edition cancels and replaces Technica peport ISO/TR 14813-1:1999, which has been technically revised.

ISO 14813 consists of the following parts, under the general title *Intelligent transport systems* — *Reference model architecture(s) for the ITS sector*:

- Part 1: ITS service domains, service groups and services
- Part 2: Core TICS reference architecture [Technical Report]
- Part 3: Example elaboration [Technical Report]
- Part 4: Reference model tutorial [Technical Report]
- Part 5: Requirements for architecture description in TICS standards [Tecnocal Report]
- Part 6: Data presentation in ASN.1 [Technical Report]

# Introduction

Originally referred to in ISO/TR 14813-1 as Fundamental Services, ITS service domains and groups reflect the evolution of technology-oriented transportation practices and applications. This has become of increasing importance and interest as the scope of Intelligent Transport Systems (ITS) expands beyond its original applications in road traffic management, traveller information and electronic payment systems. ITS is now also expected to address:

- Transport network operations and maintenance activities;
- Freight mobility and intermodal connectivity;
- Multi-modal travel including both pre-trip and on-trip information and journey planning;
- Variable road pricing strategies for freight and personal travel;
- Emergency and natural disaster related response activities and coordination; and
- National security needs related to transportation infrastructure.

Additionally, ITS activities as described above will also interface with more generalized activities and environments outside the transport sector of example, road pricing and revenue systems activities may interface with electronic commerce, or eCommerce activities, and may thus utilize standards and principles associated with the banking industry along with generally accepted accounting principles. The addressing of national security and coordination issues also requires addressing specific national standards related to civil defence, emergency communications and other procedures. These interfaces, while largely outside the scope of TC 204, are nevertheless critical external influences on the functionality of the various services supported by ITS service domains and groups.

The standards that have been developed within TC 204 maxill be mapped to one or more of the ITS service groups defined in this part of ISO 14813. At the same time, the applications for these standards are becoming broader. Additionally, the development of a standard international data dictionary and registry for ITS requires the ability to address both current and emerging applications.


To this end, the ITS service domains and groups presented in the document serve as a framework for developing ITS-related concepts of operation, which in turn lead to the definition of the appropriate requirements and standards necessary to deploy specific ITS applications. As the definition of transportation activities that utilize ITS tools has broadened, the original Fundamental Services developed by TC 204 are now revised and expanded into ITS service domains and groups.

Figure 1 illustrates the hierarchy of functional definitions, and the basis upon which user-oriented architecture views (known as use cases) are derived (refer to the other parts of ISO 14813, which further define the ITS applications of Unified Modeling Language, including use cases, to document the architecture).

In order to develop a cohesive reference architecture, and in order to establish the relationship and interdependencies of the various ITS services, it is beneficial to first determine the underlying ITS services. Thus, the purpose of this International Standard is to identify the ITS service groups and the domains within which the service groups reside, within the current perception of the ITS sector.

ITS service domains and groups, while they build upon existing US, European Union, Japanese, and other international and national taxonomies, or classification systems, can also provide a common descriptive basis for comparing these taxonomies, as well as others being developed throughout the world.

© ISO 2007 – All rights reserved



- Key
- a Service domains (A, B, C, etc.) define the nature of the activities provided.
- b Service groups (N1, N2, N3, etc.) define more specific activities carried out in the service domain, but do not define the actors.
- Services further define activity in terms of the actors involved (e.g. users, travel modes). They also serve as a basis for most elemental use cases (user view of architecture).

Figure 1 — ITS services hierarchy of definitions for ITS reference architecture

# ISO TC 204 Working Group 1

ISO TC 204 WG 1's prime objectives are to provide services to ISO TC 204 and its working groups.

The specific mission of WG 1 is to:

"Provide ISO TC 204, its working groups, related bodies and those involved in the ITS sector, with a reference model of conceptual reference architecture(s) that show the structure and inter-relationships of the sector..."

There are multiple instantiations of ITS architecture to be considered. This deliverable embraces architecture concepts from the following participants:

- Other TC 204 working groups,
- CEN TC 278 working groups,
- Japanese initiatives,
- European Union initiatives,
- US ITS program,
- Australian initiatives,

- Canadian initiatives,
- Korean initiatives,
- Chinese Taipei initiatives, and
- Other architecture international activities.

Full documentation of all possible architectural approaches is obviously not feasible given the high level of resources required to carry this out. Indeed, full documentation and description of all possible approaches is undesirable as an tem for standardization.

A defined and consistent approach is, however, required to facilitate reuse and interoperability.

By combining the work of major contributions such as the definitions of user services in the United States, Japan, Chinese Taipei and Korea, along with the European Union definition of user needs, the working group has used the basic hypothesis that it is possible to define a set of ITS service domains and groups that can be used in a variety of combinations and configurations, to provide an outline description of the different ITS architecture approaches. It is ensured that the scope of the ITS sector will always have a definable boundary (which will change over time).

© ISO 2007 – All rights reserved

Inis document is a preview denetated by EUS

# Intelligent transport systems — Reference model architecture(s) for the ITS sector —

# Part 1:

ITS service domains, service groups and services

# 1 Scope

This International Standard provides a definition of the primary services and application areas that can be provided to Intelligent Transport Systems (ITS) Users. Those with a common purpose can be collected together in ITS service domains, and within these there can be a number of ITS service groups for particular parts of the domain. This International Standard identifies 11 service domains, within which numerous groups are then defined. Within this framework, there are varying levels of detail related to definition of different services. These details differ from nation, to nation, depending on whether the specific national architecture building blocks are based directly upon services or on groups of functions. Thus, the intent is to address groups of services and the respective domains within which they fit. As these domains and service groups evolve over time, it is intended that this International Standard be revised to include them.

This International Standard is applicable to the working groups of ISO TC 204 and other TCs which are developing International Standards for the ITS sector and associated sectors whose boundaries cross into the ITS sector (such as some aspects of urban light reliways, intermodal freight and fleet). This International Standard is designed to provide information and explanation to those developing ITS International Standards and to those developing specifications, implementations and deployments for ITS.

This International Standard is advisory and informative. It is designed to assist the integration of services into a cohesive reference architecture, assist interoperability and common data definition. Specifically, services defined within the service groups will be the basis for definition of use cases and the resultant reference architecture functionality, along with definition of applicable data within data dictionaries, as well as applicable communications and data exchange standards.

### 2 Terms and definitions

For the purposes of this document, the following terms and definitions apply

#### 2.1

#### actor

one who enables or influences an action or for whom an action has been completed

## 2.2

# dispatch

action that requests specific resources to perform particular services

EXAMPLE The emergency communications centre dispatches an ambulance in response to an incident where it is determined the victim must be taken to a hospital.

#### 2.3

### **ITS service**

product or activity targeted to a specific type of ITS user