INTERNATIONAL STANDARD

ISO/IEC 23360-1

First edition 2006-12-15

Linux Standard Base (LSB) core specification 3.1 —

Part 1: **Generic specification**

Spécifications 3.1 relatives au noyau de base normalisé Linux (LSB) — Partie 1: Spécifications génériques



PDF disclaimer

This PDF file may contain embedded typefaces. In accordance with Adobe's licensing policy, this file may be printed or viewed but shall not be edited unless the typefaces which are embedded are licensed to and installed on the computer performing the editing. In downloading this file, parties accept therein the responsibility of not infringing Adobe's licensing policy. The ISO Central Secretariat accepts no liability in this area.

Adobe is a trademark of Adobe Systems Incorporated.

Details of the software products used to create this PDF file can be found in the General Info relative to the file; the PDF-creation parameters were optimized for printing. Every care has been taken to ensure that the file is suitable for use by ISO member bodies. In the unlikely event that a problem relating to it is found, please inform the Central Secretariat at the address given below

This document is a preview denotated by this

© ISO/IEC 2006

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office Case postale 56 • CH-1211 Geneva 20 Tel. + 41 22 749 01 11 Fax + 41 22 749 09 47 E-mail copyright@iso.org Web www.iso.org

Published in Switzerland

Linux Standard Base Core Specification 3.1

ISO/IEC 23360-1:2006(E) Copyright © 2006 ISO/IEC

This standard includes material that has been provided by the Free Standards Group under the GNU Free Documentation License Version 1.1 published by the Free Software Foundation.

Portions of the text are copyrighted by the following parties:

- The Regents of the University of California
- · Free Software Foundation
- · Ian F. Darwin
- Paul Vixie
- BSDI (now Wind River)
- Andrew G Morgan
- · Jean-loup Gailly and Mark Adler

In-loup

Iassachusetts 1...

se excerpts are being used 1...

In it is a registered trademark of ...

INIX is a registered trademark of The Option In.

SB is a trademark of the Free Standards Group

AMD is a trademark of Advanced Micro Device In.

Intel and Itanium are registered trademark and Invel386 ..

PowerPC is a registered trademark of PowerPC who be interested to the IBM Corporation

OpenGL is a registered trademark of Silicon Graphics, Inc.

OpenGL is a registered trademark of Silicon Graphics, Inc.

OpenGL is a registered trademark of Silicon Graphics, Inc.

OpenGL is a registered trademark of Silicon Graphics, Inc.

OpenGL is a registered trademark of Silicon Graphics, Inc.

OpenGL is a registered trademark of Silicon Graphics, Inc.

OpenGL is a registered trademark of Silicon Graphics, Inc.

OpenGL is a registered trademark of Silicon Graphics, Inc.

OpenGL is a registered trademark of Silicon Graphics, Inc.

OpenGL is a registered trademark of Silicon Graphics, Inc.

OpenGL is a registered trademark of Silicon Graphics, Inc.

OpenGL is a registered trademark of Silicon Graphics, Inc.

OpenGL is a registered trademark of Silicon Graphics, Inc.

OpenGL is a registered trademark of Silicon Graphics, Inc.

OpenGL is a registered trademark of Silicon Graphics, Inc.

OpenGL is a registered trademark of Silicon Graphics, Inc.

OpenGL is a registered trademark of Silicon Graphics, Inc.

OpenGL is a registered trademark of Silicon Graphics, Inc.

OpenGL is a registered trademark of Silicon Graphics, Inc.

OpenGL is a registered trademark of Silicon Graphics, Inc.

OpenGL is a registered trademark of Silicon Graphics, Inc.

OpenGL is a registered trademark of Silicon Graphics, Inc.

OpenGL is a registered trademark of Silicon Graphics, Inc.

OpenGL is a registered trademark of Silicon Graphics, Inc.

OpenGL is a registered trademark of Silicon Graphics, Inc.

OpenGL is a registered trademark of Silicon Graphics, Inc.

OpenGL is a registered trademark of Silicon Graphics, Inc.

OpenGL is a registered trademar

Contents

Foreword	viii
Introduction	ix
I Introductory Elements	0
1 Scope	
1.1 General	
1.2 Module Specific Scope	
2 References	
2.2 Informative References/Bibliography	
3.1 Relevant Libraries	
3.2 LSB Implementation Conformance	
3.3 LSB Application Conformance	
4 Demitions	
5 Terroipology	
6 Documentation Conventions	
7 Relations to ISO/IEC 9945 POSIX	
8 Relationship To Other Free Standards Group Specifications	13 1 <i>1</i>
II Executable And Linking Format (ELF)	
9 Introduction	16
10 Low Level System Information	
10.1 Operating System Interface	
10.2 Machine Interface	17
11 Object Format	18
11.1 Object Files	18
11.2 Sections	18
11 Object Format 11.1 Object Files 11.2 Sections 11.3 Special Sections 11.4 Symbol Mapping	21
11.4 Symbol Mapping	27
11.5 DWARF Extensions	27
11.6 Exception Frames	3U
11.7 Symbol versioning	30 20
11.8 ABI note tag	39
11.5 DWARF Extensions 11.6 Exception Frames 11.7 Symbol Versioning	40
12.1 Program Loading and Dynamic Linking	40
III Base Libraries	
	46
	46
Ÿ .	46
13.3 Interfaces for libc	46
13.4 Data Definitions for libc	59
13.5 Interface Definitions for libc	
13.6 Interfaces for libm	
13.7 Data Definitions for libm	
13.8 Interface Definitions for libm	
13.9 Interfaces for libpthread	
13.10 Data Definitions for libpthread	
13.11 Interface Definitions for libpthread	
13.12 Interfaces for libgcc_s	
13.13 Data Definitions for libgcc_s	
13.14 Interfaces for libdl	
13.15 Data Definitions for libdl	232

13.16 Interface Definitions for libdl	
13.17 Interfaces for librt	234
13.18 Interfaces for libcrypt	235
13.19 Interfaces for libpam	
13.20 Data Definitions for libpam	
13.21 Interface Definitions for libpam	238
IV Utility Libraries	250
14 Utility Libraries	
14.1 Introduction	
14.2 Interfaces for libz	
14.3 Data Definitions for libz	
14.4 Interface Definitions for libz	
14.5 Interfaces for libncurses	
14.6 Data Definitions for libncurses	
14.7 Interfaces for libutil	312
14.8 Interface Definitions for libutil	313
V Commands and Utilities	318
15 Commands and Utilities	
15.1 Commands and Utilities	
15.1 Command Behavior	
13.2 Command Deliavior	320
VI Execution Environment	
16 File System Hierarchy	
16.1 /dev: Device Files	
16.2 /etc: Host-specific system configuration	382
16.3 User Accounting Databases	
16.4 Path For System Administration Utilities	384
17 Additional Recommendations	385
17.1 Recommendations for applications on ownership and	
17.1 Recommendations for applications on ownership and permissions	385
18 Additional Behaviors	387
18.1 Mandatory Optional Behaviors	387
19 Localization	389
19.1 Introduction	389
19.2 Regular Expressions	389
18.1 Mandatory Optional Behaviors 19 Localization 19.1 Introduction 19.2 Regular Expressions 19.3 Pattern Matching Notation	389
VII System Initialization	391
	392
20.1 Cron Jobs	392
20.2 Init Script Actions	393
20.3 Comment Conventions for Init Scripts	394
20.4 Installation and Removal of Init Scripts	396
20.5 Run Levels	397
20.6 Facility Names	398
20.7 Script Names	399
20.8 Init Script Functions	
VIII Users & Groups	402
21 Users & Groups	403
21.1 User and Group Database	
21.2 User & Group Names	
21.3 User ID Ranges	404
21 4 Rationale	404

ISO/IEC 23360-1:2006(E)

IX Package Format and Installation	405
22 Software Installation	406
22.1 Introduction	406
22.2 Package File Format	406
22.3 Package Script Restrictions	
22.4 Package Tools	
22.5 Package Naming	
22.6 Package Dependencies	
22.7 Package Architecture Considerations	
AAlphabetical Listing of Interfaces	
A.1 libc	
A.2 libcrypt	
A.3 libdl	
A. Jibm	
A.5 jbncurses	
A.6 (b) am	
A.7 liliothread A.8 libri	
A.8 libřt	
A.10 libz	
B Future Directions (Informative)	
B.1 Introduction	
D O C 1 A 1 T T T I I I I	
lsbinstall	
B.2 Commands And Utilities lsbinstall	5.
	TO

List of Figures

11-1 Version Definition Entries	36
11-2 Version Definition Auxiliary Entries	37
11-3 Version Needed Entries	
11-4 Version Needed Auxiliary Entries	38
12-1 Dynamic Structure	40

This document is a preview denetated by EUS

Foreword

ISO (the International Organization for Standardization) and IEC (the International Electrotechnical Commission) form the specialized system for worldwide standardization. National bodies that are members of ISO or IEC participate in the development of International Standards through technical committees established by the respective organization to deal with particular fields of technical activity. ISO and IEC technical committees collaborate in fields of mutual interest. Other international organizations, governmental and non-governmental, in jaison with ISO and IEC, also take part in the work. In the field of information technology, ISO and IEC have established a joint technical committee, ISO/IEC JTC 1.

International Standards are draged in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of the joint technical committee is to prepare International Standards. Draft International Standards adopted by the joint technical committee are circulated to national bodies for voting. Publication as an International Standard requires approval by at least 75 % of the national bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO and IEC shall not be held responsible for identifying any or all such patent rights.

International Standard ISO/IEC 23360-1 was prepared by the Free Standards Group and was adopted, under the PAS procedure, by Joint Technical Committee ISO/IEC JTC 1, Information technology, Subcommittee SC 22, Programming languages, their environments and system software interfaces.

They ocherated by FLS unde the general title Linux Standard Base (LSB) core ISO/IEC 23360 consists of the following parts, specification 3.1:

- Part 1: Generic specification
- Part 2: Specification for IA32 architecture
- Part 3: Specification for IA64 architecture
- Part 4: Specification for AMD64 architecture
- Part 5: Specification for PPC32 architecture
- Part 6: Specification for PPC64 architecture
- Part 7: Specification for S390 architecture
- Part 8: Specification for S390X architecture

Introduction

The LSB defines a binary interface for application programs that are compiled and packaged for LSB-conforming implementations on many different hardware architectures. Since a binary specification includes information specific to the computer processor architecture for which it is intended, it is not possible for a single document to specify the interface for all possible LSB-conforming implementations. Therefore, the LSB is a family of specifications, rather than a single one.

This document should be used in conjunction with the documents it references. This document enumerates the system components it includes, but descriptions of those components may be included entirely or partly in this document, partly in other documents, or entirely in other reference documents. For example, the section that describes system service routines includes a list of the system routines supported in this interface, formal declarations of the data structures they use that are visible to applications, and a pointer to the underlying referenced specification for information about the syntax and semantics of each call. Only those routines not described in standards referenced by this document, or extensions to those standards, are described in detail. Information referenced in this way is as much a part of this document as is the information explicitly included here.

The specification carries a version number of either the form x.y or x.y.z. This version number carries the following meaning:

- The first number (x) is the major version number. All versions with the same major version number should share binary compatibility. Any addition or deletion of a new library results in a new version number. Interfaces marked as deprecated may be removed from the specification at a major version change.
- The second number (y) is the miner version number. Individual interfaces may be added if all certified implementations already had that (previously undocumented) interface. Interfaces may be marked as deprecated at a minor version change. Other minor changes may be permitted at the discretion of the LSB workgroup.
- The third number (z), if present, is the editorial level. Only editorial changes should be included in such versions.

Since this specification is a descriptive Application are Interface, and not a source level API specification, it is not possible to make a guarantee of 100% backward compatibility between major releases. However, it is the intent that those parts of the binary interface that are visible in the source level API will remain backward compatible from version to version, except where a feature marked as deprecated in one release may be removed from a future release.

Implementors are strongly encouraged to make use of symbol versioning to permit simultaneous support of applications conforming to different releases of this specification.

This is version 3.1 of the Linux Standard Base Core Specification. This specification is part of a family of specifications under the general title "Linux Standard Base (LSB) core specification 3.1". Developers of applications or implementations interested in using the LSB trademark should see the Free Standards Group Certification Policy for details.

Inis document is a preview denetated by EUS

I Introductory Elements

This document is a preview denetated by EUS

Inis document is a preview denetated by EUS

Linux Standard Base (LSB) core specification 3.1 —

Part 1:

Generic specification

1 Scope

1.1 General

The Linux Standard Base (LSB) defines a system interface for compiled applications and a minimal environment for support of installation scripts. Its purpose is to enable a uniform industry standard environment for high-volume applications conforming to the LSB.

These specifications are composed of two basic parts: A common specification ("LSB-generic" or "generic LSB"), ISO/IEC 23360-1, describing those parts of the interface that remain constant across all implementations of the LSB, and an architecture-specific part ("LSB-arch" or "archLSB") describing the parts of the interface that vary by processor architecture. Together, the LSB-generic and the relevant architecture-specific part of ISO/IEC 23360 for a single hardware architecture provide a complete interface specification for compiled application programs on systems that share a common hardware architecture.

ISO/IEC 23360-1, the LSB-generic document, should be used in conjunction with an architecture-specific part. Whenever a section of the LSB-generic specification is supplemented by architecture-specific information, the LSB-generic document includes a reference to the architecture part. Architecture-specific parts of ISO/IEC 23360 may also contain additional information that is not referenced in the LSB-generic document.

The LSB contains both a set of Application Program Interfaces (APIs) and Application Binary Interfaces (ABIs). APIs may appear in the source code of portable applications, while the compiled binary of that application may use the larger set of ABIs. A conforming implementation provides all of the ABIs listed here. The compilation system may replace (e.g. by matro definition) certain APIs with calls to one or more of the underlying binary interfaces, and may insert calls to binary interfaces as needed.

The LSB is primarily a binary interface definition. Not all of the source level APIs available to applications may be contained in this specification.

1.2 Module Specific Scope

This is the Core module of the Linux Standard Base (LSB), ISO/IEC 23360-1. This module provides the fundamental system interfaces, libraries, and runtime environment upon which all conforming applications and libraries depend.

Interfaces described in this part of ISO/IEC 23360 are mandatory except where explicitly listed otherwise. Core interfaces may be supplemented by other modules; all modules are built upon the core.

2 References

2.1 Normative References

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

Note: Where copies of a document are available on the World Wide Web, a Uniform Resource Locator (URL) is given for informative purposes only. This may point to a more recent copy of the referenced specification, or may be out of date. Reference copies of specifications at the revision level indicated may be found at the Free fandards Group's Reference Specifications (http://refspecs.freestandards.org) site.

Table 2-1 Normative References

Name	Title	URL
Filesystem Filerarchy Standard	Filesystem Hierarchy Standard (FHS) 2.3	http://www.pathname .com/fhs/
ISO C (1999)	ISO/IEC 9899: 1999, Programming Languages — C	
ISO POSIX (2003)	ISO/IEC 9945-1:2003, Information technology — Portable Operating System Interface (POSIX) — Part 1: Base Definition ISO/IEC 9945-2:2003, Information technology — Portable Operating System Interface (POSIX) — Part 2: System Interfaces ISO/IEC 9945-3:2003, Information technology — Portable Operating System Interface (POSIX) — Part 3: Shell and Utilities ISO/IEC 9945-4:2003, Information technology — Portable Operating System Interface (POSIX) — Part 3: Shell and Utilities ISO/IEC 9945-4:2003, Information technology — Portable Operating System Interface (POSIX) — Part 4: Rationale	http://www.unix.org/version3/

Name	Title	URL
Itanium™ C++ ABI	Itanium™ C++ ABI (Revision 1.83)	http://refspecs.freestan dards.org/cxxabi-1.83.h tml
Large File Support	Large File Support	http://www.UNIX-syst ems.org/version2/wha tsnew/lfs20mar.html
SUSv2	CAE Specification, January 1997, System Interfaces and Headers (XSH), Issue 5 (ISBN: 1-85912-181-0, C606)	http://www.opengrou p.org/publications/cat alog/un.htm
SVID Issue 3 SVID Issue 4	American Telephone and Telegraph Company, System V Interface Definition, Issue 3; Morristown, NJ, UNIX Press, 1989. (ISBN 0201566524)	
SVID Issue 4	System V Interface Definition, Fourth Edition	
System V ABI	System V Application Buary Interface, Edition 4.1	http://www.caldera.co m/developers/devspec s/gabi41.pdf
System V ABI Update	System / Application Binary Interface - DRAFT - 14 December 2003	http://www.caldera.co m/developers/gabi/20 03-12-17/contents.html
X/Open Curses	CAE Specification, May 1996, X/Open Curso Issue 4, Version 2 (ISBN: 1-85912-171-3, C610), plus Corrigendum U018	http://www.opengrou p.org/publications/cat alog/un.htm
		OF THE

2.2 Informative References/Bibliography

In addition, the specifications listed below provide essential background information to implementors of this specification. These references are included for information only.

Table 2-2 Other References

Name	Title	URL
DWARF Debugging information Format, Devision 2.0.0	DWARF Debugging Information Format, Revision 2.0.0 (July 27, 1993)	http://refspecs.freestan dards.org/dwarf/dwar f-2.0.0.pdf
DWARF Debugging Information Format,	DWARF Debugging Information Format,	http://refspecs.freestan dards.org/dwarf/
Revision 3.0.0 (Draft)	Revision 3.0.0 (Draft)	
IEC 60559/IEEE 754 Floating Point	IEC 60559:1989, Binary floating-point arithmetic for microprocessor systems	http://www.ieee.org/
ISO/IEC TR 14652	ISO/IEC TR 14652:2004, Information technology — Specification method or cultural conventions	
ITU-T V.42	International Telecommunication Union Recommendation V.42 (2002): Error-correcting procedures for DCEs using asynchronous-to- synchronous conversion ITUV	http://www.itu.int/rec/recommendation.asp?type=folders⟨=e&parent=T-REC-V.42
Li18nux Globalization Specification	LI18NUX 2000 Globalization Specification, Version 1.0 with Amendment 4	http://www.li18nux.or g/docs/html/LI18NUX 2000-amd4.htm
Linux Allocated Device Registry	LINUX ALLOCATED DEVICES	http://www.lanana.or g/docs/device-list/dev ices.txt
PAM	Open Software Foundation, Request For Comments: 86.0, October 1995, V. Samar & R.Schemers (SunSoft)	http://www.pengrou p.org/tech/rfc/mirror- rfc/rfc86.0.txt

Name	Title	URL
RFC 1321: The MD5 Message-Digest Algorithm	IETF RFC 1321: The MD5 Message-Digest Algorithm	http://www.ietf.org/rf c/rfc1321.txt
RFC 1831/1832 RPC & XDR	IETF RFC 1831 & 1832	http://www.ietf.org/
RFC 1833: Binding Protocols for ONC RPC Version 2	IETF RFC 1833: Binding Protocols for ONC RPC Version 2	http://www.ietf.org/rf c/rfc1833.txt
RFC 1950: ZLIB Compressed Data Format Specication	IETF RFC 1950: ZLIB Compressed Data Format Specification	http://www.ietf.org/rf c/rfc1950.txt
RFC 1951: DEFLATE Compressed Data Format Specification	IETF RFC 1951: DEFLATE Compressed Data Format Specification version 1.3	http://www.ietf.org/rf c/rfc1951.txt
RFC 1952: GZP File	IETF RFC 1952: GZIP	http://www.ietf.org/rf
Format Specification	file format specification version 4.3	c/rfc1952.txt
RFC 2440: OpenPGP Message Format	IETF RFC 2440: OpenPGP Message Format	http://www.ietf.org/rf c/rfc2440.txt
RFC 2821:Simple Mail Transfer Protocol	IETE RFC 2821: Simple Mail Transfer Protocol	http://www.ietf.org/rf c/rfc2821.txt
RFC 2822:Internet Message Format	IETF RFC 2822: Internet Message Format	http://www.ietf.org/rf c/rfc2822.txt
RFC 791:Internet Protocol	IETF RFC 791. Internet Protocol Specification	http://www.ietf.org/rf c/rfc791.txt
RPM Package Format		http://www.rpm.org/ max-rpm/s1-rpm-file-f ormat-rpm-file-format.h tml
SUSv2 Commands and Utilities	The Single UNIX Specification(SUS) Version 2, Commands and Utilities (XCU), Issue 5 (ISBN: 1-85912-191-8, C604)	http://www.opengrou p.org/publications/cat alog/un.htm
zlib Manual	zlib 1.2 Manual	http://www.gzip.org/ zlib/