## INTERNATIONAL STANDARD



First edition 2006-12-15

## Linux Standard Base (LSB) core specification 3.1 —

Part 3: Specification for IA64 architecture

Spécifications 3.1 relatives au noyau de base normalisé Linux (LSB) — Partie 3: Spécifications pour l'architecture IA64



Reference number ISO/IEC 23360-3:2006(E)

#### **PDF** disclaimer

This PDF file may contain embedded typefaces. In accordance with Adobe's licensing policy, this file may be printed or viewed but shall not be edited unless the typefaces which are embedded are licensed to and installed on the computer performing the editing. In downloading this file, parties accept therein the responsibility of not infringing Adobe's licensing policy. The ISO Central Secretariat accepts no liability in this area.

Adobe is a trademark of Adobe Systems Incorporated.

Details of the software products used to create this PDF file can be found in the General Info relative to the file; the PDF-creation parameters were optimized for printing. Every care has been taken to ensure that the file is suitable for use by ISO member bodies. In the unlikely event that a problem relating to it is found, please inform the Central Secretariat at the address given below

This document is a preview generated by FLS

© ISO/IEC 2006

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office Case postale 56 • CH-1211 Geneva 20 Tel. + 41 22 749 01 11 Fax + 41 22 749 09 47 E-mail copyright@iso.org Web www.iso.org Published in Switzerland

#### Linux Standard Base Core Specification for IA64 3.1

ISO/IEC 23360-3:2006(E) Copyright © 2006 ISO/IEC

This standard includes material that has been provided by the Free Standards Group under the GNU Free Documentation License Version 1.1 published by the Free Software Foundation.

Portions of the text are copyrighted by the following parties:

- The Regents of the University of California
- Free Software Foundation
- Ian F. Darw
- Paul Vixie
- BSDI (now Wind River)
- Andrew G Morgan
- Jean-loup Gailly and Mark Adler

n-loup Insachusetts 1.. se excepts are being usel 1. is the registered trademark of the Ore of the B is a trademark of the Free Standards on the MD is a trademark of the Free Standards on the MD is a trademark of Advanced Micro Decore in the and ltanium are registered trademarks and Power 1 with the tert of a registered trademark of the IBM Corporation openCL is a registered trademark of Silicon Graphics. The More than the tert of tert of the tert of t

## Contents

Foreword	vii
Introduction	viii
I Introductory Elements	0
1 Scope	
1 Scope 1.1 General	
1.1 General 1.2 Module Specific Scope	
2 References	
2.1 Normative References	
2.2 Informative References/Bibliography	
3 Requirements	
3 Relevant Libraries	
321SB Implementation Conformance	
3.3(L)B Application Conformance	
4 Definitions	
5 Terminology	
6 Documentation Conventions	
II Executable and Linking Format (ELF)	
7 Introduction	
8 Low Level System Information	
8.1 Machine Interface	
8.2 Function Calling Sequence	20
8.3 Operating System Interface	
8.4 Process Initialization	22
8.5 Coding Examples	24
8.6 C Stack Frame	25
8.7 Debug Information	25
8.5 Coding Examples 8.6 C Stack Frame 8.7 Debug Information 9 Object Format 9.1 Introduction	26
9.1 Introduction	26
9.2 ELF Header	26
9.3 Sections	27
9.4 Symbol Table	29
9.5 Relocation	29
<ul> <li>9.1 Introduction</li> <li>9.2 ELF Header</li> <li>9.3 Sections</li> <li>9.4 Symbol Table</li> <li>9.5 Relocation</li> <li>10 Program Loading and Dynamic Linking</li> <li>10.1 Introduction</li> <li>10.2 Program Header</li> <li>10.3 Program Loading</li> </ul>	30
10.1 Introduction	30
10.2 Program Header	30
10.5 Frogram Loading	
10.4 Dynamic Linking	30
III Base Libraries	32
11 Libraries	
11.1 Program Interpreter/Dynamic Linker	
11.2 Interfaces for libc	
11.3 Data Definitions for libc	
11.4 Interfaces for libm	59
11.5 Data Definitions for libm	63
11.6 Interface Definitions for libm	64
11.7 Interfaces for libpthread	65
11.8 Data Definitions for libpthread	67
11.9 Interfaces for libgcc_s	68
11.10 Data Definitions for libgcc_s	
	69
11.11 Interface Definitions for libgcc_s	
11.11 Interface Definitions for libgcc_s 11.12 Interfaces for libdl	70 74
11.11 Interface Definitions for libgcc_s	70 74

IV Utility Libraries	77
12 Libraries	78
12.1 Interfaces for libz	78
12.2 Data Definitions for libz	78
12.3 Interfaces for libncurses	78
12.4 Data Definitions for libncurses	
12.5 Interfaces for libutil	79
V Package Format and Installation	81
13 Software Installation	82
13.1 Package Dependencies	
13.2 Package Architecture Considerations	82
A like hotizal Listing of Interferred	83
A 1 librace s	83
O'libm	05
	05
No.	
0,	
Ŷ	
$\otimes$	
Li	
A 1 libgec_s A 1 libgec_s Orithmenterics a Drewiene Orienterics a	
2	
Ŷ.	
Č	
*	
1	
area of the of the second seco	
0	

## **List of Figures**

8-1 Structure Smaller Than A Word	18
8-2 No Padding	
8-3 Internal and Tail Padding	
8-4 Bit-Field Ranges	19

this document is a preview denerated by EKS

### Foreword

ISO (the International Organization for Standardization) and IEC (the International Electrotechnical Commission) form the specialized system for worldwide standardization. National bodies that are members of ISO or IEC participate in the development of International Standards through technical committees established by the respective organization to deal with particular fields of technical activity. ISO and IEC technical committees collaborate in fields of mutual interest. Other international organizations, governmental and non-governmental, in liaison with ISO and IEC, also take part in the work. In the field of information technology, ISO and IEC have established a joint technical committee, ISO/IEC JTC 1.

International Standard are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of the joint technical committee is to prepare International Standards. Draft International Standards adopted by the joint technical committee are circulated to national bodies for voting. Publication as an International Standard requires approval by at least 75 % of the national bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO and IEC shall not be held responsible for identifying any or all such patent rights.

International Standard ISO/IEC 23360-3 was prepared by the Free Standards Group and was adopted, under the PAS procedure, by Joint Technical Committee ISO/IEC JTC 1, *Information technology*, Subcommittee SC 22, *Programming languages, their environments and system software interfaces*.

ISO/IEC 23360 consists of the following parts under the general title *Linux Standard Base (LSB) core* specification 3.1:

- Part 1: Generic specification
- Part 2: Specification for IA32 architecture
- Part 3: Specification for IA64 architecture
- Part 4: Specification for AMD64 architecture
- Part 5: Specification for PPC32 architecture
- Part 6: Specification for PPC64 architecture
- Part 7: Specification for S390 architecture
- Part 8: Specification for S390X architecture



#### Introduction

The LSB defines a binary interface for application programs that are compiled and packaged for LSB-conforming implementations on many different hardware architectures. Since a binary specification includes information specific to the computer processor architecture for which it is intended, it is not possible for a single document to specify the interface for all possible LSB-conforming implementations. Therefore, the LSB is a family of specifications, rather than a single one.

This document should be used in conjunction with the documents it references. This document enumerates the system components it includes, but descriptions of those components may be included entirely or partly in this document, partly in other documents, or entirely in other reference documents. For example, the section that describes system service routines includes a list of the system routines supported in this interface, formal declarations of the data structures they use that are visible to applications, and a pointer to the underlying referenced specification for information about the syntax and semantics of each call. Only those routines not described in standards referenced by this document, or extensions to those standards, are described in detail. Information referenced in this way is as much a part of this document as is the information explicitly included here.

The specification carries a version number of either the form x.y or x.y.z. This version number carries the following meaning:

- The first number (x) is the major version number. All versions with the same major version number should have binary compatibility. Any addition or deletion of a new library results in a new version number. Interfaces marked as deprecated may be removed from the specification at a major version change.
- The second number (y) is the minor desion number. Individual interfaces may be added if all certified implementations already had that (previously undocumented) interface. Interfaces may be marked as deprecated at a minor version change. Other minor changes may be permitted at the discretion of the LSB workgroup.
- The third number (z), if present, is the editorial level. Only editorial changes should be included in such versions.

Since this specification is a descriptive Application Binary Interface, and not a source level API specification, it is not possible to make a guarantee of 100% backward compatibility between major releases. However, it is the intent that those parts of the binary interface that are visible in the source level API will remain backward compatible from version to version, except where a feature marked as deprecated in one release may be removed from a future release.

Implementors are strongly encouraged to make use of symbol versioning to permit simultaneous support of applications conforming to different releases of this specification.

This is version 3.1 of the Linux Standard Base Core Specification. This specification is part of a family of specifications under the general title "Linux Standard Base (LSB) core specification 3.1". Developers of applications or implementations interested in using the LSB trademark should see the Free Standards Group Certification Policy for details.

## I Introductory Elements

this document is a preview denerated by EKS

this document is a preview denerated by EUS

## Linux Standard Base (LSB) core specification 3.1 — Part 3: Specification for IA64 architecture

## 1 Scope

1.1 General

The Linux Standard Base (LSB) defines a system interface for compiled applications and a minimal environment for support of installation scripts. Its purpose is to enable a uniform industry standard environment for high-volume applications conforming to the LSB.

These specifications are composed of two basic parts: A common specification ("LSB-generic" of "generic LSB"), ISO/IEC 23360-1, describing those parts of the interface that remain constant across all implementations of the LSB, and an architecture-specific part ("LSB-arch" or "archLSB") describing the parts of the interface that vary by processor architecture. Together, the LSB-generic and the relevant architecture-specific part of ISO/IEC 23360 for a single hardware architecture provide a complete interface specification for compiled application programs on systems that spare a common hardware architecture.

ISO/IEC 23360-1, the LSB-generic document, should be used in conjunction with an architecture-specific part. Whenever a section of the LSB-generic specification is supplemented by architecture-specific information, the LSB-generic document includes a reference to the architecture part. Architecture-specific parts of ISO/IEC 23360 may also contain additional information that is not referenced in the LSB-generic document.

The LSB contains both a set of Application Program Interfaces (APIs) and Application Binary Interfaces (ABIs). APIs may appear in the source code of portable applications, while the compiled binary of that application may use the larger set of ABIs. A conforming implementation poycides all of the ABIs listed here. The compilation system may replace (e.g. by marro definition) certain APIs with calls to one or more of the underlying binary interfaces, and may insert calls to binary interfaces as needed.

The LSB is primarily a binary interface definition. Not all of the source level APIs available to applications may be contained in this specification.

#### 1.2 Module Specific Scope

This is the Itanium<sup>™</sup> architecture specific Core part of the Linux Standard Base (LSB). This part supplements the generic LSB Core module with those interfaces that differ between architectures.

Interfaces described in this part of ISO/IEC 23360 are mandatory except where explicitly listed otherwise. Core interfaces may be supplemented by other modules; all modules are built upon the core.

## 2 References

#### 2.1 Normative References

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

**Note:** Where copies of a document are available on the World Wide Web, a Uniform Resource Locator (URL) is given for informative purposes only. This may point to a more recent copy of the referenced specification, or may be out of date. Reference copies of specifications at the revision level indicated may be found at the Free standards Group's Reference Specifications (http://refspecs.freestandards.org) site.

Name	Title	URL
ISO/IEC 29660-1	ISO/IEC 23360-1:2006, Linux Standard Base (LSB) core specification 3.1 —Part 1: Generic Specification	http://www.linuxbase. org/spec/
Filesystem Hierarchy Standard	Filesystem Hierarchy Standard (FHS) 2.3	http://www.pathname .com/fhs/
Intel® Itanium™ Processor-specific Application Binary Interface	Intel® Itanium™ Processor-specific Application Binary Interfac	http://refspecs.freestan dards.org/elf/IA64-Sys V-psABI.pdf
ISO C (1999)	ISO/IEC 9899: 1999, Programming Languages —	
ISO POSIX (2003)	ISO/IEC 9945-1:20 Information technology Portable Operating System Interface (POSIX) — Part 1: Base Definitions ISO/IEC 9945-2:2003, Information technology — Portable Operating System Interface (POSIX) — Part 2: System Interfaces ISO/IEC 9945-3:2003, Information technology — Portable Operating System Interface (POSIX) — Part 3: Shell and Utilities	http://www.unix.org/ version3/

#### Table Normative References

Name	Title	URL
	ISO/IEC 9945-4:2003, Information technology — Portable Operating System Interface (POSIX) — Part 4: Rationale	
Itanium <sup>™</sup> Architecture oftware Developer's Manual Volume 1	Itanium <sup>™</sup> Architecture Software Developer's Manual Volume 1: Application Architecture	http://refspecs.freesta dards.org/IA64-softde man-vol1.pdf
Itanium <sup>™</sup> Architecture Software Developer's Manual Volume 2	Itanium <sup>™</sup> Architecture Software Developer's Manual Volume 2: System Architecture	http://refspecs.freesta dards.org/IA64-softde man-vol2.pdf
Itanium <sup>™</sup> Arclercture Software Developers Manual Volume 3	Itanium <sup>™</sup> Architecture Software Developer's Manual Volume 3: Instruction Set Reference	http://refspecs.freesta dards.org/IA64-softde man-vol3.pdf
Itanium™ Architecture Software Developer's Manual Volume 4	Koference: Intel® Itarithm™ Processor Reference Manual for Software Development	http://refspecs.freesta dards.org/IA64-softde man-vol4.pdf
Itanium <sup>™</sup> Software Conventions and Runtime Guide	Itanium <sup>™</sup> Software Conventions and Runtime Archiecture Guide, September 2000	http://refspecs.freesta dards.org/IA64conver ions.pdf
Large File Support	Large File Support	http://www.UNIX-sy ems.org/version2/what new/lfs20mar.html
SUSv2	CAE Specification, January 1997, System Interfaces and Headers (XSH), Issue 5 (ISBN: 1-85912-181-0, C606)	http://www.opengrou p.org/publications/ca alog/un.htm
SVID Issue 3	American Telephone and Telegraph Company, System V Interface Definition, Issue 3; Morristown, NJ, UNIX Press, 1989. (ISBN 0201566524)	J.

Name	Title	URL
SVID Issue 4	System V Interface Definition, Fourth Edition	
System V ABI	System V Application Binary Interface, Edition 4.1	http://www.caldera.co m/developers/devspec s/gabi41.pdf
System V ABI Update	System V Application Binary Interface - DRAFT - 17 December 2003	http://www.caldera.co m/developers/gabi/20 03-12-17/contents.html
X Open Curses	CAE Specification, May 1996, X/Open Curses, Issue 4, Version 2 (ISBN: 1-85912-171-3, C610), plus Corrigendum U018	http://www.opengrou p.org/publications/cat alog/un.htm

# 2.2 Informative References/Bibliography

In addition, the specifications listed below provide essential background information to implementates of this specification. These references are included for information only.

Table 2-2 Other References

Name	Title	URL
DWARF Debugging Information Format, Revision 2.0.0	DWARF Debugging Information Format, Revision 2.0. Ouly 27, 1993)	http://refspecs.freestan dards.org/dwarf/dwar f-2.0.0.pdf
DWARF Debugging Information Format, Revision 3.0.0 (Draft)	DWARF Debugging Information Format, Revision 3.0.0 (Draft)	http://refspecs.freestan dards.org/dwarf/
IEC 60559/IEEE 754 Floating Point	IEC 60559:1989, Binary floating-point arithmetic for microprocessor systems	ettp://www.ieee.org/
ISO/IEC TR 14652	ISO/IEC TR 14652:2004, Information technology — Specification method for cultural conventions	ENS SNJ

Name	Title	URL
ITU-T V.42	International Telecommunication Union Recommendation V.42 (2002): Error-correcting procedures for DCEs using asynchronous-to- synchronous conversion ITUV	http://www.itu.int/rec /recommendation.asp?t ype=folders⟨=e&p arent=T-REC-V.42
1118nux Globalization	LI18NUX 2000	http://www.li18nux.or
Specification	Globalization Specification, Version 1.0 with Amendment 4	g/docs/html/LI18NUX -2000-amd4.htm
Linux Wocated Device Registry	LINUX ALLOCATED DEVICES	http://www.lanana.or g/docs/device-list/dev ices.txt
PAM	Open Software Foundation, Request For Comments: 86.0, October 1995, V. Samar & R. Schemers (SunSoft)	http://www.opengrou p.org/tech/rfc/mirror- rfc/rfc86.0.txt
RFC 1321: The MD5 Message-Digest Algorithm	IETF RFC 1321: The MD5 Message-Digest Algorithm	http://www.ietf.org/rf c/rfc1321.txt
RFC 1831/1832 RPC & XDR	IETF KFC 1831 & 1832	http://www.ietf.org/
RFC 1833: Binding Protocols for ONC RPC Version 2	IETF RFC 1833: Binding Protocols for ONC RPC Version 2	http://www.ietf.org/rf c/rfc1833.txt
RFC 1950: ZLIB Compressed Data Format Specication	IETF RFC 1950: ZLIN Compressed Data Format Specification	http://www.ietf.org/rf c/rfc1950.txt
RFC 1951: DEFLATE Compressed Data Format Specification	IETF RFC 1951: DEFLATE Compressed Data Format Specification version 1.3	ettp://www.ietf.org/rf o/rfc1951.txt
RFC 1952: GZIP File Format Specification	IETF RFC 1952: GZIP file format specification version 4.3	http://www.ietf.org/rf c/rfc1952.cx
RFC 2440: OpenPGP Message Format	IETF RFC 2440: OpenPGP Message Format	http://www.ietf.org/rf c/rfc2440.txt

Name	Title	URL
RFC 2821: Simple Mail Transfer Protocol	IETF RFC 2821: Simple Mail Transfer Protocol	http://www.ietf.org/rf c/rfc2821.txt
RFC 2822: Internet Message Format	IETF RFC 2822: Internet Message Format	http://www.ietf.org/rf c/rfc2822.txt
RFC 791: Internet Protocol	IETF RFC 791: Internet Protocol Specification	http://www.ietf.org/rf c/rfc791.txt
RPM Package Format	RPM Package Format V3.0	http://www.rpm.org/ max-rpm/s1-rpm-file-f ormat-rpm-file-format.h tml
SUSv2 Commands and Utilities	The Single UNIX Specification (SUS) Version 2, Commands and Utilities (XCU),	http://www.opengrou p.org/publications/cat alog/un.htm
SN	Issue 5 (ISBN: 1-85912-191-8, C604)	
zlib Manual	zlib 1.2 Manual	http://www.gzip.org/ zlib/
	Drevie	
	The Single UNIX Specification (SUS) Version 2, Commands and Utilities (XCU), Issue 5 (ISBN: 1-85912-191-8, C604) zlib 1.2 Manual	