Klaasja kihiga kaetud keraamilised torud ja liitmikud ning toruühendused dreenide ja kanalisatsioonitorustike jaoks. Osa 10: Kohustuslikud nõuded

Vitrified clay pipes and fittings and pipe joints for drains and sewers - Part 10: Performance requirements



EESTI STANDARDI EESSÕNA

NATIONAL FOREWORD

Käesolev Eesti standard EVS-EN 295-
10:2005 sisaldab Euroopa standardi EN
295-10:2005 ingliskeelset teksti.

Käesolev dokument on jõustatud 30.05.2005 ja selle kohta on avaldatud teade Eesti standardiorganisatsiooni ametlikus väljaandes.

Standard on kättesaadav Eesti standardiorganisatsioonist.

This Estonian standard EVS-EN 295-10:2005 consists of the English text of the European standard EN 295-10:2005.

This document is endorsed on 30.05.2005 with the notification being published in the official publication of the Estonian national standardisation organisation.

The standard is available from Estonian standardisation organisation.

Käsitlusala:

This document specifies performance requirements for: - vitrified clay pipes, fittings and pipe joints as defined in EN 295-1, - special fittings, adaptors and compatible accessories as defined in EN 295-4, - perforated vitrified clay pipes and fittings as defined in EN 295-5, - vitrified clay manholes as defined in EN 295-6, - vitrified clay pipes and joints for pipe jacking as defined in EN 295-7,

Scope:

This document specifies performance requirements for: - vitrified clay pipes, fittings and pipe joints as defined in EN 295-1, - special fittings, adaptors and compatible accessories as defined in EN 295-4, - perforated vitrified clay pipes and fittings as defined in EN 295-5, - vitrified clay manholes as defined in EN 295-6, - vitrified clay pipes and joints for pipe jacking as defined in EN 295-7,

ICS 23.040.50

Võtmesõnad: conformity tests, pipes, sampling, sandstone, sewage, sewer pipes, sewerage, sewers, shafts, specification (approval), specifications, stoneware, stoneware pipes, strength of materials, tightness, tubes, water pipelines, water practice

EUROPEAN STANDARD NORME EUROPÉENNE EUROPÄISCHE NORM

EN 295-10

March 2005

ICS 23.040.50

English version

Vitrified clay pipes and fittings and pipe joints for drains and sewers - Part 10: Performance requirements

Tuyaux et accessoires en grès et assemblages de tuyaux pour les réseaux de branchement et d'assainissement -Partie 10 : Exigences de performance Steinzeugrohre und Formstücke sowie Rohrverbindungen für Abwasserleitungen und -kanäle - Teil 10:

Leistungsanforderungen

This European Standard was approved by CEN on 17 January 2005.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the Central Secretariat or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the Central Secretariat has the same status as the official versions

CEN members are the national standards bodies of Austria, Belgium, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Slovakia, Slovenia, Spain, Sweden, Switzerland and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION COMITÉ EUROPÉEN DE NORMALISATION EUROPÄISCHES KOMITEE FÜR NORMUNG

Management Centre: rue de Stassart, 36 B-1050 Brussels

Contents

	9,	Page
Forew	ord	
1	Scope	4
2	Normative references	4
3	Terms and definitions	4
4	Requirements	5
4.1	General	
4.2	Vitrified clay pipes and fittings and their joints	5
4.2.1	Materials	
4.2.2	Dimensional tolerances	
4.2.3	Strength	
4.2.4	Gas- and liquid-tightness of pipes, fittings and their joints	
4.2.5	Durability	6
4.3	Special fittings, adaptors and compatible accessories	
4.3.1 4.3.2	Materials Dimensional tolerances	
4.3.2 4.3.3	Strength	
4.3.4	Gas- and liquid-tightness	
4.3.5	Durability	
4.4	Perforated vitrified clay pipes	
4.4.1	Materials	
4.4.2	Dimensional tolerances	
4.4.3	Strength	
4.4.4	Durability	
4.5	Vitrified clay manholes	
4.5.1	Materials	
4.5.2 4.5.3	Dimensional toleranceStrength	
4.5.3 4.5.4	Liquid-tightness	
4.5.5	Durability	
4.6	Vitrified clay pipes and joints for pipe jacking	
4.6.1	Materials	
4.6.2	Dimensional tolerances	
4.6.3	Strength	7
4.6.4	Liquid-tightness	8
4.6.5	Durability	8
5	Evaluation of conformity	8
5.1	General	
5.2	Type testing (initial testing of the product)	
5.3	Factory production control (FPC)	
5.3.1	General	
5.3.2	Equipment	
5.3.3	Product testing and evaluation	
6	Marking	11
Annex	α ZA (informative) Clauses of this European Standard addressing the provisions of the EL	J
	Construction Products Directive	

Foreword

This document (EN 295-10:2005) has been prepared by Technical Committee CEN/TC 165 "Waste water engineering", the secretariat of which is held by DIN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by August 2005, and conflicting national standards shall be withdrawn at the latest by December 2006.

This document has been prepared under a mandate given to CEN by the European Commission and the European Free Trade Association, and supports essential requirements of EU Directive(s).

For relationship with EU Directive(s), see informative Annex ZA, which is an integral part of this document.

This document contains only the performance requirements needed to meet the requirements of EU Directive(s). It does not indicate the quality of products. This is specified in the standards series EN 295 for vitrified clay pipes, fittings and pipe joints for drains and sewers, which consists of the following Parts:

- Part 1: Requirements,
- Part 2: Quality control,
- Part 3: Test methods,
- Part 4: Requirements for special fittings, adaptors and compatible accessories,
- Part 5: Requirements for perforated vitrified clay pipes and fittings,
- Part 6: Requirements for vitrified clay manholes,
- Part 7: Requirements for vitrified clay pipes and joints for pipe jacking.

According to the CEN/CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Slovakia, Slovenia, Spain, Sweden, Switzerland and United Kingdom.

1 Scope

This document specifies performance requirements for:

- vitrified clay pipes, fittings and pipe joints as defined in EN 295-1,
- special fittings, adaptors and compatible accessories as defined in EN 295-4,
- perforated vitrified clay pipes and fittings as defined in EN 295-5,
- vitrified clay manholes as defined in EN 295-6,
- vitrified clay pipes and joints for pipe jacking as defined in EN 295-7,

for buried drain or sewer systems for the conveyance of sewage and surface water (including rain water) under gravity or occasionally at low head of pressure. It specifies the evaluation of conformity for the performance requirements of products according to this document.

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 295-1:1991, Vitrified clay pipes and fittings and pipe joints for drains and sewers — Part 1: Requirements.

EN 295-2:1991, Vitrified clay pipes and fittings and pipe joints for drains and sewers — Part 2: Quality control

EN 295-3:1991, Vitrified clay pipes and fittings and pipe joints for drains and sewers — Part 3: Test methods.

EN 295-4:1995, Vitrified clay pipes and fittings and pipe joints for drains and sewers — Part 4: Requirements for special fittings, adaptors and compatible accessories.

EN 295-5:1994, Vitrified clay pipes and fittings and pipe joints for drains and sewers — Part 5: Requirements for perforated vitrified clay pipes and fittings.

EN 295-6:1995, Vitrified clay pipes and fittings and pipe joints for drains and sewers — Part 6: Requirements for vitrified clay manholes.

EN 295-7:1995, Vitrified clay pipes and fittings and pipe joints for drains and sewers — Part 7: Requirements for vitrified clay pipes and joints for pipe jacking.

EN ISO 9001, Quality management systems — Requirements (ISO 9001:2000).

3 Terms and definitions

For the purposes of this document, the terms and definitions given in EN 295-1 to EN 295-7 apply.