

INTERNATIONAL STANDARD

ISO/IEC
14543-3-5

First edition
2007-05

**Information technology –
Home electronic system (HES) architecture –**

**Part 3-5:
Media and media dependent layers –
Powerline for network based control
of HES Class 1**



Reference number
ISO/IEC 14543-3-5:2007(E)



THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2007 ISO/IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester.

If you have any questions about ISO/IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

IEC Central Office
3, rue de Varembe
CH-1211 Geneva 20
Switzerland
Email: inmail@iec.ch
Web: www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

- Catalogue of IEC publications: www.iec.ch/searchpub

The IEC on-line Catalogue enables you to search by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, withdrawn and replaced publications.

- IEC Just Published: www.iec.ch/online_news/justpub

Stay up to date on all new IEC publications. Just Published details twice a month all new publications released. Available on-line and also by email.

- Customer Service Centre: www.iec.ch/webstore/custserv

If you wish to give us your feedback on this publication or need further assistance, please visit the Customer Service Centre FAQ or contact us:

Email: csc@iec.ch
Tel.: +41 22 919 02 11
Fax: +41 22 919 03 00

INTERNATIONAL STANDARD

ISO/IEC
14543-3-5

First edition
2007-05

Information technology –
Home electronic system (HES) architecture –

Part 3-5:
Media and media dependent layers –
Powerline for network based control
of HES Class 1



PRICE CODE **R**

For price, see current catalogue

CONTENTS

FOREWORD.....	4
INTRODUCTION.....	6
1 Scope.....	7
2 Normative references.....	7
3 Terms, definitions and abbreviations.....	8
3.1 Terms and definitions.....	8
3.2 Abbreviations.....	8
4 Conformance.....	9
5 Requirements for HES Class 1, PL110.....	9
5.1 Physical Layer PL110.....	9
5.1.1 General.....	9
5.1.2 Transmission medium.....	10
5.1.3 Medium attachment unit (MAU).....	11
5.1.4 Installation topology.....	13
5.1.5 Installation requirements.....	13
5.1.6 Surge protection.....	14
5.1.7 Services at the data link layer / physical layer interface.....	14
5.1.8 Features of PL110 physical layer.....	15
5.2 Data link layer type PL110.....	19
5.2.1 General.....	19
5.2.2 Domain address/individual address/group address.....	19
5.2.3 Frame formats.....	20
5.2.4 Medium access control.....	24
5.2.5 Data link layer services.....	28
5.2.6 Parameters of layer-2.....	30
5.2.7 Data link layer protocol.....	30
5.2.8 Layer-2 of a repeater.....	31
6 Requirements for HES Class 1, PL132.....	31
6.1 General.....	31
6.2 Physical layer PL132.....	32
6.2.1 Medium definition.....	32
6.2.2 Topology and medium.....	32
6.2.3 Datagram service.....	32
6.3 Data link layer type powerline 132.....	35
6.3.1 Frame format.....	35
6.3.2 Medium access control.....	40
6.3.3 L_Data Service and Protocol.....	41
6.3.4 L_PollData service.....	43
6.3.5 L_Busmon service.....	43
6.3.6 L_Service_Information service.....	43
Bibliography.....	44

Figure 1 – Structure of the MAU (example).....	10
Figure 2 – Signal encoding	11
Figure 3 – Idealised overlapping of 105,6 kHz and 115,2 kHz	12
Figure 4 – Example of a PL inductive coupling circuit.....	13
Figure 5 – Example of a typical PL topology.....	13
Figure 6 – Character	15
Figure 7 – Structure of a datagram	15
Figure 8 – Structure of an acknowledgement frame	16
Figure 9 – Generation matrix of PL110	16
Figure 10 – Operations of Galois Field GF2.....	17
Figure 11 – Three phase system (example for 50 Hz)	18
Figure 12 – Domain Address	19
Figure 13 – Individual Address	19
Figure 14 – Group Address	20
Figure 15 – Format 1s, frame fields with standard fieldname abbreviations	20
Figure 16 – Format 1s, L_Data_Standard request frame format	21
Figure 17 – Control field	21
Figure 18 – Check octet	22
Figure 19 – Frame fields with standard fieldname abbreviations.....	22
Figure 20 – Format 1e, L_Data_Extended request frame format	23
Figure 21 – Extended control field	23
Figure 22 – Format 2, short acknowledgement frame format.....	24
Figure 23 – Timing diagram of an L_Data-request frame.....	27
Figure 24 – Complete frame encapsulation (Datagram).....	34
Figure 25 – Overview of primitives.....	34
Figure 26 – Frame fields with standard fieldname abbreviations.....	36
Figure 27 – L_Data request standard frame format	36
Figure 28 – Control field	36
Figure 29 – NPCI field	37
Figure 30 – Frame fields with standard fieldname abbreviations.....	38
Figure 31 – L_Data_Extended request frame format	38
Figure 32 – Extended control field	39
Figure 33 – Data field in positive Acknowledgement Frame (ACK)	40
Figure 34 – Complete Acknowledgement Frame Encapsulation (ACK)	40
Table 1 – General requirements for physical layer PL110.....	9
Table 2 – Power supply of the MAU	11
Table 3 – Requirements for the impedance of the MAU	12
Table 4 – Table of syndromes related to errors	17
Table 5 – L_Data-request priorities.....	26
Table 6 – Parameters for Ph-Data service	34
Table 7 – Ph-Service class parameters	35
Table 8 – Ph-Result values.....	35

INFORMATION TECHNOLOGY – HOME ELECTRONIC SYSTEM (HES) ARCHITECTURE –

Part 3-5: Media and media dependent layers – Powerline for network based control of HES Class 1

FOREWORD

- 1) ISO (International Organization for Standardization) and IEC (International Electrotechnical Commission) form the specialized system for worldwide standardization. National bodies that are members of ISO or IEC participate in the development of International Standards. Their preparation is entrusted to technical committees; any ISO and IEC member body interested in the subject dealt with may participate in this preparatory work. International governmental and non-governmental organizations liaising with ISO and IEC also participate in this preparation.
- 2) In the field of information technology, ISO and IEC have established a joint technical committee, ISO/IEC JTC 1. Draft International Standards adopted by the joint technical committee are circulated to national bodies for voting. Publication as an International Standard requires approval by at least 75 % of the national bodies casting a vote.
- 3) The formal decisions or agreements of IEC and ISO on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC and ISO member bodies.
- 4) IEC, ISO and ISO/IEC Publications have the form of recommendations for international use and are accepted by IEC and ISO member bodies in that sense. While all reasonable efforts are made to ensure that the technical content of IEC, ISO and ISO/IEC Publications is accurate, IEC or ISO cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 5) In order to promote international uniformity, IEC and ISO member bodies undertake to apply IEC, ISO and ISO/IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any ISO/IEC Publication and the corresponding national or regional publication should be clearly indicated in the latter.
- 6) ISO and IEC provide no marking procedure to indicate their approval and cannot be rendered responsible for any equipment declared to be in conformity with an ISO/IEC Publication.
- 7) All users should ensure that they have the latest edition of this publication.
- 8) No liability shall attach to IEC or ISO or its directors, employees, servants or agents including individual experts and members of their technical committees and IEC or ISO member bodies for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication of, use of, or reliance upon, this ISO/IEC publication or any other IEC, ISO or ISO/IEC publications.
- 9) Attention is drawn to the normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.

IEC and ISO draw attention to the fact that it is claimed that compliance with this document may involve the use of a patent concerning an efficient implementation of synchronization, see 5.1.8.7.

Busch-Jaeger has informed IEC and ISO that they have the granted patent EP 0856954.

IEC and ISO draw attention to the fact that it is claimed that compliance with this document may involve the use of a patent in case specific notch configurations are implemented.

Zumtobel has informed IEC and ISO that they have the granted patent DE 29701412.

ISO and IEC take no position concerning the evidence, validity and scope of these putative patent rights. The holders of these putative patent rights have assured IEC and ISO that they are willing to negotiate free licences or licences under reasonable and non-discriminatory terms and conditions with applicants throughout the world. In this respect, the statements of the holders of these putative patent rights are registered with IEC and ISO. Information may be obtained from:

Busch-Jaeger
Freisenbergstraße 2
D-58513 Lüdenscheid
Germany

Zumtobel Staff GmbH
Schweizerstrasse 30
A-6850 Dornbirn
Austria

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights other than those identified above. IEC and ISO shall not be held responsible for identifying any or all such patent rights.

International Standard ISO/IEC 14543-3-5 was prepared by subcommittee 25: Interconnection of information technology equipment, of ISO/IEC joint technical committee 1: Information technology.

This International Standard is a product family standard. It shall be used in conjunction with ISO/IEC 14543-2-1, 14543-3-1, 14543-3-2, 14543-3-3, 14543-3-4, 14543-3-6 and 14543-3-7.

The list of all currently available parts of the ISO/IEC 14543 series, under the general title *Information technology – Home electronic system (HES) architecture*, can be found on the IEC web site.

This International Standard has been approved by vote of the member bodies, and the voting results may be obtained from the address given on the second title page.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

This document is a preview generated by EVS

INTRODUCTION

The Reference model for Open System Interconnection (OSI), specified in ISO/IEC 7498, assigns the functions that are needed for communications between two entities that are connected by a medium to seven logical layers. This International Standard specifies interconnection of entities used for home and building control via the medium powerline. It specifies the medium dependent functions, that is the main characteristics and the transmission technology in terms of the Physical Layer and the Data Link Layer, according to ISO/IEC 7498.

Currently, ISO/IEC 14543, *Information technology – Home Electronic System (HES) architecture*, consists of the following parts:

- Part 2-1: *Introduction and device modularity*
- Part 3-1: *Communication layers – Application layer for network based control of HES Class 1*
- Part 3-2: *Communication layers – Transport, network and general parts of data link layer for network based control of HES Class 1*
- Part 3-3: *User process for network based control of HES Class 1*
- Part 3-4: *System management – Management procedures for network based control of HES Class 1*
- Part 3-5: *Media and media dependent layers – Powerline for network based control of HES Class 1*
- Part 3-6: *Media and media dependent layers – Twisted pair for network based control of HES Class 1*
- Part 3-7: *Media and media dependent layers – Radio frequency for network based control of HES Class 1*
- Part 4: *Home and building automation in a mixed-use building (technical report)*
- Part 5-1: *Intelligent grouping and resource sharing for HES Class 2 and Class 3 – Core protocol (under consideration)*
- Part 5-2: *Intelligent grouping and resource sharing for HES Class 2 and Class 3 – Device certification (under consideration)*

Additional parts may be added at a later date.

INFORMATION TECHNOLOGY – HOME ELECTRONIC SYSTEM (HES) ARCHITECTURE –

Part 3-5: Media and media dependent layers – Powerline for network based control of HES Class 1

1 Scope

This part of ISO/IEC 14543 defines the mandatory and optional requirements for the medium specific Physical and Data Link Layer of Powerline Class 1 in its two variations PL110 and PL132.

NOTE Data Link Layer interface and general definitions, which are medium independent, are given in ISO/IEC 14543-3-1.

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO/IEC 14543-2-1, *Information technology – Home Electronic System (HES) architecture – Part 2-1: Introduction and device modularity*

ISO/IEC 14543-3-1, *Information technology – Home Electronic System (HES) architecture – Part 3-1: Communication layers – Application layer for network based control of HES Class 1*

ISO/IEC 14543-3-2, *Information technology – Home Electronic System (HES) architecture – Part 3-2: Communication layers – Transport, network and general parts of data link layer for network based control of HES Class 1*

ISO/IEC 14543-3-3, *Information technology – Home Electronic System (HES) architecture – Part 3-3: User process for network based control of HES Class 1*

ISO/IEC 14543-3-4, *Information technology – Home Electronic System (HES) architecture – Part 3-4: System management – Management procedures for network based control of HES Class 1*

ISO/IEC 14543-3-6, *Information technology – Home Electronic System (HES) architecture – Part 3-6: Media and media dependent layers – Twisted pair for network based control of HES Class 1*

ISO/IEC 14543-3-7, *Information technology – Home Electronic System (HES) architecture – Part 3-6: Media and media dependent layers – Radio frequency for network based control of HES Class 1*

CISPR 16-1-1, *Specification for radio disturbance and immunity measuring apparatus and methods – Part 1-1: Radio disturbance and immunity measuring apparatus – Measuring apparatus*

EN 50065-1, *Signalling on low-voltage electrical installations in the frequency range 3 kHz to 148,5 kHz – Part 1: General requirements, frequency bands and electromagnetic disturbances*

EN 50065-7, *Signalling on low-voltage electrical installations in the frequency range 3 kHz to 148,5 kHz – Part 7: Equipment impedance*