

INTERNATIONAL STANDARD

NORME INTERNATIONALE



**Power transformers –
Part 10: Determination of sound levels**

**Transformateurs de puissance –
Partie 10: Détermination des niveaux de bruit**



THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2016 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de l'IEC ou du Comité national de l'IEC du pays du demandeur. Si vous avez des questions sur le copyright de l'IEC ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de l'IEC de votre pays de résidence.

IEC Central Office
3, rue de Varembe
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
Fax: +41 22 919 03 00
info@iec.ch
www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

IEC Catalogue - webstore.iec.ch/catalogue

The stand-alone application for consulting the entire bibliographical information on IEC International Standards, Technical Specifications, Technical Reports and other documents. Available for PC, Mac OS, Android Tablets and iPad.

IEC publications search - www.iec.ch/searchpub

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and also once a month by email.

Electropedia - www.electropedia.org

The world's leading online dictionary of electronic and electrical terms containing 20 000 terms and definitions in English and French, with equivalent terms in 15 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

IEC Glossary - std.iec.ch/glossary

65 000 electrotechnical terminology entries in English and French extracted from the Terms and Definitions clause of IEC publications issued since 2002. Some entries have been collected from earlier publications of IEC TC 37, 77, 86 and CISPR.

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: csc@iec.ch.

A propos de l'IEC

La Commission Electrotechnique Internationale (IEC) est la première organisation mondiale qui élabore et publie des Normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

A propos des publications IEC

Le contenu technique des publications IEC est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

Catalogue IEC - webstore.iec.ch/catalogue

Application autonome pour consulter tous les renseignements bibliographiques sur les Normes internationales, Spécifications techniques, Rapports techniques et autres documents de l'IEC. Disponible pour PC, Mac OS, tablettes Android et iPad.

Recherche de publications IEC - www.iec.ch/searchpub

La recherche avancée permet de trouver des publications IEC en utilisant différents critères (numéro de référence, texte, comité d'études,...). Elle donne aussi des informations sur les projets et les publications remplacées ou retirées.

IEC Just Published - webstore.iec.ch/justpublished

Restez informé sur les nouvelles publications IEC. Just Published détaille les nouvelles publications parues. Disponible en ligne et aussi une fois par mois par email.

Electropedia - www.electropedia.org

Le premier dictionnaire en ligne de termes électroniques et électriques. Il contient 20 000 termes et définitions en anglais et en français, ainsi que les termes équivalents dans 15 langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International (IEV) en ligne.

Glossaire IEC - std.iec.ch/glossary

65 000 entrées terminologiques électrotechniques, en anglais et en français, extraites des articles Termes et Définitions des publications IEC parues depuis 2002. Plus certaines entrées antérieures extraites des publications des CE 37, 77, 86 et CISPR de l'IEC.

Service Clients - webstore.iec.ch/csc

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions contactez-nous: csc@iec.ch.

INTERNATIONAL STANDARD

NORME INTERNATIONALE



**Power transformers –
Part 10: Determination of sound levels**

**Transformateurs de puissance –
Partie 10: Détermination des niveaux de bruit**

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

COMMISSION
ELECTROTECHNIQUE
INTERNATIONALE

ICS 29.180

ISBN 978-2-8322-3252-1

**Warning! Make sure that you obtained this publication from an authorized distributor.
Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.**

CONTENTS

FOREWORD.....	4
INTRODUCTION.....	6
1 Scope.....	8
2 Normative references.....	8
3 Terms and definitions	9
4 Sound power for different loading conditions	11
4.1 General.....	11
4.2 Sound power at no-load excitation	12
4.3 Sound power of the cooling device(s)	12
4.4 Sound power due to load current	12
5 Sound level measurement specification.....	14
6 Instrumentation, calibration and accuracy.....	15
7 Principal radiating surface.....	16
7.1 General.....	16
7.2 Transformers with or without cooling device.....	16
7.3 Transformers in enclosures with cooling devices inside the enclosure	16
7.4 Transformers in enclosures with cooling devices outside the enclosure	17
7.5 Cooling devices mounted on a separate structure where the distance between the two principal radiating surfaces is ≥ 3 m	17
7.6 Dry-type transformers.....	17
7.7 Dry-type air-core reactors.....	17
8 Prescribed contour	18
9 Microphone positions	19
10 Calculation of the measurement surface area	19
10.1 Measurement surface area for measuring distances up to 30 m.....	19
10.2 Measurement surface area for measuring distances larger than 30 m.....	19
11 Sound measurement.....	20
11.1 Test conditions.....	20
11.1.1 Placement of test object	20
11.1.2 Test energisation options	20
11.1.3 Test application details	21
11.1.4 Prevailing ambient conditions	21
11.2 Sound pressure method	21
11.2.1 General	21
11.2.2 Test procedure.....	21
11.2.3 Calculation of the spatially averaged sound pressure level.....	22
11.2.4 Validation of test measurements with respect to background noise.....	23
11.2.5 Calculation of environmental correction K	23
11.2.6 Final correction for steady-state background noise and test environment.....	25
11.3 Sound intensity method	26
11.3.1 General	26
11.3.2 Test procedure.....	26
11.3.3 Calculation of average normal sound intensity and sound pressure level	27
11.3.4 Measurement validation	28
11.3.5 Final correction based on P-I index and direction flag	28

12	Determination of sound power level by calculation	29
13	Logarithmic addition and subtraction of individual sound levels	29
14	Far-field calculations for distances larger than 30 m	30
15	Presentation of results	31
	Annex A (informative) Narrow-band and time-synchronous measurements	40
	A.1 General considerations	40
	A.2 Narrow-band measurement	40
	A.2.1 General	40
	A.2.2 Post processing of narrow-band measurements to exclude background noise	41
	A.3 Time-synchronous averaging technique	41
	Annex B (informative) Typical report of sound level determination	42
	B.1 Sound pressure method	42
	B.2 Sound pressure method – Appendix for the point-by-point procedure	50
	B.3 Sound intensity method	51
	B.4 Sound intensity method – Appendix for the point-by-point procedure	59
	Bibliography	60
	Figure 1 – Typical microphone path / positions for sound measurement on transformers excluding cooling devices	33
	Figure 2 – Typical microphone path / positions for sound measurement on transformers having cooling devices mounted either directly on the tank or on a separate structure spaced < 3 m away from the principal radiating surface of the main tank	34
	Figure 3 – Typical microphone path / positions for sound measurement on transformers having separate cooling devices spaced < 3 m away from the principal radiating surface of the main tank	35
	Figure 4 – Typical microphone path / positions for sound measurement on cooling devices mounted on a separate structure spaced ≥ 3 m away from the principal radiating surface of the transformer	36
	Figure 5 – Typical microphone positions for sound measurement on dry-type transformers without enclosures	37
	Figure 6 – Principle radiating surface and prescribed contour of dry-type air-core reactors	38
	Figure 7 – Environmental correction, K	39
	Table 1 – Test acceptance criteria	23
	Table 2 – Approximate values of the average acoustic absorption coefficient	25

INTERNATIONAL ELECTROTECHNICAL COMMISSION

POWER TRANSFORMERS –**Part 10: Determination of sound levels****FOREWORD**

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 60076-10 has been prepared by IEC technical committee 14: Power transformers

This second edition cancels and replaces the first edition published in 2001 and constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- additional useful definitions introduced;
- definition of distribution type transformers introduced for the purpose this standard;
- new clause for sound level measurement specification introduced;
- requirement for 1/3 octave band measurements introduced for transformers other than distribution type transformers;

- standard measurement distance changed from 0,3 m to 1 m for transformers other than distribution type transformers;
- height of measurement surface is now clearly defined to count from the reflecting plane;
- measurement surface formula unified;
- correction criteria for intensity method introduced;
- rules for sound measurements on dry-type reactors introduced;
- figures revised;
- new informative test report templates introduced (Annex B);
- IEC 60076-10-1 (application guide) revised in parallel providing worthwhile information for the use of this standard.

The text of this standard is based on the following documents:

FDIS	Report on voting
14/846/FDIS	14/849/RVD

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts in the IEC 60076 series, published under the general title *Power transformers*, can be found on the IEC website.

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC web site under "<http://webstore.iec.ch>" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

INTRODUCTION

One of many parameters considered when specifying, designing and placing transformers, reactors and their associated cooling devices is the sound level that the equipment is likely to emit under defined in-service conditions. This part of IEC 60076 provides the basis for the specification and test of sound levels.

This standard describes in a logical sequence the loading conditions, how to specify and to test as well as how to evaluate and report sound levels for the equipment under test. A new section for the specification of sound levels has been introduced as Clause 5.

For the purpose of this standard, the definition “distribution type transformers” was introduced. This reflects industry’s need to maintain simpler and faster sound measurements for this category of transformers.

The new requirement for reporting 1/3-octave band spectra for all sound levels (including the background noise) on units for installation in substations reflects the more onerous conditions imposed by planning authorities on the purchaser and also the improved functionality of modern instrumentation.

When the sound intensity method was introduced in this standard limited experience was available. During subsequent years of operating this standard levels of experience have significantly increased and necessary changes have become evident. The equivalence of the pressure and the intensity methods has been demonstrated within certain test limitations.

The introduction of new validation criteria for the intensity method recognises these limitations. The permissible pressure – intensity index ΔL remains 8 dB however the difference between measured sound pressure level and reported sound intensity level is limited to 4 dB.

For the pressure method the correction procedure for reflections has been enhanced by recommending the application of frequency dependent K values derived by measurement of the reverberation time of the test facility. Where K is derived from absorption coefficients the table for the average absorption coefficients has been rationalised to represent surfaces likely to be found in the working environment.

Walk-around procedure and point-by-point procedure are equally applicable. The walk-around procedure reflects the evolution of working practice allowing more time efficient measurements mainly on large units. For distribution type transformers and in special situations (health and safety) the point-by-point procedure is more appropriate.

In order to mitigate near-field effects the preferred measurement distance is set to 1 m with exceptions for distribution type transformers, small test facilities, situations with low signal-to-noise ratio and for health and safety where the distance is maintained at 0,3 m.

One single formula for the calculation of the measurement surface area S has been introduced because the former complexity could only result in differences always smaller than 1 dB.

All figures describing the measurement surface area have been revised to be in accordance with the enveloping method for sound power determination. The height h is always measured from the test facility floor regardless of the height of the supports beneath the test object unless the test object is mounted on a support with a sufficiently large surface acting as reflecting plane.

Additional figures explain the procedure for the determination of the measurement surface area and the prescribed contour for a number of configurations of dry-type reactors.

When using this standard, it is recommended to frequently refer to the corresponding application guide IEC 60076-10-1:2016 as it promotes understanding with important background information and helpful details. IEC 60076-10 and IEC 60076-10-1 were revised in parallel by the same maintenance team resulting in fully aligned documents.

This document is a preview generated by EVS

POWER TRANSFORMERS –

Part 10: Determination of sound levels

1 Scope

This Part of IEC 60076 defines sound pressure and sound intensity measurement methods from which sound power levels of transformers, reactors and their associated cooling devices are determined.

NOTE For the purposes of this standard, the term "transformer" frequently means "transformer or reactor".

The methods are applicable to transformers, reactors and their cooling devices – either fitted to or separate from the transformer – as covered by the IEC 60076 and IEC 61378 series.

This standard is primarily intended to apply to measurements made at the factory. Conditions on-site can be very different because of the proximity of objects, including other transformers. Nevertheless, this standard is applied to the extent possible for on-site measurements.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60076-1:2011, *Power transformers – Part 1: General*

IEC 60076-8:1997, *Power transformers – Part 8: Application guide*

IEC 61043:1993, *Electroacoustics – Instruments for the measurement of sound intensity – Measurements with pairs of pressure sensing microphones*

IEC 61672-1, *Electroacoustics – Sound level meters – Part 1: Specifications*

IEC 61672-2, *Electroacoustics – Sound level meters – Part 2: Pattern evaluation tests*

ISO 3382-2:2008, *Acoustics – Measurement of room acoustic parameters – Part 2: Reverberation time in ordinary rooms*

ISO 3746:2010, *Acoustics – Determination of sound power levels and sound energy levels of noise sources using sound pressure – Survey method using an enveloping measurement surface over a reflecting plane*

ISO 9614-1:1993, *Acoustics – Determination of sound power levels of noise sources using sound intensity – Part 1: Measurement at discrete points*

ISO 9614-2:1996, *Acoustics – Determination of sound power levels of noise sources using sound intensity – Part 2: Measurement by scanning*