INTERNATIONAL STANDARD

ISO 11783-14

First edition 2013-09-15

Tractors and machinery for agriculture and forestry — Serial control and communications data network —

Part 14: **Sequence control**

Tracteurs et matériels agricoles et forestiers — Réseaux de commande et de communication de données en série —

Partie 14: Contrôle de séquence





roduced or utilized fe internet or an or ISO's memb All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office Case postale 56 • CH-1211 Geneva 20 Tel. + 41 22 749 01 11 Fax + 41 22 749 09 47 E-mail copyright@iso.org Web www.iso.org

Published in Switzerland

Contents			Page
Fore	word		iv
Intr	oductio	on	v
1	Scor	pe	1
2	Nori	mative references	1
3	Terr	ms and definitions	1
4	Tech	hnical requirements	4
	4.1	General	
	4.2 4.3	Sequence control user interface Working sets with master/member configuration	
	4.4	Sequence management functionality	
	4.5	Error handling	
	4.6	Communication strategy	
		normative) Sequence control data definition	
	_	normative) Message definition	
Annex C (normative) Technical data messages			
		normative) SCD operation messages	
		ormative) Sequence control messages	
Annex F (normative) Status messages Bibliography			61
		lhy	
			72

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2. www.iso.org/directives

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received. www.iso.org/patents

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation on the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the WTO principles in the Technical Barriers to Trade (TBT) see the following URL: Foreword - Supplementary information

The committee responsible for this document is ISO/TC 23, *Tractors and machinery for agriculture and forestry*, Subcommittee SC 19, *Agricultural electronics*.

ISO 11783 consists of the following parts, under the general title *Tractors and machinery for agriculture* and forestry — Serial control and communications data network:

- Part 1: General standard for mobile data communication
- Part 2: Physical layer
- Part 3: Data link layer
- Part 4: Network layer
- Part 5: Network management
- Part 6: Virtual terminal
- Part 7: Implement messages application layer
- Part 8: Power train messages
- Part 9: Tractor ECU
- Part 10: Task controller and management information system data interchange
- Part 11: Mobile data element dictionary
- Part 12: Diagnostics services
- Part 13: File server
- Part 14: Sequence control

Introduction

ISO 11783 specifies a communications system for agricultural equipment based on the ISO 11898-1 protocol. SAE J1939 [1] documents, on which parts of ISO 11783 are based, were developed jointly for use in truck and bus applications and for construction and agriculture applications. Joint documents were completed to allow electronic units that meet the truck and bus SAE J1939 specifications to be used by agricultural and forestry equipment with minimal changes.

General information on ISO 11783 is to be found in ISO 11783-1. The purpose of ISO 11783 is to provide an open, interconnected system for on-board electronic systems. It is intended to enable electronic control units (ECUs) to communicate with each other, providing a standardized system.

The International Organization for Standardization (ISO) draws attention to the fact that it is claimed that compliance with this part of ISO 11783 may involve the use of a patent concerning the controller area network (CAN) protocol referred to throughout the document.

ISO takes no position concerning the evidence, validity and scope of this patent.

The holder of this patent has assured ISO that he is willing to negotiate licences under reasonable and non-discriminatory terms and conditions with applicants throughout the world. In this respect, the statement of the holder of this patent right is registered with ISO. Information may be obtained from:

Robert Bosch GmbH Wernerstrasse 51 Postfach 30 02 20 D-70442 Stuttgart-Feuerbach Germany

Attention is drawn to the possibility that some of the elements of this part of ISO 11783 may be the subject of patent rights other than those identified above. ISO shall not be held responsible for identifying any or all such patent rights.

This document is a previous generated by tills

Tractors and machinery for agriculture and forestry — Serial control and communications data network —

Part 14:

Sequence control

1 Scope

ISO 11783 as a whole specifies a serial data network for control and communications on forestry or agricultural tractors, mounted, semi-mounted, towed or self propelled implements. Its purpose is to standardize the method and format of transfer of data between sensors, actuators, control elements, information storage and display units whether mounted, or part of the tractor or any implement.

This part of ISO 11783 specifies a sequence control system, such as a headland management system, which includes tractor and implement functions in one system. The system allows recording of multiple sequences of operator-activated functions from a tractor or any other control function on the ISO 11783 network, and replaying them on operator command.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 11783-1, Tractors and machinery for agriculture and forestry — Serial control and communications data network — Part 1: General standard for mobile data communication

ISO 11783-3, Tractors and machinery for agriculture and forestry — Serial control and communications data network — Part 3: Data link layer

ISO 11783-5, Tractors and machinery for agriculture and forestry — Serial control and communications data network — Part 5: Network management

ISO 11783-6, Tractors and machinery for agriculture and forestry — Serial control and communications data network — Part 6: Virtual terminal

3 Terms and definitions

For the purposes of this document, the terms and definitions given in ISO 11783-1 and ISO 11783-3 and the following apply.

3.1

abort

halt the sequence play back and immediately stop all motion initiated during the sequence

EXAMPLE The hitch stops at the current position.

3.2

active sequence control master

sequence control master selected by the operator to control the sequence control system

Note 1 to entry: Only one sequence control master (SCM) is permitted to be active at any time.