

Electricity metering data exchange - The DLMS/COSEM
suite - Part 5-3: DLMS/COSEM application layer

EESTI STANDARDI EESSÕNA

NATIONAL FOREWORD

See Eesti standard EVS-EN 62056-5-3:2017 sisaldab Euroopa standardi EN 62056-5-3:2017 ingliskeelset teksti.	This Estonian standard EVS-EN 62056-5-3:2017 consists of the English text of the European standard EN 62056-5-3:2017.
Standard on jõustunud sellekohase teate avaldamisega EVS Teatajas.	This standard has been endorsed with a notification published in the official bulletin of the Estonian Centre for Standardisation.
Euroopa standardimisorganisatsioonid on teinud Euroopa standardi rahvuslikele liikmetele kättesaadavaks 10.11.2017.	Date of Availability of the European standard is 10.11.2017.
Standard on kättesaadav Eesti Standardikeskusest.	The standard is available from the Estonian Centre for Standardisation.

Tagasisidet standardi sisu kohta on võimalik edastada, kasutades EVS-i veebilehel asuvat tagasiside vormi või saates e-kirja meiliaadressile standardiosakond@evs.ee.

ICS 17.220, 35.110, 91.140.50

Standardite reprodutseerimise ja levitamise õigus kuulub Eesti Standardikeskusele

Andmete paljundamine, taastekitamine, kopeerimine, salvestamine elektroonsesse süsteemi või edastamine ükskõik millises vormis või millisel teel ilma Eesti Standardikeskuse kirjaliku loata on keelatud.

Kui Teil on küsimusi standardite autorikaitse kohta, võtke palun ühendust Eesti Standardikeskusega:
Koduleht www.evs.ee; telefon 605 5050; e-post info@evs.ee

The right to reproduce and distribute standards belongs to the Estonian Centre for Standardisation

No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying, without a written permission from the Estonian Centre for Standardisation.

If you have any questions about copyright, please contact Estonian Centre for Standardisation:

Homepage www.evs.ee; phone +372 605 5050; e-mail info@evs.ee

English Version

**Electricity metering data exchange - The DLMS/COSEM suite -
Part 5-3: DLMS/COSEM application layer
(IEC 62056-5-3:2017)**

Échange des données de comptage de l'électricité - La
suite DLMS/COSEM - Partie 5-3: Couche application
DLMS/COSEM
(IEC 62056-5-3:2017)

Datenkommunikation der elektrischen Energiemessung -
DLMS/COSEM - Teil 5-3: DLMS/COSEM-
Anwendungsschicht
(IEC 62056-5-3:2017)

This European Standard was approved by CENELEC on 2017-09-14. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.



European Committee for Electrotechnical Standardization
Comité Européen de Normalisation Electrotechnique
Europäisches Komitee für Elektrotechnische Normung

CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

European foreword

The text of document 13/1744/FDIS, future edition 3 of IEC 62056-5-3, prepared by IEC/TC 13 "Electrical energy measurement and control" was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN 62056-5-3:2017.

The following dates are fixed:

- latest date by which the document has to be (dop) 2018-06-14
implemented at national level by
publication of an identical national
standard or by endorsement
- latest date by which the national (dow) 2020-09-14
standards conflicting with the
document have to be withdrawn

This document supersedes EN 62056-5-3:2016.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC shall not be held responsible for identifying any or all such patent rights.

Endorsement notice

The text of the International Standard IEC 62056-5-3:2017 was approved by CENELEC as a European Standard without any modification.

In the official version, for Bibliography, the following notes have to be added for the standards indicated:

IEC 61334-4-32:1996	NOTE	Harmonized as EN 61334-4-32:1996.
IEC 61334-4-511:2000	NOTE	Harmonized as EN 61334-4-511:2000.
IEC 61334-4-512:2000	NOTE	Harmonized as EN 61334-4-512:2001.
IEC 61334-5-1:2001	NOTE	Harmonized as EN 61334-5-1:2001.
IEC 62056-1-0	NOTE	Harmonized as EN 62056-1-0.
IEC 62056-6-1:2017 ¹⁾	NOTE	Harmonized as FprEN 62056-6-1:2017.
IEC 62056-7-3:2017	NOTE	Harmonized as EN 62056-7-3:2017.
IEC 62056-7-6:2013	NOTE	Harmonized as EN 62056-7-6:2013.
IEC 62056-9-7:2013	NOTE	Harmonized as EN 62056-9-7:2013.
IEC 62056-8-5	NOTE	Harmonized as EN 62056-8-5.
IEC 62056-8-5	NOTE	Harmonized as EN 62056-8-5.

1) To be published. At draft stage.

Annex ZA (normative)

Normative references to international publications with their corresponding European publications

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE 1 When an International Publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

NOTE 2 Up-to-date information on the latest versions of the European Standards listed in this annex is available here: www.cenelec.eu.

<u>Publication</u>	<u>Year</u>	<u>Title</u>	<u>EN/HD</u>	<u>Year</u>
IEC 61334-4-41	1996	Distribution automation using distribution line carrier systems -- Part 4: Data communication protocols -- Section 41: Application protocols - Distribution line message specification	EN 61334-4-41	1996
IEC 61334-6	2000	Distribution automation using distribution line carrier systems -- Part 6: A-XDR encoding rule	EN 61334-6	2000
IEC 62056-6-2	2017	Electricity metering data exchange - The DLMS/COSEM suite - Part 6-2: COSEM interface classes	FprEN 62056-6-2	2017
IEC 62056-8-3	2013	Electricity metering data exchange - The DLMS/COSEM suite -- Part 8-3: Communication profile for PLC S-FSK neighbourhood networks	EN 62056-8-3	2013
IEC/TR 62051	1999	Electricity metering - Glossary of terms	-	-
IEC/TR 62051-1	2004	Electricity metering - Data exchange for meter reading, tariff and load control - Glossary of terms -- Part 1: Terms related to data exchange with metering equipment using DLMS/COSEM	-	-
ISO/IEC 8824-1	-	Information technology - Abstract Syntax Notation One (ASN.1): Specification of basic notation	-	-
ISO/IEC 8825-1	2015	Information technology - ASN.1 encoding rules: Specification of Basic Encoding Rules (BER), Canonical Encoding Rules (CER) and Distinguished Encoding Rules (DER)	-	-
ISO/IEC 15953	1999	Information technology - Open Systems Interconnection - Service definition for the application service object association control service element	-	-
ISO/IEC 15954	1999	Information technology - Open Systems Interconnection - Connection-mode protocol for the application service object association control service element	-	-
FIPS PUB 180-4	2012	Secure Hash Standard (SHS)	-	-
FIPS PUB 186-4	2013	Digital Signature Standard (DSS)	-	-
FIPS PUB 197	2001	Advanced Encryption Standard (AES)	-	-
ITU-T V.44	2000	Series V: Data Communication over the telephone network - Error control - Data compression procedure	-	-
ITU-T X.509	2008	Information technology - Open systems interconnection - The Directory: Public-key and attribute certificate frameworks	-	-

ITU-T X.693	-	Information technology - ASN.1 encoding rules: XML Encoding rules (XER)	-
ITU-T X.693 Corrigendum 1	-	Information technology - ASN.1 encoding rules: XML Encoding Rules (XER) Technical Corrigendum 1	-
ITU-T X.694	-	Information technology - ASN.1 encoding rules: Mapping W3C XML schema definitions into ASN.1	-
ITU-T X.694 Corrigendum	-	Information technology - ASN.1 encoding rules: Mapping W3C XML schema definitions into ASN.1 Technical corrigendum 1	-
NIST SP 800-21	2005	Guideline for Implementing Cryptography in the Federal Government	-
NIST SP 800-32	2001	Introduction to Public Key Technology and the Federal PKI Infrastructure	-
NIST SP 800-38D	-	Recommendation for Block Cipher Modes of Operation: Galois/Counter Mode (GCM) and GMAC	-
NIST SP 800-56A rev2	-	Recommendation for Pair-Wise Key Establishment Schemes Using Discrete Logarithm Cryptography	-
NIST SP 800-57	-	Recommendation for Key Management, Part 1: General (Revision 3)	-
NSA1	-	Suite B Implementer's Guide to FIPS 186-3- (ECDSA)	-
NSA2	-	Suite B Implementer's guide to NIST SP800-56A	-
NSA3	-	NSA Suite B Base Certificate and CRL Profile	-
RFC 3394	-	Internet Engineering Task Force (IETF). Advanced Encryption Standard (AES) Key Wrap Algorithm. Edited by J. Schaad (Soaring Hawk Consulting) and R. Housley (RSA Laboratories)	-
RFC 5280	-	Internet X.509 Public Key Infrastructure Certificate and Certificate Revocation List (CRL) Profile	-

CONTENTS

FOREWORD.....	11
INTRODUCTION.....	13
1 Scope.....	14
2 Normative references	14
3 Terms, definitions, abbreviated terms and symbols.....	16
3.1 General DLMS/COSEM definitions	16
3.2 Definitions related to cryptographic security	19
3.3 Definitions and abbreviated terms related to the Galois/Counter Mode.....	29
3.4 General abbreviated terms.....	30
3.5 Symbols related to the Galois/Counter Mode	34
3.6 Symbols related the ECDSA algorithm	35
3.7 Symbols related to the key agreement algorithms	35
4 Overview of DLMS/COSEM	35
4.1 Information exchange in DLMS/COSEM	35
4.1.1 General	35
4.1.2 Communication model	36
4.1.3 Naming and addressing	37
4.1.4 Connection oriented operation	40
4.1.5 Application associations	41
4.1.6 Messaging patterns	42
4.1.7 Data exchange between third parties and DLMS/COSEM servers	43
4.1.8 Communication profiles	43
4.1.9 Model of a DLMS/COSEM metering system	45
4.1.10 Model of DLMS/COSEM servers	45
4.1.11 Model of a DLMS/COSEM client	47
4.1.12 Interoperability and interconnectivity in DLMS/COSEM	48
4.1.13 Ensuring interconnectivity: the protocol identification service	48
4.1.14 System integration and meter installation	49
4.2 DLMS/COSEM application layer main features.....	49
4.2.1 General	49
4.2.2 DLMS/COSEM application layer structure.....	49
4.2.3 The Association Control Service Element, ACSE	51
4.2.4 The xDLMS application service element	52
4.2.5 Layer management services	59
4.2.6 Summary of DLMS/COSEM application layer services	59
4.2.7 DLMS/COSEM application layer protocols	60
5 Information security in DLMS/COSEM	60
5.1 Overview.....	60
5.2 The DLMS/COSEM security concept.....	61
5.2.1 Overview	61
5.2.2 Identification and authentication	61
5.2.3 Security context.....	64
5.2.4 Access rights	64
5.2.5 Application layer message security	64
5.2.6 COSEM data security	66
5.3 Cryptographic algorithms	67

5.3.1	Overview	67
5.3.2	Hash function	67
5.3.3	Symmetric key algorithms	68
5.3.4	Public key algorithms	74
5.3.5	Random number generation	85
5.3.6	Compression	86
5.3.7	Security suite	86
5.4	Cryptographic keys – overview	87
5.5	Key used with symmetric key algorithms	87
5.5.1	Symmetric keys types	87
5.5.2	Key information with general-ciphering APDU and data protection	88
5.5.3	Key identification	89
5.5.4	Key wrapping	89
5.5.5	Key agreement	90
5.5.6	Symmetric key cryptoperiods	90
5.6	Keys used with public key algorithms	91
5.6.1	Overview	91
5.6.2	Key pair generation	91
5.6.3	Public key certificates and infrastructure	92
5.6.4	Certificate and certificate extension profile	95
5.6.5	Suite B end entity certificate types to be supported by DLMS/COSEM servers	103
5.6.6	Management of certificates	103
5.7	Applying cryptographic protection	108
5.7.1	Overview	108
5.7.2	Protecting xDLMS APDUs	108
5.7.3	Multi-layer protection by multiple parties	121
5.7.4	HLS authentication mechanisms	122
5.7.5	Protecting COSEM data	125
6	DLMS/COSEM application layer service specification	126
6.1	Service primitives and parameters	126
6.2	The COSEM-OPEN service	128
6.3	The COSEM-RELEASE service	133
6.4	COSEM-ABORT service	136
6.5	Protection and general block transfer parameters	136
6.6	The GET service	141
6.7	The SET service	144
6.8	The ACTION service	148
6.9	The ACCESS service	151
6.9.1	Overview – Main features	151
6.9.2	Service specification	153
6.10	The DataNotification service	158
6.11	The EventNotification service	159
6.12	The TriggerEventNotificationSending service	160
6.13	Variable access specification	161
6.14	The Read service	161
6.15	The Write service	165
6.16	The UnconfirmedWrite service	168
6.17	The InformationReport service	170

6.18	Client side layer management services: the SetMapperTable.request	171
6.19	Summary of services and LN/SN data transfer service mapping	171
7	DLMS/COSEM application layer protocol specification	173
7.1	The control function	173
7.1.1	State definitions of the client side control function	173
7.1.2	State definitions of the server side control function	174
7.2	The ACSE services and APDUs	175
7.2.1	ACSE functional units, services and service parameters	175
7.2.2	Registered COSEM names	179
7.2.3	APDU encoding rules	182
7.2.4	Protocol for application association establishment	182
7.2.5	Protocol for application association release	187
7.3	Protocol for the data transfer services	191
7.3.1	Negotiation of services and options – the conformance block	191
7.3.2	Confirmed and unconfirmed service invocations	192
7.3.3	Protocol for the GET service	193
7.3.4	Protocol for the SET service	197
7.3.5	Protocol for the ACTION service	200
7.3.6	Protocol for the ACCESS service	202
7.3.7	Protocol of the DataNotification service	204
7.3.8	Protocol for the EventNotification service	204
7.3.9	Protocol for the Read service	204
7.3.10	Protocol for the Write service	208
7.3.11	Protocol for the UnconfirmedWrite service	213
7.3.12	Protocol for the InformationReport service	214
7.3.13	Protocol of general block transfer mechanism	215
8	Abstract syntax of ACSE and COSEM APDUs	226
9	COSEM APDU XML schema	239
9.1	General	239
9.2	XML Schema	240
Annex A	(normative) Using the DLMS/COSEM application layer in various communications profiles	261
A.1	General	261
A.2	Targeted communication environments	261
A.3	The structure of the profile	261
A.4	Identification and addressing schemes	261
A.5	Supporting layer services and service mapping	262
A.6	Communication profile specific parameters of the COSEM AL services	262
A.7	Specific considerations / constraints using certain services within a given profile	262
A.8	The 3-layer, connection-oriented, HDLC based communication profile	262
A.9	The TCP-UDP/IP based communication profiles (COSEM_on_IP)	262
A.10	The wired and wireless M-Bus communication profiles	262
A.11	The S-FSK PLC profile	262
Annex B	(normative) SMS short wrapper	263
Annex C	(normative) Gateway protocol	264
C.1	General	264
C.2	The gateway protocol	265
C.3	HES in the WAN/NN acting as Initiator (Pull operation)	266

C.4	End devices in the LAN acting as Initiators (Push operation).....	267
C.4.1	General	267
C.4.2	End device with WAN/NN knowledge	267
C.4.3	End devices without WAN/NN knowledge	268
C.5	Security	268
Annex D (informative)	AARQ and AARE encoding examples.....	269
D.1	General.....	269
D.2	Encoding of the xDLMS InitiateRequest / InitiateResponse APDU	269
D.3	Specification of the AARQ and AARE APDUs	272
D.4	Data for the examples	273
D.5	Encoding of the AARQ APDU	274
D.6	Encoding of the AARE APDU	277
Annex E (informative)	Encoding examples: AARQ and AARE APDUs using a ciphered application context.....	283
E.1	A-XDR encoding of the xDLMS InitiateRequest APDU, carrying a dedicated key.....	283
E.2	Authenticated encryption of the xDLMS InitiateRequest APDU	284
E.3	The AARQ APDU	285
E.4	A-XDR encoding of the xDLMS InitiateResponse APDU	287
E.5	Authenticated encryption of the xDLMS InitiateResponse APDU	288
E.6	The AARE APDU	289
E.7	The RLRQ APDU (carrying a ciphered xDLMS InitiateRequest APDU)	291
E.8	The RLRE APDU (carrying a ciphered xDLMS InitiateResponse APDU)	292
Annex F (informative)	Data transfer service examples	293
F.1	GET / Read, SET / Write examples	293
F.2	ACCESS service example	310
F.3	Compact array encoding example	311
F.3.1	General	311
F.3.2	The specification of compact-array	311
F.3.3	Example 1: Compact array encoding an array of five long-unsigned values.....	313
F.3.4	Example 2: Compact-array encoding of five octet-string values	314
F.3.5	Example 3: Encoding of the buffer of a Profile generic object	314
Annex G (normative)	NSA Suite B elliptic curves and domain parameters.....	317
Annex H (informative)	Example of an End entity signature certificate using P-256 signed with P-256	319
Annex I (normative)	Use of key agreement schemes in DLMS/COSEM	321
I.1	Ephemeral Unified Model C(2e, 0s, ECC CDH) scheme	321
I.2	One-Pass Diffie-Hellman C(1e, 1s, ECC CDH) scheme	324
I.3	Static Unified Model C(0e, 2s, ECC CDH) scheme	329
Annex J (informative)	Exchanging protected xDLMS APDUs between TP and server	333
J.1	General.....	333
J.2	Example 1: Protection is the same in the two directions	333
J.3	Example 2: Protection is different in the two directions	334
Annex K (informative)	Significant technical changes with respect to IEC 62056-5-3:2016	336
Bibliography		339
Index		343

Figure 1 – Client–server model and communication protocols	37
Figure 2 – Naming and addressing in DLMS/COSEM	38
Figure 3 – A complete communication session in the CO environment	40
Figure 4 – DLMS/COSEM messaging patterns	43
Figure 5 – DLMS/COSEM generic communication profile	44
Figure 6 – Model of a DLMS/COSEM metering system.....	45
Figure 7 – DLMS/COSEM server model	46
Figure 8 – Model of a DLMS/COSEM client using multiple protocol stacks	47
Figure 9 – The structure of the DLMS/COSEM application layers	50
Figure 10 – The concept of composable xDLMS messages	57
Figure 11 – Summary of DLMS/COSEM AL services	60
Figure 12 – Authentication mechanisms	62
Figure 13 – Client – server message security concept	65
Figure 14 – End-to-end message security concept.....	66
Figure 15 – Hash function	68
Figure 16 – Encryption and decryption	69
Figure 17 – Message Authentication Codes (MACs).....	70
Figure 18 – GCM functions	71
Figure 19 – Digital signatures	78
Figure 20 – C(2e, 0s) scheme: each party contributes only an ephemeral key pair.....	79
Figure 21 – C(1e, 1s) schemes: party U contributes an ephemeral key pair, and party V contributes a static key pair	81
Figure 22 – C(0e, 2s) scheme: each party contributes only a static key pair.....	83
Figure 23 – Architecture of a Public Key Infrastructure (example)	94
Figure 24 – MSC for provisioning the server with CA certificates	104
Figure 25 – MSC for security personalisation of the server	105
Figure 26 – Provisioning the server with the certificate of the client	106
Figure 27 – Provisioning the client / third party with a certificate of the server.....	107
Figure 28 – Remove certificate from the server.....	107
Figure 29 – Cryptographic protection of information using AES-GCM	111
Figure 30 – Structure of service-specific global / dedicated ciphering xDLMS APDUs	113
Figure 31 – Structure of general-glo-ciphering and general-ded-ciphering xDLMS APDUs.....	114
Figure 32 – Structure of general-ciphering xDLMS APDUs.....	115
Figure 33 – Structure of general-signing APDUs	121
Figure 34 – Service primitives.....	126
Figure 35 – Time sequence diagrams	127
Figure 36 – Additional service parameters to control cryptographic protection and GBT.....	137
Figure 37 – Partial state machine for the client side control function	173
Figure 38 – Partial state machine for the server side control function.....	174
Figure 39 – MSC for successful AA establishment preceded by a successful lower layer connection establishment	184
Figure 40 – Graceful AA release using the A-RELEASE service.....	189
Figure 41 – Graceful AA release by disconnecting the supporting layer	190

Figure 42 – Aborting an AA following a PH-ABORT indication	191
Figure 43 – MSC of the GET service	194
Figure 44 – MSC of the GET service with block transfer.....	195
Figure 45 – MSC of the GET service with block transfer, long GET aborted	197
Figure 46 – MSC of the SET service	198
Figure 47 – MSC of the SET service with block transfer	198
Figure 48 – MSC of the ACTION service	200
Figure 49 – MSC of the ACTION service with block transfer.....	202
Figure 50 – ACCESS Service with long response.....	203
Figure 51 – ACCESS Service with long request and response	203
Figure 52 – MSC of the Read service used for reading an attribute	207
Figure 53 – MSC of the Read service used for invoking a method	207
Figure 54 – MSC of the Read service used for reading an attribute, with block transfer	208
Figure 55 – MSC of the Write service used for writing an attribute	211
Figure 56 – MSC of the Write service used for invoking a method.....	212
Figure 57 – MSC of the Write service used for writing an attribute, with block transfer	213
Figure 58 – MSC of the UnconfirmedWrite service used for writing an attribute.....	214
Figure 59 – Partial service invocations and GBT APDUs.....	217
Figure 60 – GET service with GBT, switching to streaming	219
Figure 61 – GET service with partial invocations, GBT and streaming, recovery of 4 th block sent in the 2nd stream	220
Figure 62 – GET service with partial invocations, GBT and streaming, recovery of 4 th and 5 th block	221
Figure 63 – GET service with partial invocations, GBT and streaming, recovery of last block.....	222
Figure 64 – SET service with GBT, with server not supporting streaming, recovery of 3rd block.....	223
Figure 65 – ACTION-WITH-LIST service with bi-directional GBT and block recovery	224
Figure 66 – DataNotification service with GBT with partial invocation.....	225
Figure B.1 – Short wrapper	263
Figure C.1 – General architecture with gateway	264
Figure C.2 – The fields used for pre-fixing the COSEM APDUs	265
Figure C.3 – Pull message sequence chart	266
Figure C.4 – Push message sequence chart	267
Figure I.1 – MSC for key agreement using the Ephemeral Unified Model C(2e, 0s, ECC CDH) scheme	321
Figure I.2 – Ciphered xDLMS APDU protected by an ephemeral key established using the One-pass Diffie-Hellman (1e, 1s, ECC CDH) scheme.....	325
Figure I.3 – Ciphered xDLMS APDU protected by an ephemeral key established using the Static Unified Model C(0e, 2s, ECC CDH) scheme	330
Figure J.1 – Exchanging protected xDLMS APDUs between TP and server: example 1.....	334
Figure J.2 – Exchanging protected xDLMS APDUs between TP and server: example 2.....	335
Table 1 – Client and server SAPs	39
Table 2 – Clarification of the meaning of PDU size for DLMS/COSEM.....	58

Table 3 – Elliptic curves in DLMS/COSEM security suites	76
Table 4 – Ephemeral Unified Model key agreement scheme summary	80
Table 5 – One-pass Diffie-Hellman key agreement scheme summary	82
Table 6 – Static Unified Model key agreement scheme summary	84
Table 7 – <i>OtherInfo</i> subfields and substrings	85
Table 8 – Cryptographic algorithm ID-s	85
Table 9 – DLMS/COSEM security suites	86
Table 10 – Symmetric keys types.....	88
Table 11 – Key information with general-ciphering APDU and data protection.....	89
Table 12 – Asymmetric keys types and their use.....	91
Table 13 – X.509 v3 Certificate structure	95
Table 14 – X.509 v3 tbsCertificate fields	96
Table 15 – Naming scheme for the Root-CA instance (informative).....	97
Table 16 – Naming scheme for the Sub-CA instance (informative).....	97
Table 17 – Naming scheme for the end entity instance	98
Table 18 – X.509 v3 Certificate extensions	100
Table 19 – Key Usage extensions	101
Table 20 – Subject Alternative Name values	101
Table 21 – Issuer Alternative Name values	102
Table 22 – Basic constraints extension values	102
Table 23 – Certificates handled by DLMS/COSEM end entities	103
Table 24 – Security policy values (“Security setup” version 1).....	108
Table 25 – Access rights values (“Association LN” ver 3 “Association SN” ver 4)	109
Table 26 – Ciphered xDLMS APDUs	110
Table 27 – Security control byte.....	112
Table 28 – Plaintext and Additional Authenticated Data	112
Table 29 – Use of the fields of the ciphering xDLMS APDUs.....	116
Table 30 – Example: glo-get-request xDLMS APDU	117
Table 31 – ACCESS service with general-ciphering, One-Pass Diffie-Hellman C(1e, 1s, ECC CDH) key agreement scheme.....	119
Table 32 – DLMS/COSEM HLS authentication mechanisms.....	123
Table 33 – HLS example using authentication-mechanism 5 with GMAC.....	124
Table 34 – HLS example using authentication-mechanism 7 with ECDSA.....	125
Table 35 – Codes for AL service parameters.....	128
Table 36 – Service parameters of the COSEM-OPEN service primitives	129
Table 37 – Service parameters of the COSEM-RELEASE service primitives	133
Table 38 – Service parameters of the COSEM-ABORT service primitives	136
Table 39 – Additional service parameters	138
Table 40 – Security parameters	139
Table 41 – APDUs used with security protection types.....	140
Table 42 – Service parameters of the GET service	142
Table 43 – GET service request and response types	143
Table 44 – Service parameters of the SET service.....	145

Table 45 – SET service request and response types	146
Table 46 – Service parameters of the ACTION service.....	148
Table 47 – ACTION service request and response types.....	149
Table 48 – Service parameters of the ACCESS service	155
Table 49 – Service parameters of the DataNotification service primitives	158
Table 50 – Service parameters of the EventNotification service primitives	159
Table 51 – Service parameters of the TriggerEventNotificationSending.request service primitive.....	160
Table 52 – Variable Access Specification.....	161
Table 53 – Service parameters of the Read service	162
Table 54 – Use of the Variable_Access_Specification variants and the Read.response choices	163
Table 55 – Service parameters of the Write service	166
Table 56 – Use of the Variable_Access_Specification variants and the Write.response choices	167
Table 57 – Service parameters of the UnconfirmedWrite service.....	169
Table 58 – Use of the Variable_Access_Specification variants.....	169
Table 59 – Service parameters of the InformationReport service.....	170
Table 60 – Service parameters of the SetMapperTable.request service primitives	171
Table 61 – Summary of ACSE services.....	171
Table 62 – Summary of xDLMS services.....	172
Table 63 – Functional Unit APDUs and their fields	177
Table 64 – COSEM application context names.....	180
Table 65 – COSEM authentication mechanism names	181
Table 66 – Cryptographic algorithm ID-s	182
Table 67 – xDLMS Conformance block	192
Table 68 – GET service types and APDUs	194
Table 69 – SET service types and APDUs	197
Table 70 – ACTION service types and APDUs	200
Table 71 – Mapping between the GET and the Read services.....	205
Table 72 – Mapping between the ACTION and the Read services.....	206
Table 73 – Mapping between the SET and the Write services (1 of 2).....	209
Table 74 – Mapping between the ACTION and the Write service.....	210
Table 75 – Mapping between the SET and the UnconfirmedWrite services	214
Table 76 – Mapping between the ACTION and the UnconfirmedWrite services	214
Table 77 – Mapping between the EventNotification and InformationReport services.....	215
Table B.1 – Reserved Application Processes	263
Table D.1 – Conformance block	270
Table D.2 – A-XDR encoding of the xDLMS InitiateRequest APDU	271
Table D.3 – A-XDR encoding of the xDLMS InitiateResponse APDU	272
Table D.4 – BER encoding of the AARQ APDU	275
Table D.5 – Complete AARQ APDU	277
Table D.6 – BER encoding of the AARE APDU	278
Table D.7 – The complete AARE APDU	282

Table E.1 – A-XDR encoding of the xDLMS InitiateRequest APDU	284
Table E.2 – Authenticated encryption of the xDLMS InitiateRequest APDU	285
Table E.3 – BER encoding of the AARQ APDU	286
Table E.4 – A-XDR encoding of the xDLMS InitiateResponse APDU	288
Table E.5 – Authenticated encryption of the xDLMS InitiateResponse APDU	289
Table E.6 – BER encoding of the AARE APDU	290
Table E.7 – BER encoding of the RLRQ APDU	291
Table E.8 – BER encoding of the RLRE APDU	292
Table F.1 – The objects used in the examples	293
Table F.2 – Example: Reading the value of a single attribute without block transfer	294
Table F.3 – Example: Reading the value of a list of attributes without block transfer	295
Table F.4 – Example: Reading the value of a single attribute with block transfer	297
Table F.5 – Example: Reading the value of a list of attributes with block transfer	299
Table F.6 – Example: Writing the value of a single attribute without block transfer	302
Table F.7 – Example: Writing the value of a list of attributes without block transfer	303
Table F.8 – Example: Writing the value of a single attribute with block transfer	305
Table F.9 – Example: Writing the value of a list of attributes with block transfer	307
Table F.10 – Example: ACCESS service without block transfer	310
Table G.1 – ECC_P256_Domain_Parameters	317
Table G.2 – ECC_P384_Domain_Parameters	318
Table I.1 – Test vector for key agreement using the Ephemeral Unified Model C(2e, 0s, ECC CDH) scheme	323
Table I.2 – Test vector for key agreement using the One-pass Diffie-Hellman (1e, 1s, ECC CDH) scheme	327
Table I.3 – Test vector for key agreement using the Static-Unified Model (0e, 2s, ECC CDH) scheme	331

generated by EVS

INTRODUCTION

This third edition of IEC 62056-5-3 has been prepared by IEC TC13 WG14 with a significant contribution of the DLMS User Association, its D-type liaison partner.

This edition is in line with DLMS UA 1000-2, the “Green Book” Ed. 8.2:2017. The main new features are the ACCESS service, the new security suites 1 and 2 supporting symmetric key and public key cryptography, the general protection mechanism and the XML schema for COSEM APDUs.

Clause 5 is based on parts of NIST documents. Reprinted courtesy of the National Institute of Standards and Technology, Technology Administration, U.S. Department of Commerce.

ELECTRICITY METERING DATA EXCHANGE – THE DLMS/COSEM SUITE –

Part 5-3: DLMS/COSEM application layer

1 Scope

This part of IEC 62056 specifies the DLMS/COSEM application layer in terms of structure, services and protocols for DLMS/COSEM clients and servers, and defines rules to specify the DLMS/COSEM communication profiles.

It defines services for establishing and releasing application associations, and data communication services for accessing the methods and attributes of COSEM interface objects, defined in IEC 62056-6-2 using either logical name (LN) or short name (SN) referencing.

Annex A (normative) defines how to use the COSEM application layer in various communication profiles. It specifies how various communication profiles can be constructed for exchanging data with metering equipment using the COSEM interface model, and what are the necessary elements to specify in each communication profile. The actual, media-specific communication profiles are specified in separate parts of the IEC 62056 series.

Annex B (normative) specifies the SMS short wrapper.

Annex C (normative) specifies the gateway protocol.

Annex D, Annex E and Annex F (informative) include encoding examples for APDUs.

Annex G (normative) provides NSA Suite B elliptic curves and domain parameters.

Annex H (informative) provides an example of an End entity signature certificate using P-256 signed with P-256.

Annex I (normative) specifies the use of key agreement schemes in DLMS/COSEM.

Annex J (informative) provides examples of exchanging protected xDLMS APDUs between a third party and a server.

Annex K (informative) lists the main technical changes in this edition of the standard.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 61334-4-41:1996, *Distribution automation using distribution line carrier systems – Part 4: Data communication protocols – Section 41: Application protocol – Distribution line message specification*

IEC 61334-6:2000, *Distribution automation using distribution line carrier systems – Part 6: A-XDR encoding rule*

IEC TR 62051:1999, *Electricity metering – Glossary of terms*

IEC TR 62051-1:2004, *Electricity metering – Data exchange for meter reading, tariff and load control – Glossary of terms – Part 1: Terms related to data exchange with metering equipment using DLMS/COSEM*