

This document is a preview generated by EVS

Ferrite cores - Dimensions - Part 12: Ring cores

ESTI STANDARDI EESSÕNA

NATIONAL FOREWORD

See Eesti standard EVS-EN 62317-12:2016 sisaldb Euroopa standardi EN 62317-12:2016 ingliskeelset teksti.	This Estonian standard EVS-EN 62317-12:2016 consists of the English text of the European standard EN 62317-12:2016.
Standard on jõustunud sellekohase teate avaldamisega EVS Teatajas	This standard has been endorsed with a notification published in the official bulletin of the Estonian Centre for Standardisation.
Euroopa standardimisorganisatsioonid on teinud Euroopa standardi rahvuslikele liikmetele kättesaadavaks 25.11.2016.	Date of Availability of the European standard is 25.11.2016.
Standard on kättesaadav Eesti Standardikeskusest.	The standard is available from the Estonian Centre for Standardisation.

Tagasisidet standardi sisu kohta on võimalik edastada, kasutades EVS-i veebilehel asuvat tagasiside vormi või saates e-kirja meiliaadressile standardiosakond@evs.ee.

ICS 29.100.10

Standardite reproduutseerimise ja levitamise õigus kuulub Eesti Standardikeskusele

Andmete paljundamine, taastekitamine, kopeerimine, salvestamine elektroonsesse süsteemi või edastamine ükskõik millises vormis või millisel teel ilma Eesti Standardikeskuse kirjaliku loata on keelatud.

Kui Teil on küsimusi standardite autorikaitse kohta, võtke palun ühendust Eesti Standardikeskusega:
Koduleht www.evs.ee; telefon 605 5050; e-post info@evs.ee

The right to reproduce and distribute standards belongs to the Estonian Centre for Standardisation

No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying, without a written permission from the Estonian Centre for Standardisation.

If you have any questions about copyright, please contact Estonian Centre for Standardisation:

Homepage www.evs.ee; phone +372 605 5050; e-mail info@evs.ee

November 2016

ICS 29.100.10

English Version

Ferrite cores - Dimensions - Part 12: Ring cores
(IEC 62317-12:2016)

Noyaux de ferrite - Dimensions - Partie 12: Noyaux toriques
(IEC 62317-12:2016)

Ferritkerne - Maße - Teil 12: Ringkerne
(IEC 62317-12:2016)

This European Standard was approved by CENELEC on 2016-10-27. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.



European Committee for Electrotechnical Standardization
Comité Européen de Normalisation Electrotechnique
Europäisches Komitee für Elektrotechnische Normung

CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

European foreword

The text of document 51/1128/CDV, future edition 1 of IEC 62317-12, prepared by IEC/TC 51 "Magnetic components and ferrite materials" was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN 62317-12:2016.

The following dates are fixed:

- latest date by which the document has to be (dop) 2017-07-27
implemented at national level by publication of an identical national standard or by endorsement
- latest date by which the national standards conflicting with the document have to be withdrawn (dow) 2019-10-27

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC [and/or CEN] shall not be held responsible for identifying any or all such patent rights.

Endorsement notice

The text of the International Standard IEC 62317-12:2016 was approved by CENELEC as a European Standard without any modification.

In the official version, for Bibliography, the following notes have to be added for the standards indicated:

IEC 60401-2	NOTE	Harmonized as EN 60401-2.
IEC 60424-4	NOTE	Harmonized as EN 60424-4.
IEC 60317-1	NOTE	Harmonized as EN 62317-1.

Annex ZA

(normative)

**Normative references to international publications
with their corresponding European publications**

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE 1 When an International Publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

NOTE 2 Up-to-date information on the latest versions of the European Standards listed in this annex is available here: www.cenelec.eu.

<u>Publication</u>	<u>Year</u>	<u>Title</u>	<u>EN/HD</u>	<u>Year</u>
IEC 60205	-	Calculation of the effective parameters of magnetic piece parts	EN 60205	-

CONTENTS

FOREWORD	3
1 Scope	5
2 Normative references	5
3 Terms and definitions	5
4 Abbreviated terms	5
5 Primary standards	5
5.1 General	5
5.2 Dimensions of ring-cores.....	5
5.2.1 Designation of dimensions	5
5.2.2 Identification of standard sizes	6
5.2.3 Effective parameter values.....	6
5.2.4 Dimensional limits for standard sizes	6
5.3 Coating.....	14
Bibliography	15
Table 1 – Ring core dimension designations	6
Table 2 – Standard ring cores	7
Table 3 – Effective parameters of ring cores	9
Table 4 – Uncoated ring cores recommended dimensional limits	12