Fuel cell technologies - Part 3-201: Stationary fuel cell power systems - Performance test methods for small fuel cell power systems



EESTI STANDARDI EESSÕNA

NATIONAL FOREWORD

	This Estonian standard EVS-EN 62282-3-201:2017 consists of the English text of the European standard EN 62282-3-201:2017.
Standard on jõustunud sellekohase teate avaldamisega EVS Teatajas.	This standard has been endorsed with a notification published in the official bulletin of the Estonian Centre for Standardisation.
Euroopa standardimisorganisatsioonid on teinud Euroopa standardi rahvuslikele liikmetele kättesaadavaks 27.10.2017.	Date of Availability of the European standard is 27.10.2017.
Standard on kättesaadav Eesti Standardikeskusest.	The standard is available from the Estonian Centre for Standardisation.

Tagasisidet standardi sisu kohta on võimalik edastada, kasutades EVS-i veebilehel asuvat tagasiside vormi või saates e-kirja meiliaadressile <u>standardiosakond@evs.ee</u>.

ICS 27.070

Standardite reprodutseerimise ja levitamise õigus kuulub Eesti Standardikeskusele

Andmete paljundamine, taastekitamine, kopeerimine, salvestamine elektroonsesse süsteemi või edastamine ükskõik millises vormis või millisel teel ilma Eesti Standardikeskuse kirjaliku loata on keelatud.

Kui Teil on küsimusi standardite autorikaitse kohta, võtke palun ühendust Eesti Standardikeskusega: Koduleht <u>www.evs.ee</u>; telefon 605 5050; e-post <u>info@evs.ee</u>

The right to reproduce and distribute standards belongs to the Estonian Centre for Standardisation

No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying, without a written permission from the Estonian Centre for Standardisation.

If you have any questions about copyright, please contact Estonian Centre for Standardisation:

Homepage www.evs.ee; phone +372 605 5050; e-mail info@evs.ee

EUROPEAN STANDARD NORME EUROPÉENNE EUROPÄISCHE NORM

EN 62282-3-201

October 2017

ICS 27.070

Supersedes EN 62282-3-201:2013

English Version

Fuel cell technologies - Part 3-201: Stationary fuel cell power systems - Performance test methods for small fuel cell power systems

(IEC 62282-3-201:2017)

Technologies des piles à combustible - Partie 3-201 : Systèmes à piles à combustible stationnaires - Méthodes d'essai des performances pour petits systèmes à piles à combustible (IEC 62282-3-201:2017) Brennstoffzellentechnologien - Teil 3-201: Stationäre Brennstoffzellen-Energiesysteme -Leistungskennwerteprüfverfahren für kleine Brennstoffzellen-Energiesysteme (IEC 62282-3-201:2017)

This European Standard was approved by CENELEC on 2017-09-14. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.



European Committee for Electrotechnical Standardization Comité Européen de Normalisation Electrotechnique Europäisches Komitee für Elektrotechnische Normung

CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

European foreword

The text of document 105/564/CDV, future edition 2 of IEC 62282-3-201, prepared by IEC TC 105 "Fuel cell technologies" was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN 62282-3-201:2017.

The following dates are fixed:

•	latest date by which the document has	(dop)	2018-06-14
	to be implemented at national level by		
	publication of an identical national		
	standard or by endorsement		
•	latest date by which the national	(dow)	2020-09-14
	standards conflicting with the		
	document have to be withdrawn		

This document supersedes EN 62282-3-201:2013.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC shall not be held responsible for identifying any or all such patent rights.

Endorsement notice

The text of the International Standard IEC 62282-3-201:2017 was approved by CENELEC as a European Standard without any modification.

In the official version, for Bibliography, the following notes have to be added for the standards indicated:

IEC 61672-1	NOTE	Harmonized as EN 61672-1.
IEC 61672-2	NOTE	Harmonized as EN 61672-2.
ISO 6060	NOTE	Harmonized as EN ISO 6060.
ISO 6326 (Series)	NOTE	Harmonized as EN ISO 6326 (Series).
ISO 6974 (Series)	NOTE	Harmonized as EN ISO 6974 (Series).
ISO 6975	NOTE	Harmonized as EN ISO 6975.
ISO 6976	NOTE	Harmonized as EN ISO 6976.
ISO 7941	NOTE	Harmonized as EN 27941.
ISO 9000	NOTE	Harmonized as EN ISO 9000.
ISO 10523	NOTE	Harmonized as EN ISO 10523.
ISO 80000 (Series)	NOTE	Harmonized as EN ISO 80000 (Series).
ISO 11541	NOTE	Harmonized as EN ISO 11541.

Annex ZA

(normative)

Normative references to international publications with their corresponding European publications

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE 1 When an International Publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

NOTE 2 Up-to-date information on the latest versions of the European Standards listed in this annex is available here:

www.cenelec.eu.				
Publication	<u>Year</u>	<u>Title</u>	EN/HD	<u>Year</u>
IEC 61000-3-2	- 4	Electromagnetic compatibility (EMC) - Part	EN 61000-3-2	-
		3-2: Limits - Limits for harmonic current		
		emissions (equipment input current ¿ 16 A		
		per phase)		
IEC 61000-4-2	-	Electromagnetic compatibility (EMC) Part	-	-
		4-2: Testing and measurement techniques -		
		Electrostatic discharge immunity test		
IEC 61000-4-3	-	Electromagnetic compatibility (EMC) - Part	-	-
		4-3: Testing and measurement techniques -		
		Radiated, radio-frequency, electromagnetic		
		field immunity test		
IEC 61000-4-4	-	Electromagnetic compatibility (EMC) Part	EN 61000-4-4	-
		4-4: Testing and measurement techniques -		
		Electrical fast transient/burst immunity test		
IEC 61000-4-5	-	Electromagnetic compatibility (EMC) - Part	EN 61000-4-5	-
		4-5: Testing and measurement techniques -		
150 04000 4 0		Surge immunity test		
IEC 61000-4-6	-	Electromagnetic compatibility (EMC) Part	EN 61000-4-6	-
		4-6: Testing and measurement techniques -		
		Immunity to conducted disturbances,		
IEO 04000 4 0		induced by radio-frequency fields	EN 04000 4 0	
IEC 61000-4-8	-	Electromagnetic compatibility (EMC) - Part	EN 61000-4-8	-
		4-8: Testing and measurement techniques -		
		Power frequency magnetic field immunity test		
IEC 61000-4-11		Electromagnetic compatibility (EMC) Part	EN 61000 4 11	
IEC 01000-4-11	-	4-11: Testing and measurement techniques	EN 01000-4-11	-
		- Voltage dips, short interruptions and		
		voltage variations immunity tests		
IEC 61000-6-2	2005	Electromagnetic compatibility (EMC) Part	EN 61000-6-2	2005
120 01000 0 2	2000	6-2: Generic standards - Immunity for	211 0 1000 0 2	2000
		industrial environments		
_	_	industrial crivil crimonic	+ corrigendum Sep.	2005
IEC 62282-3-200	2015	Fuel cell technologies - Part 3-200:	EN 62282-3-200	2016
		Stationary fuel cell power systems -	00_ 0 _00	
		Performance test methods		
CISPR 11	_	Industrial, scientific and medical equipment -	-EN 55011	- 0
		Radio-frequency disturbance characteristics		U'
		- Limits and methods of measurement		

CONTENTS

FC	DREWO	RD	6
IN	TRODU	JCTION	8
1	Scop	e	9
2	Norm	native references	9
3	Term	s and definitions	10
4	Svml	ools	15
5	•	iguration of small stationary fuel cell power system	
6		rence conditions	
7		ing value base	
8		preparation	
U	8.1	General	
	8.2	Uncertainty analysis	
	8.3	Data acquisition plan	
9		set-up	21
10		uments and measurement methods	
10	10.1	General	
	10.1	Measurement instruments	
	10.2	Measurement points	
	10.3	Minimum required measurement systematic uncertainty	
11		conditions	
٠.	11.1	Laboratory conditions	
	11.2	Installation and operating conditions of the system	
	11.3	Power source conditions	
	11.4	Test fuel	
12		ating process	
13		plan	
14		tests on electric/thermal performance	
14	14.1	General	
	14.1	Fuel consumption test	
	14.2		
	14.2.		
	14.3	Electric power output test	
	14.3.		
	14.3.		
	14.3.		
	14.4	Heat recovery test	
	14.4.	1 General	34
	14.4.	2 Test method	35
	14.4.	3 Calculation of average recovered thermal power	35
	14.5	Start-up test	
	14.5.		
	14.5.	3	
	14.5.		
	14.5.	4 Calculation of results	39

14.6 Ram	np-up test	.40
14.6.1	General	.40
14.6.2	Test method	.41
14.6.3	Calculation of results	
14.7 Stor	age state test	.42
14.7.1	General	.42
14.7.2	Test method	.42
14.7.3	Calculation of average electric power input in storage state	.42
14.8 Elec	tric power output change test	
14.8.1	General	.42
14.8.2	Test method	.42
14.8.3	Calculation of electric power output change rate	.44
14.9 Shu	tdown test	.45
14.9.1	General	.45
14.9.2	Test method	.45
14.9.3	Calculation of results	.46
14.10 Com	nputation of efficiency	.47
14.10.1	General	.47
14.10.2	Electrical efficiency	.47
14.10.3	Heat recovery efficiency	
14.10.4	Overall energy efficiency	.48
14.11 Rate	ed operation cycle efficiency	.48
14.11.1	General	.48
14.11.2	Calculation of the operation cycle fuel energy input	.48
14.11.3	Calculation of the operation cycle net electric energy output	.49
14.11.4	Calculation of the operation cycle electrical efficiency	
14.12 Elec	stromagnetic compatibility (EMC) test	.50
14.12.1	General requirement	
14.12.2	Electrostatic discharge immunity test	.51
14.12.3	Radiated, radio-frequency, electromagnetic field immunity test	
14.12.4	Electrical fast transient/burst immunity test	.51
14.12.5	Surge immunity test	.51
14.12.6	Immunity test of conducted disturbances induced by radio-frequency fields	.51
14.12.7	Power frequency magnetic field immunity test	.51
14.12.8	Voltage dips and voltage interruptions	.51
14.12.9	Radiated disturbance (emission) measurement test	.52
14.12.10	Conducted disturbance (emission) measurement test	.52
14.12.11	Power line harmonics emission measurement test	.52
15 Type tests	s on environmental performance	.52
15.1 Gen	eral	.52
15.2 Nois	se test	.52
15.2.1	General	.52
15.2.2	Test conditions	. 52
15.2.3	Test method	.54
15.2.4	Processing of data	.54
15.3 Exh	aust gas test	.54
15.3.1	General	. 54
15.3.2	Components to be measured	.54

15.3.3	Test method	55
15.3.4	Processing of data	55
15.4 Disc	harge water test	65
15.4.1	General	65
15.4.2	Test method	
16 Test repo	rts	65
16.1 Gen	eral	65
16.2 Title	page	65
	e of contents	
	ımary report	
Annex A (norm	native) Heating values for components of natural gases	67
Annex B (infor	mative) Examples of composition for natural gases and propane gases	69
Annex C (infor	mative) Example of a test operation schedule	71
Annex D (infor	mative) Typical exhaust gas components	72
Annex E (infor	mative) Guidelines for the contents of detailed and full reports	73
E.1 Gen	eral	73
	ailed report	
	report	
	mative) Selected duration of rated power operation	
Bibliography		75
Figure 1 – Svn	nbol diagram	17
	neral configuration of small stationary fuel cell power system	
Figure 3 – Tes	t set-up for small stationary fuel cell power system fed with gaseous	
	plies electricity and useful heat	22
	t set-up for small stationary fuel cell power system fed with gaseous plies only electricity	23
Figure 5 – Ope	erating states of stationary fuel cell power system without battery	28
Figure 6 – Ope	erating states of stationary fuel cell power system with battery	29
	imple of electric power chart during start-up time for system without	
Figure 8 – Exa	mple of electric power chart during start-up time for system with battery	38
Figure 9 – Exa	mple of liquid fuel supply systems	39
=	cample of electric power chart during ramp-up for system without battery	
_	ectric power output change pattern for system without battery	
_	ectric power output change pattern for system with battery	
_	cample for electric power change stabilization criteria	
	ectric power chart during shutdown time	
Figure 15 – No	oise measurement points for small stationary fuel cell power systems	53
Table 1 - Sym	bols and their meanings for electric/thermal performance	15
	tional symbols and their meanings for environmental performance	
	pensation of readings against the effect of background noise	53
	eating values for components of natural gases at various combustion ditions for ideal gas	67
	cample of composition for natural gas (%)	

EVS-EN 62282-3-201:2017	- 5 -
Table B 2 – Example of comp	osition for propane gas (%)70
	t operation schedule71
Table D.1 – Typical exhaust (gas components to be expected for typical fuels

INTRODUCTION

This part of IEC 62282 provides consistent and repeatable test methods for the electrical, thermal and environmental performance of small stationary fuel cell power systems.

This document limits its scope to small stationary fuel cell power systems (electrical power output below 10 kW) and provides test methods specifically designed for them in detail. It is based on IEC 62282-3-200, which generally describes performance test methods that are common to all types of fuel cells.

This document is intended for manufacturers of small stationary fuel cell power systems and/or those who evaluate the performance of their systems for certification purposes.

selecti\(\frac{1}{3}\) docume. Users of this document may selectively execute test items that are suitable for their purposes from those described in this document. This document is not intended to exclude any other methods.

FUEL CELL TECHNOLOGIES -

Part 3-201: Stationary fuel cell power systems – Performance test methods for small fuel cell power systems

1 Scope

This part of IEC 62282 provides test methods for the electrical, thermal and environmental performance of small stationary fuel cell power systems that meet the following criteria:

- output: rated electric power output of less than 10 kW;
- output mode: grid-connected/independent operation or stand-alone operation with singlephase AC output or 3-phase AC output not exceeding 1 000 V, or DC output not exceeding 1500 V;

NOTE The limit of 1000 V for alternating current comes from the definition for "low voltage" given in IEC 60050-601:1985, 601-01-26.

- operating pressure: maximum allowable working pressure of less than 0,1 MPa (gauge) for the fuel and oxidant passages;
- fuel: gaseous fuel (natural gas, liquefied petroleum gas, propane, butane, hydrogen, etc.) or liquid fuel (kerosene, methanol, etc.);
- oxidant: air.

This document describes type tests and their test methods only. No routine tests are required or identified, and no performance targets are set in this document.

This document covers fuel cell power systems whose primary purpose is the production of electric power and whose secondary purpose may be the utilization of heat. Accordingly, fuel cell power systems for which the use of heat is primary and the use of electric power is secondary are outside the scope of this document.

All systems with integrated batteries are covered by this document. This includes systems where batteries are recharged internally or recharged from an external source.

This document does not cover additional auxiliary heat generators that produce thermal energy.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

CISPR 11, Industrial, scientific and medical equipment – Radio-frequency disturbance characteristics – Limits and methods of measurement

IEC 61000-3-2, Electromagnetic compatibility (EMC) – Part 3-2: Limits – Limits for harmonic current emissions (equipment input current \leq 16 A per phase)

IEC 61000-4-2, Electromagnetic compatibility (EMC) – Part 4-2: Testing and measurement techniques – Electrostatic discharge immunity test