

INTERNATIONAL STANDARD

NORME INTERNATIONALE



**Industrial communication networks – High availability automation networks –
Part 2: Media Redundancy Protocol (MRP)**

**Réseaux de communication industriels – Réseaux d'automatisme à haute
disponibilité –
Partie 2: Protocole de redondance du support (MRP)**



THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2016 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de l'IEC ou du Comité national de l'IEC du pays du demandeur. Si vous avez des questions sur le copyright de l'IEC ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de l'IEC de votre pays de résidence.

IEC Central Office
3, rue de Varembe
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
Fax: +41 22 919 03 00
info@iec.ch
www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

IEC Catalogue - webstore.iec.ch/catalogue

The stand-alone application for consulting the entire bibliographical information on IEC International Standards, Technical Specifications, Technical Reports and other documents. Available for PC, Mac OS, Android Tablets and iPad.

IEC publications search - www.iec.ch/searchpub

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and also once a month by email.

Electropedia - www.electropedia.org

The world's leading online dictionary of electronic and electrical terms containing 20 000 terms and definitions in English and French, with equivalent terms in 15 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

IEC Glossary - std.iec.ch/glossary

65 000 electrotechnical terminology entries in English and French extracted from the Terms and Definitions clause of IEC publications issued since 2002. Some entries have been collected from earlier publications of IEC TC 37, 77, 86 and CISPR.

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: csc@iec.ch.

A propos de l'IEC

La Commission Electrotechnique Internationale (IEC) est la première organisation mondiale qui élabore et publie des Normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

A propos des publications IEC

Le contenu technique des publications IEC est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

Catalogue IEC - webstore.iec.ch/catalogue

Application autonome pour consulter tous les renseignements bibliographiques sur les Normes internationales, Spécifications techniques, Rapports techniques et autres documents de l'IEC. Disponible pour PC, Mac OS, tablettes Android et iPad.

Recherche de publications IEC - www.iec.ch/searchpub

La recherche avancée permet de trouver des publications IEC en utilisant différents critères (numéro de référence, texte, comité d'études,...). Elle donne aussi des informations sur les projets et les publications remplacées ou retirées.

IEC Just Published - webstore.iec.ch/justpublished

Restez informé sur les nouvelles publications IEC. Just Published détaille les nouvelles publications parues. Disponible en ligne et aussi une fois par mois par email.

Electropedia - www.electropedia.org

Le premier dictionnaire en ligne de termes électroniques et électriques. Il contient 20 000 termes et définitions en anglais et en français, ainsi que les termes équivalents dans 15 langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International (IEV) en ligne.

Glossaire IEC - std.iec.ch/glossary

65 000 entrées terminologiques électrotechniques, en anglais et en français, extraites des articles Termes et Définitions des publications IEC parues depuis 2002. Plus certaines entrées antérieures extraites des publications des CE 37, 77, 86 et CISPR de l'IEC.

Service Clients - webstore.iec.ch/csc

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions contactez-nous: csc@iec.ch.

INTERNATIONAL STANDARD

NORME INTERNATIONALE



**Industrial communication networks – High availability automation networks –
Part 2: Media Redundancy Protocol (MRP)**

**Réseaux de communication industriels – Réseaux d'automatisme à haute
disponibilité –
Partie 2: Protocole de redondance du support (MRP)**

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

COMMISSION
ELECTROTECHNIQUE
INTERNATIONALE

ICS 25.040, 35.040

ISBN 978-2-8322-3149-4

**Warning! Make sure that you obtained this publication from an authorized distributor.
Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.**

CONTENTS

FOREWORD.....	7
INTRODUCTION.....	9
1 Scope.....	11
2 Normative references.....	11
3 Terms, definitions, abbreviations, acronyms, and conventions	12
3.1 Terms and definitions	12
3.2 Abbreviations and acronyms.....	12
3.3 Conventions.....	12
4 MRP Overview.....	12
5 MRP Media redundancy behavior.....	16
5.1 General.....	16
5.2 Ring ports	16
5.3 Media Redundancy Manager (MRM).....	17
5.4 Media Redundancy Client (MRC).....	19
5.5 Redundancy domain.....	19
5.6 Media Link Check.....	19
5.7 Application of the Continuity Check protocol	19
5.7.1 General	19
5.7.2 Continuity Check Message Interval.....	20
5.7.3 Maintenance Domain Level	20
5.7.4 Maintenance Association ID (MAID).....	20
5.7.5 Maintenance Association End Point ID (MEPID).....	20
5.7.6 Sender ID TLV	20
5.7.7 Port Status TLV	21
5.7.8 Interface Status TLV	21
5.8 Usage with diagnosis and alarms.....	21
5.9 Ring diagnosis	21
5.10 Multiple MRM in a single ring: Manager voting option.....	21
5.10.1 General	21
5.10.2 Basic principle of the manager voting process	22
5.10.3 The manager voting process	23
5.11 BLOCKED not supported (Option).....	25
5.12 Interconnection port	25
5.13 Media redundancy Interconnection Manager (MIM)	26
5.14 Media redundancy Interconnection Client (MIC)	29
5.15 Interconnection domain	29
5.16 Interconnection diagnosis.....	30
6 MRP Class specification	30
6.1 General.....	30
6.2 Template.....	30
6.2.1 Media redundancy template.....	30
6.2.2 Media redundancy Interconnection template	31
6.3 Attributes	32
7 MRP Service specification	36
7.1 Start MRM	36

7.2	Stop MRM	38
7.3	State Change	38
7.4	Start MRC	39
7.5	Stop MRC	41
7.6	Read MRM	41
7.7	Read MRC	43
7.8	Start MIM	45
7.9	Stop MIM	46
7.10	Interconnection State Change	47
7.11	Start MIC	48
7.12	Stop MIC	49
7.13	Read MIM	50
7.14	Read MIC	52
8	MRP protocol specification	54
8.1	PDU description	54
8.1.1	Basic data types	54
8.1.2	DLPDU abstract syntax reference	54
8.1.3	Coding of the DLPDU field SourceAddress	54
8.1.4	Coding of the DLPDU field DestinationAddress	55
8.1.5	Coding of the field TagControlInformation	55
8.1.6	Coding of the field LT	56
8.1.7	MRP APDU abstract syntax	56
8.1.8	Coding of the field MRP_TLVHeader	57
8.1.9	Coding of the field MRP_SubTLVHeader	58
8.1.10	Coding of the field MRP_Ed1Type and MRP_Ed1ManufacturerData	58
8.1.11	Coding of the field MRP_Version	59
8.1.12	Coding of the field MRP_SequenceID	59
8.1.13	Coding of the field MRP_SA	59
8.1.14	Coding of the field MRP_OtherMRMSA	59
8.1.15	Coding of the field MRP_Prio	60
8.1.16	Coding of the field MRP_OtherMRMPrio	60
8.1.17	Coding of the field MRP_PortRole	60
8.1.18	Coding of the field MRP_RingState	60
8.1.19	Coding of the field MRP_Interval	61
8.1.20	Coding of the field MRP_Transition	61
8.1.21	Coding of the field MRP_TimeStamp	61
8.1.22	Coding of the field MRP_Blocked	61
8.1.23	Coding of the field MRP_ManufacturerOUI	62
8.1.24	Coding of the field MRP_IECOUI	62
8.1.25	Coding of the field MRP_ManufacturerData	62
8.1.26	Coding of the field MRP_DomainUUID	62
8.1.27	Coding of the field MRP_InState	62
8.1.28	Coding of the field MRP_InID	63
8.2	Protocol machines	63
8.2.1	MRM protocol machine	63
8.2.2	MRC protocol machine	74
8.2.3	MRA protocol machine	80
8.2.4	MRA, MRM and MRC functions	100
8.2.5	FDB clear timer	105

8.2.6	Topology change timer	105
8.2.7	MIM protocol machine	106
8.2.8	MIC protocol machine	115
8.2.9	MIM and MIC functions.....	123
8.2.10	Interconnection Topology Change timer.....	127
8.2.11	Interconnection Link Status Poll timer.....	127
9	MRP installation, configuration and repair	128
9.1	Ring port and Interconnection port parameters.....	128
9.2	Ring topology parameters.....	128
9.3	MRM parameters.....	128
9.4	MRC parameters and constraints.....	129
9.5	MRA compatibility to earlier Automanager protocol version	129
9.6	Interconnection topology parameters	130
9.7	MIM parameters.....	130
9.8	MIC parameters and constraints	130
9.9	Calculation of MRP ring recovery time	131
9.9.1	Overview	131
9.9.2	Deduction of formula.....	131
9.9.3	Worst case calculation for recovery time of 10 ms.....	133
9.9.4	Worst case calculation for 50 devices	134
9.10	Calculation of MRP Automanager voting time.....	134
10	MRP Management Information Base (MIB)	134
10.1	General.....	134
10.2	MRP MIB with a monitoring view.....	134
10.3	MRP MIB with a management and monitoring view	147
Annex A (normative)	Optional earlier version of the Automanager protocol.....	162
Bibliography		163
Figure 1	Two MRP rings redundantly connected via MRP Interconnection	14
Figure 2	MRP stack	16
Figure 3	MRP ring topology with one manager and clients	17
Figure 4	MRP open ring with MRM	18
Figure 5	MRP ring with MRA at network startup	22
Figure 6	MRP ring after the manager voting process.....	22
Figure 7	Manager voting process	24
Figure 8	MRA located outside the MRP ring.....	25
Figure 9	MRP Interconnection topology	27
Figure 10	MRP ring interconnection open	28
Figure 11	MRP protocol machine for MRM.....	63
Figure 12	MRP protocol machine for MRC.....	74
Figure 13	MRP protocol machine for MRA	81
Figure 14	MRP protocol machine for MIM in RC-mode and LC-mode.....	107
Figure 15	MRP protocol machine for MIC in RC-mode and LC-mode	116
Table 1	Patent information	9
Table 2	Coding of the Maintenance Association ID (MAID).....	20

Table 3 – MRP Start MRM	36
Table 4 – MRP Stop MRM	38
Table 5 – MRP Change State	39
Table 6 – MRP Start MRC	40
Table 7 – MRP Stop MRC	41
Table 8 – MRP Read MRM	42
Table 9 – MRP Read MRC	44
Table 10 – MRP Start MIM	45
Table 11 – MRP Stop MIM	47
Table 12 – MRP Interconnection Change State	47
Table 13 – MRP Start MIC	48
Table 14 – MRP Stop MIC	50
Table 15 – MRP Read MIM	51
Table 16 – MRP Read MIC	53
Table 17 – MRP DLPDU syntax for ISO/IEC/IEEE 8802-3 (IEEE 802.3)	54
Table 18 – MRP OUI	55
Table 19 – MRP MulticastMACAddress	55
Table 20 – MRP TagControlInformation.Priority field	56
Table 21 – MRP LT field	56
Table 22 – MRP APDU syntax	56
Table 23 – MRP Substitutions	57
Table 24 – MRP_TLVHeader.Type	58
Table 25 – MRP_SubTLVHeader.Type	58
Table 26 – MRP_Ed1Type and MRP_Ed1ManufacturerData	59
Table 27 – MRP_Ed1Type and MRP_Ed1ManufacturerData	59
Table 28 – MRP_Version	59
Table 29 – Coding of the field MRP_OtherMRMSA	60
Table 30 – MRP_Prio	60
Table 31 – Coding of the field MRP_OtherMRMPrio	60
Table 32 – MRP_PortRole	60
Table 33 – MRP_RingState	61
Table 34 – MRP_Interval	61
Table 35 – MRP_Transition	61
Table 36 – MRP_TimeStamp	61
Table 37 – MRP_Blocked	62
Table 38 – MRP_DomainUUID	62
Table 39 – MRP_InState	62
Table 40 – MRP Local variables of MRM protocol machine	65
Table 41 – MRM State machine	66
Table 42 – MRP Local variables of MRC protocol machine	75
Table 43 – MRC state machine	76
Table 44 – MRP local variables of MRA protocol machine	82
Table 45 – MRA state machine	83

Table 46 – MRP functions and macros	101
Table 47 – MRP FDB clear timer	105
Table 48 – MRP topology change timer	106
Table 49 – MRP Local variables of MIM protocol machine.....	108
Table 50 – MIM State machine for LC-mode	109
Table 51 – MIM State machine for RC-mode	112
Table 52 – MRP Local variables of MIC protocol machine	117
Table 53 – MIC State machine for LC-mode	118
Table 54 – MIC State machine for RC-mode.....	121
Table 55 – MRP Interconnection functions.....	124
Table 56 – MRP Interconnection topology change timer.....	127
Table 57 – MRP Interconnection link status poll timer	128
Table 58 – MRP Network/Connection parameters	128
Table 59 – MRP MRM parameters.....	129
Table 60 – MRP MRC parameters.....	129
Table 61 – MRP MIM parameters.....	130
Table 62 – MRP MIC parameters	131
Table A.1 – Compatible mode MRP_Option for MRP_Test Substitutions	162
Table A.2 – Compatible mode MRP_Option frames MRP_TestMgrNAck and MRP_TestPropagate Substitutions	162

Preview generated by EVS

INTERNATIONAL ELECTROTECHNICAL COMMISSION

**INDUSTRIAL COMMUNICATION NETWORKS –
HIGH AVAILABILITY AUTOMATION NETWORKS –****Part 2: Media Redundancy Protocol (MRP)**

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as “IEC Publication(s)”). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.

International Standard IEC 62439-2 has been prepared by subcommittee 65C: Industrial networks, of IEC technical committee 65: Industrial-process measurement, control and automation.

This second edition cancels and replaces the first edition published in 2010. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- adding a protocol extension to select the media redundancy manager automatically;
- adding a protocol to redundantly connect media redundancy protocol rings.

The text of this standard is based on the following documents:

FDIS	Report on voting
65C/834/FDIS	65C/841/RVD

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with ISO/IEC Directives, Part 2.

This International Standard is to be read in conjunction with IEC 62439-1.

A list of all parts of the IEC 62439 series, published under the general title *Industrial communication networks – High availability automation networks*, can be found on the IEC website.

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC web site under "<http://webstore.iec.ch>" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

INTRODUCTION

The IEC 62439 series specifies relevant principles for high availability networks that meet the requirements for industrial automation networks.

In the fault-free state of the network, the protocols of the IEC 62439 series provide ISO/IEC/IEEE 8802-3 (IEEE 802.3) compatible, reliable data communication, and preserve determinism of real-time data communication. In cases of fault, removal, and insertion of a component, they provide deterministic recovery times.

These protocols retain fully the typical Ethernet communication capabilities as used in the office world, so that the software involved remains applicable.

The market is in need of several network solutions, each with different performance characteristics and functional capabilities, matching diverse application requirements. These solutions support different redundancy topologies and mechanisms which are introduced in IEC 62439-1 and specified in the other Parts of the IEC 62439 series. IEC 62439-1 also distinguishes between the different solutions, giving guidance to the user.

The IEC 62439 series follows the general structure and terms of the IEC 61158 series.

The International Electrotechnical Commission (IEC) draws attention to the fact that it is claimed that compliance with this document may involve the use of a patent concerning ring protocol given in Clause 5. Table 1 gives an overview of the relevant patents.

Table 1 – Patent information

No.	Status	Country	Granted Patent Number or Application Number (if pending)	Title
1	granted	US	US 6430151	Local networking with redundancy properties having a redundancy manager
	granted	CA	CA 2323429	
	granted	CN	CN 117195	
	granted	NO	NO 330908	
	granted	EP (AT, BE, CH, DE, DK, ES, FR, GB, IT, NL, SE)	EP 1062787	

IEC takes no position concerning the evidence, validity and scope of this patent right.

The holder of this patent right has assured the IEC that he/she is willing to negotiate licences either free of charge or under reasonable and non-discriminatory terms and conditions with applicants throughout the world. In this respect, the statement of the holder of this patent right is registered with IEC. Information may be obtained from:

Siemens Aktiengesellschaft

Otto-Hahn-Ring 6

Munich 81739

Germany

and

Hirschmann Automation and Control GmbH

Stuttgarter Strasse 45-51

Neckartenzlingen 72654

Germany

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights other than those identified above. IEC shall not be held responsible for identifying any or all such patent rights.

ISO (www.iso.org/patents) and IEC (<http://patents.iec.ch/>) maintain on-line data bases of patents relevant to their standards. Users are encouraged to consult the data bases for the most up to date information concerning patents.

This document is a preview generated by EVS

INDUSTRIAL COMMUNICATION NETWORKS – HIGH AVAILABILITY AUTOMATION NETWORKS –

Part 2: Media Redundancy Protocol (MRP)

1 Scope

The IEC 62439 series is applicable to high-availability automation networks based on the ISO/IEC/IEEE 8802-3 (IEEE 802.3) (Ethernet) technology.

This part of the IEC 62439 series specifies a recovery protocol based on a ring topology, designed to react deterministically on a single failure of an inter-switch link or switch in the network, under the control of a dedicated media redundancy manager node.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60050-191, *International Electrotechnical Vocabulary – Chapter 191: Dependability and quality of service*

IEC 61158-6-10:2014, *Industrial communication networks – Fieldbus specifications – Part 6-10: Application layer protocol specification – Type 10 elements*

IEC 61784-1, *Industrial communication networks – Profiles – Part 1: Fieldbus profiles*

IEC 61784-2, *Industrial communication networks – Profiles – Part 2: Additional fieldbus profiles for real-time networks based on ISO/IEC 8802-3*

IEC 62439-1:2010, *Industrial communication networks – High availability automation networks – Part 1: General concepts and calculation methods*

IEC 62439-1:2010/AMD1:2012¹

ISO/IEC 10164-1, *Information technology – Open Systems Interconnection – Systems Management: Object Management Function*

ISO/IEC/IEEE 8802-3 *Standard for Ethernet*

IEEE 802.1D:2004, *IEEE Standard for Local and metropolitan area networks – Media Access Control (MAC) Bridges*

IEEE 802.1Q:2011, *IEEE Standard for Local and metropolitan area networks – Media Access Control (MAC) Bridges and Virtual Bridge Local Area Network*

¹ A consolidated version of this publication exists, comprising IEC 62439-1:2010 and IEC 62439-1:2010/AMD1:2012.