

PINNA RISTSUUNAS PARENDATUD
DEFORMATSIOONIOMADUSTEGA TERASTOOTED.
TEHNILISED TARNETINGIMUSED

Steel products with improved deformation properties
perpendicular to the surface of the product - Technical
delivery conditions

EESTI STANDARDI EESSÕNA

NATIONAL FOREWORD

| | |
|---|--|
| See Eesti standard EVS-EN 10164:2018 sisaldab Euroopa standardi EN 10164:2018 ingliskeelset teksti. | This Estonian standard EVS-EN 10164:2018 consists of the English text of the European standard EN 10164:2018. |
| Standard on jõustunud sellekohase teate avaldamisega EVS Teatajas | This standard has been endorsed with a notification published in the official bulletin of the Estonian Centre for Standardisation. |
| Euroopa standardimisorganisatsioonid on teinud Euroopa standardi rahvuslikele liikmetele kättesaadavaks 03.10.2018. | Date of Availability of the European standard is 03.10.2018. |
| Standard on kättesaadav Eesti Standardikeskusest. | The standard is available from the Estonian Centre for Standardisation. |

Tagasisidet standardi sisu kohta on võimalik edastada, kasutades EVS-i veebilehel asuvat tagasiside vormi või saates e-kirja meiliaadressile standardiosakond@evs.ee.

ICS 77.140.50, 77.140.70

Standardite reprodutseerimise ja levitamise õigus kuulub Eesti Standardikeskusele

Andmete paljundamine, taastekitamine, kopeerimine, salvestamine elektroonsesse süsteemi või edastamine ükskõik millises vormis või millisel teel ilma Eesti Standardikeskuse kirjaliku loata on keelatud.

Kui Teil on küsimusi standardite autorikaitse kohta, võtke palun ühendust Eesti Standardikeskusega:

Koduleht www.evs.ee; telefon 605 5050; e-post info@evs.ee

The right to reproduce and distribute standards belongs to the Estonian Centre for Standardisation

No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying, without a written permission from the Estonian Centre for Standardisation.

If you have any questions about copyright, please contact Estonian Centre for Standardisation:

Homepage www.evs.ee; phone +372 605 5050; e-mail info@evs.ee

English Version

**Steel products with improved deformation properties
perpendicular to the surface of the product - Technical
delivery conditions**

Aciers de construction à caractéristiques de
déformation améliorées dans le sens perpendiculaire à
la surface du produit - Conditions techniques de
livraison

Stahlerzeugnisse mit verbesserten
Verformungseigenschaften senkrecht zur
Erzeugnisoberfläche - Technische Lieferbedingungen

This European Standard was approved by CEN on 16 May 2018.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

| Contents | Page |
|--|-------------|
| European foreword..... | 3 |
| Introduction | 4 |
| 1 Scope..... | 5 |
| 2 Normative references..... | 5 |
| 3 Terms and definitions | 5 |
| 4 Designation..... | 5 |
| 5 Information to be supplied by the purchaser | 6 |
| 5.1 Mandatory information | 6 |
| 5.2 Options..... | 6 |
| 6 Requirements | 6 |
| 6.1 Reduction of Area..... | 6 |
| 6.2 Internal soundness..... | 7 |
| 7 Inspection - Test unit for through thickness testing | 7 |
| 7.1 General..... | 7 |
| 7.2 Flat products..... | 7 |
| 7.3 Sections..... | 8 |
| 8 Preparation of samples and test pieces | 8 |
| 8.1 Identification of samples and test pieces | 8 |
| 8.2 Location and orientation of samples and test pieces..... | 8 |
| 8.2.1 Preparation of samples..... | 8 |
| 8.2.2 Preparation of test pieces | 9 |
| 9 Test methods | 13 |
| 9.1 Tensile test | 13 |
| 9.2 Retest..... | 14 |
| 9.3 Invalidation of tests..... | 14 |
| 9.4 Sorting and reprocessing | 14 |
| 10 Marking, labelling and packaging | 14 |
| 11 Complaints..... | 14 |
| 12 Options (see 5.2)..... | 15 |
| Bibliography..... | 16 |

European foreword

This document (EN 10164:2018) has been prepared by Technical Committee ECISS/TC 103 “Structural steels other than reinforcements”, the secretariat of which is held by DIN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by April 2019, and conflicting national standards shall be withdrawn at the latest by April 2019.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

This document supersedes EN 10164:2004.

The main changes with respect to the previous edition are listed below:

- a) Normative references added and updated;
- b) Clauses 6.1 and 6.2 revised;
- c) Clause 8.2.2.2.3 c) is applicable for thicknesses $20 \text{ mm} < t \leq 80 \text{ mm}$;
- d) Figure 1 and 4 revised;
- e) Clause 12 revised;
- f) Standard editorial revised.

According to the CEN-CENELEC Internal Regulations, the national standards organisations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

Introduction

Flat products and sections of steel as normally manufactured have deformation properties perpendicular to the surface (through thickness) which are different from those obtained in the surface direction. This anisotropy of the properties may lead to difficulties in welded structures, for instance lamellar tearing.

It is, however, possible to improve the through thickness properties by using additional steel making procedures.

Through thickness properties are characterized in this document by specified values for reduction of area in a through thickness tensile test.

The minimum values for reduction of area in this document cannot by themselves be regarded as ensuring safety against occurrence of lamellar tearing. Indeed, the risk of lamellar tearing is also basically influenced for instance by the type of structure, weld design and welding procedure.

However, the reduction of area is a good general guide to lamellar tear resistance, i.e. the risk of lamellar tearing decreases with increased reduction of area in the through thickness tensile test.

1 Scope

This document specifies deformation properties perpendicular to the surface of the product.

This document can be applied as a supplement to all product standards for flat products and sections of fully killed steels, except stainless steels. It covers products having a nominal thickness (t) between 15 mm and 400 mm of steels with a specified minimum upper yield strength R_{eH} or proof strength $R_{p0,2} \leq 960 \text{ MPa}$ ¹⁾ for which improved through thickness properties are required.

This document can be applied to other steel types if agreed at the time of the order.

This document can be applied to products with thickness between $10 \text{ mm} \leq t < 15 \text{ mm}$ if agreed at the time of the order. See option 1.

This document can be applied to products with thickness $t > 400 \text{ mm}$ if agreed at the time of the order. See option 2.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN ISO 6892-1, *Metallic materials — Tensile testing — Part 1: Method of test at room temperature (ISO 6892-1)*

EN 10021, *General technical delivery conditions for steel products*

EN 10160, *Ultrasonic testing of steel flat product of thickness equal or greater than 6 mm (reflection method)*

EN 10306:2001, *Iron and steel - Ultrasonic testing of H beams with parallel flanges and IPE beams*

3 Terms and definitions

No terms and definitions are listed in this document.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- IEC Electropedia: available at <http://www.electropedia.org/>
- ISO Online browsing platform: available at <http://www.iso.org/obp>

4 Designation

Products with requirements for improved deformation properties perpendicular to the surface of the product shall be designated as follows:

- the designation of the steel (according to the relevant product standard);
- the number of this document (EN 10164);
- the designation of the quality class (according to Table 1).

1) $1 \text{ MPa} = 1 \text{ N/mm}^2$