

This document is a preview generated by EVS

Alarm systems - Intrusion and hold-up systems - Part 6:
Power supplies

EESTI STANDARDI EESSÕNA

NATIONAL FOREWORD

See Eesti standard EVS-EN 50131-6:2017 sisaldab Euroopa standardi EN 50131-6:2017 ingliskeelset teksti.	This Estonian standard EVS-EN 50131-6:2017 consists of the English text of the European standard EN 50131-6:2017.
Standard on jõustunud sellekohase teate avaldamisega EVS Teatajas.	This standard has been endorsed with a notification published in the official bulletin of the Estonian Centre for Standardisation.
Euroopa standardimisorganisatsioonid on teinud Euroopa standardi rahvuslikele liikmetele kättesaadavaks 27.10.2017.	Date of Availability of the European standard is 27.10.2017.
Standard on kättesaadav Eesti Standardikeskusest.	The standard is available from the Estonian Centre for Standardisation.

Tagasisidet standardi sisu kohta on võimalik edastada, kasutades EVS-i veebilehel asuvat tagasiside vormi või saates e-kirja meiliaadressile standardiosakond@evs.ee.

ICS 13.310

Standardite reprodutseerimise ja levitamise õigus kuulub Eesti Standardikeskusele

Andmete paljundamine, taastekitamine, kopeerimine, salvestamine elektroonsesse süsteemi või edastamine ükskõik millises vormis või millisel teel ilma Eesti Standardikeskuse kirjaliku loata on keelatud.

Kui Teil on küsimusi standardite autorikaitse kohta, võtke palun ühendust Eesti Standardikeskusega:
Koduleht www.evs.ee; telefon 605 5050; e-post info@evs.ee

The right to reproduce and distribute standards belongs to the Estonian Centre for Standardisation

No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying, without a written permission from the Estonian Centre for Standardisation.

If you have any questions about copyright, please contact Estonian Centre for Standardisation:

Homepage www.evs.ee; phone +372 605 5050; e-mail info@evs.ee

English Version

Alarm systems - Intrusion and hold-up systems - Part 6: Power supplies

Systèmes d'alarme - Systèmes d'alarme contre l'intrusion et les hold-up - Partie 6: Alimentation

Alarmanlagen - Einbruch- und Überfallmeldeanlagen - Teil 6: Energieversorgungen

This European Standard was approved by CENELEC on 2017-09-18. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.



European Committee for Electrotechnical Standardization
Comité Européen de Normalisation Electrotechnique
Europäisches Komitee für Elektrotechnische Normung

CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

Contents	Page
European foreword	4
Introduction	5
1 Scope	6
2 Normative references	6
3 Terms, definitions and abbreviations	7
3.1 Terms and definitions	7
3.2 Abbreviations	9
4 Functional requirements	9
4.1 PS configurations	9
4.2 General requirements	10
4.3 Monitoring of PS	13
4.4 APS capability	17
4.5 Recharging for PS Type A	17
4.6 Over-voltage protection	18
4.7 Short circuit protection	18
4.8 Overload protection	18
4.9 Deep discharge protection	18
4.10 Ripple	18
4.11 Tamper security	18
4.12 Environmental	21
4.13 Safety	22
4.14 EMC susceptibility	22
4.15 Electrical	22
5 Marking	23
6 Documentation	23
7 Tests	24
7.1 General	24
7.2 General test conditions	25
7.3 Reduced functional test	26
7.4 Monitoring: Loss of EPS	26
7.5 Monitoring: Storage Device Low Residual Energy	27
7.6 Monitoring: Storage Device Failure	30
7.7 Monitoring: Low Output Voltage	30
7.8 Monitoring: Power Unit Failure – Loss of PU Power Output	31

7.9	Monitoring: Power Unit Failure – Loss of SD Recharge	32
7.10	Test on demand	32
7.11	APS Capability	33
7.12	Recharging for PS Type A	34
7.13	Over voltage protection	35
7.14	Short Circuit Protection	36
7.15	Overload Protection	37
7.16	Deep Discharge Protection	38
7.17	Tamper security - Protection	39
7.18	Tamper Detection – Access to inside of the housing	39
7.19	Tamper detection – Removal from mounting	40
7.20	Tamper detection – Penetration of the housing	41
7.21	Environmental and EMC	42
7.22	PS Rating	42
7.23	Output voltage stability - Gradual load variation	45
7.24	Output Voltage Stability – Switched Load Variation	46
7.25	Marking and Documentation	47
Annex A	(informative) Determination of Storage Device failure	48
Annex B	(normative) Measurement of ripple voltage	49
B.1	General	49
B.2	Principle	49
B.3	Test conditions	49
B.4	Measurement	49
B.5	Pass/Fail Criteria	49
Annex C	(normative) Measurement of transients	50
C.1	General	50
C.2	Principle	50
C.3	Test conditions	50
C.4	Measurement	50
C.5	Pass/Fail Criteria	50
Annex D	(informative) Test on Demand signal or message timing and usage protocol	51
Annex E	(informative) Cross-reference between requirements and corresponding tests	52

European foreword

This document (EN 50131-6:2017) has been prepared by CLC/TC 79 "Alarm systems".

The following dates are fixed:

- latest date by which this document has to be implemented at national level by publication of an identical national standard or by endorsement (dop) 2018-09-18
- latest date by which the national standards conflicting with this document have to be withdrawn (dow) 2020-09-18

This document supersedes EN 50131-6:2008.

The revision is to make the document less technology specific and more inclusive of the different types of power supplies found in I&HAS and the different types of technologies that are, and can be, employed within a power supply. It will make the document easier to use and more clearly applicable to the range of PSU configurations to be found in I&HAS.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC shall not be held responsible for identifying any or all such patent rights.

Introduction

This European Standard deals with power supplies (PS) of intrusion and hold-up alarm systems (I&HAS) installed in buildings. It includes devices that are installed inside or outside of the supervised premises and mounted in indoor or outdoor environments.

The PS may be fully contained in its own housing or it may be integrated with other components within an I&HAS, e.g. the control and indicating equipment (CIE).

An I&HAS may use one or more PS.

This document is a preview generated by EVS

1 Scope

This European Standard specifies the requirements, performance criteria and testing procedures for PS to be used as part of Intrusion and Hold up Alarm Systems. The PS will either be an integral part of an I&HAS component or stand-alone. The control functions of the PS may be incorporated as part of the PS device, or may be provided by another I&HAS component, e.g. a CIE.

This European Standard is not applicable when the PS requirements for I&HAS components are included within the relevant product standard.

The requirements correspond to each of the four security grades given in the European Standard EN 50131-1, *Alarm Systems – Intrusion and Hold-Up Systems – Part 1: System requirements*. Requirements are also given for four environmental classes covering applications in indoor and outdoor locations.

This standard covers:

- a) mandatory functions which will be provided on all PS; and
- b) optional functions which may be provided.

This European Standard does not deal with requirements for compliance with EC regulatory Directives, such as the EMC Directive, Low Voltage Directive, etc. except that it specifies the equipment operating conditions and reduced functional test for EMC susceptibility testing as required by EN 50130-4.

Other functions associated with I&HAS not specified in this standard may be provided. Such functions will not affect the requirements of any mandatory or optional functions.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 50130-4, *Alarm systems - Part 4: Electromagnetic compatibility - Product family standard: Immunity requirements for components of fire, intruder, hold up, CCTV, access control and social alarm systems*

EN 50130-5, *Alarm systems - Part 5: Environmental test methods*

EN 50131-1, *Alarm systems - Intrusion and hold-up systems - Part 1: System requirements*

EN 60068-2-14:2009, *Environmental testing - Part 2-14: Tests - Test N: Change of temperature (IEC 60068-2-14:2009)*

EN 60529, *Degrees of protection provided by enclosures (IP Code) (IEC 60529)*

EN 62262, *Degrees of protection provided by enclosures for electrical equipment against external mechanical impacts (IK code) (IEC 62262)*