
**Software and systems engineering —
Tools and methods for product line
requirements engineering**

*Ingénierie du logiciel et des systèmes — Outils et méthodes pour
l'ingénierie d'exigences pour gammes de produits*

This document is a preview generated by EBS



COPYRIGHT PROTECTED DOCUMENT

© ISO/IEC 2016, Published in Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Ch. de Blandonnet 8 • CP 401
CH-1214 Vernier, Geneva, Switzerland
Tel. +41 22 749 01 11
Fax +41 22 749 09 47
copyright@iso.org
www.iso.org

Contents

Page

Foreword	vi
Introduction	vii
1 Scope	1
2 Normative references	1
3 Terms and definitions	1
4 Reference model for product line requirements engineering	3
5 Product line scoping	7
5.1 Product scoping	8
5.1.1 Purpose of product scoping	8
5.1.2 Structure information to be used for scoping	9
5.1.3 Identify products	9
5.1.4 Analyse common and variable features	10
5.1.5 Define a product portfolio	10
5.2 Domain scoping	10
5.2.1 Purpose of domain scoping	10
5.2.2 Identify functional domains	11
5.2.3 Map features to functional domains	11
5.2.4 Define domain scope	12
5.3 Asset scoping	12
5.3.1 Purpose of asset scoping	12
5.3.2 Gather historical data from existing single products	13
5.3.3 Estimate additional effort required to adapt potential assets	14
5.3.4 Estimate expected development effort for new products in the product portfolio definition	14
5.3.5 Estimate economic benefits from reusing proposed assets	14
5.3.6 Derive asset proposals from economic evaluation results	15
6 Domain requirements engineering	15
6.1 Domain requirements elicitation	16
6.1.1 Purpose of the domain requirements elicitation	16
6.1.2 Draw a context diagram	17
6.1.3 Gather domain information	17
6.1.4 Identify initial domain requirements	18
6.1.5 Review the elicited initial domain requirements	18
6.2 Domain requirements analysis	19
6.2.1 Purpose of the domain requirements analysis	19
6.2.2 Classify and balance initial domain requirements	20
6.2.3 Analyse commonalities and variabilities	20
6.2.4 Model domain requirements	21
6.2.5 Create prototypes and analyse feasibility	21
6.2.6 Develop conceptual test cases and scenarios for acceptance testing	22
6.2.7 Review the analysed domain requirements	22
6.3 Domain requirements specification	23
6.3.1 Purpose of the domain requirements specification	23
6.3.2 Identify sources of domain requirements	23
6.3.3 Establish traceability	24
6.3.4 Document domain requirements	24
6.3.5 Review the domain requirements specification	25
6.4 Domain requirements verification and validation	25
6.4.1 Purpose of the domain requirements verification and validation	25
6.4.2 Verify domain requirements	26
6.4.3 Validate domain requirements	26
6.4.4 Validate conceptual test cases and scenarios for acceptance testing	27

6.4.5	Baseline domain requirements	27
6.4.6	Initiate change management process	28
6.5	Domain requirements management	28
6.5.1	Purpose of the domain requirements management	28
6.5.2	Manage domain requirements change	29
6.5.3	Manage traceability	30
6.5.4	Manage versions of domain requirements	30
6.5.5	Record and report status	30
6.5.6	Manage process improvement	31
6.5.7	Manage feedback	31
7	Variability management in requirements engineering	32
7.1	Variability in textual requirements	32
7.1.1	Purpose of variability in textual requirements	32
7.1.2	Define requirements variability in textual requirements	33
7.1.3	Document requirements variability in textual requirements	33
7.2	Variability in requirements models	33
7.2.1	Purpose of variability in requirements models	33
7.2.2	Define requirements variability in model	34
7.2.3	Document requirements variability in requirements model	34
7.3	Variability mechanisms in requirements	35
7.3.1	Purpose of variability mechanisms in requirements	35
7.3.2	Identify variability mechanisms in requirements	35
7.3.3	Guide the use of variability mechanisms in requirements	36
7.3.4	Verify the usage of variability mechanisms in requirements	36
7.3.5	Improve variability mechanisms in requirements	37
7.4	Traceability between requirements variability and variability model	37
7.4.1	Purpose of traceability between requirements variability and variability model	37
7.4.2	Define explicit links between requirements variability and variability model	37
8	Asset management in requirements engineering	38
8.1	Domain requirements artefacts as domain assets	38
8.1.1	Purpose of domain requirements artefacts as domain assets	38
8.1.2	Identify domain requirements artefacts managed as domain assets	39
8.1.3	Define configuration and annotation	39
8.2	Application requirements artefacts as application assets	40
8.2.1	Purpose of application requirements artefacts as application assets	40
8.2.2	Identify application requirements artefacts managed as application assets	40
8.2.3	Define configuration and annotation for application requirements assets	40
9	Application requirements engineering	41
9.1	Application requirements elicitation	42
9.1.1	Purpose of the application requirements elicitation	42
9.1.2	Draw a context diagram for an application	42
9.1.3	Identify the requirements gaps between domain and application requirements	43
9.1.4	Bind the best matching variants	43
9.1.5	Select domain assets	44
9.1.6	Review the elicited application requirements	44
9.2	Application requirements analysis	45
9.2.1	Purpose of the application requirements analysis	45
9.2.2	Classify and balance application specific initial requirements	46
9.2.3	Analyse commonalities and variabilities	46
9.2.4	Model application specific requirements	47
9.2.5	Create prototypes and analyse feasibility	47
9.2.6	Develop conceptual test cases and scenarios for acceptance testing	48
9.2.7	Review the analysed application requirements	48
9.3	Application requirements specification	49
9.3.1	Purpose of the application requirements specification	49
9.3.2	Identify sources of application specific requirements	50
9.3.3	Establish traceabilities for application specific requirements	50

9.3.4	Document application specific requirements.....	50
9.3.5	Document the rationale for variability decision.....	51
9.3.6	Review the application requirements specification.....	51
9.4	Application requirements verification and validation.....	51
9.4.1	Purpose of the application requirements verification and validation.....	51
9.4.2	Verify application specific requirements.....	52
9.4.3	Validate application specific requirements.....	52
9.4.4	Validate conceptual test cases and scenarios for acceptance testing.....	53
9.4.5	Baseline application specific requirements.....	53
9.4.6	Initiate application change management process	54
9.5	Application requirements management.....	54
9.5.1	Purpose of the application requirements management.....	54
9.5.2	Manage application specific requirements change.....	55
9.5.3	Manage application specific traceability.....	55
9.5.4	Manage versions of application specific requirements artefacts.....	56
9.5.5	Record and report status of application requirements management.....	56
9.5.6	Manage application specific process improvement.....	56
Annex A (informative) Comparison of requirements engineering tasks between single product and product line.....		58
Annex B (informative) Process mapping with ISO/IEC 12207, ISO/IEC/IEEE 15288, and ISO/IEC/IEEE 29148.....		60
Annex C (informative) A construct for process, method, tool, and aspect.....		63
Bibliography		64

Foreword

ISO (the International Organization for Standardization) and IEC (the International Electrotechnical Commission) form the specialized system for worldwide standardization. National bodies that are members of ISO or IEC participate in the development of International Standards through technical committees established by the respective organization to deal with particular fields of technical activity. ISO and IEC technical committees collaborate in fields of mutual interest. Other international organizations, governmental and non-governmental, in liaison with ISO and IEC, also take part in the work. In the field of information technology, ISO and IEC have established a joint technical committee, ISO/IEC JTC 1.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of document should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO and IEC shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation on the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the WTO principles in the Technical Barriers to Trade (TBT) see the following URL: Foreword - Supplementary information

The committee responsible for this document is ISO/IEC JTC 1, *Information technology*, Subcommittee SC 7, *Software and systems engineering*.

This second edition of ISO/IEC 26551 cancels and replaces the first edition (ISO/IEC 26551:2012), which has been technically revised.

Introduction

The main purpose of this International Standard is to establish a baseline for the capabilities of tools and methods of software and systems product line (SSPL) requirements engineering. This International Standard defines how the tools and methods can support the software and systems product line specific requirements engineering processes.

A decision for the initial boundaries of domain is made to define a product line scope before initiating domain requirements engineering processes. Domain requirements engineering is carried out in a comprehensive manner because common and variable requirements and captured variabilities have consequential impacts on member products in a product line. The outcomes of domain requirements engineering processes are transferred into the requirements of a family of products at the application requirements engineering processes. Therefore, requirements engineering tools and methods are to be considered (both engineering processes), namely domain requirements engineering, and application requirements engineering.

Product line requirements engineering can be differentiated from a single product requirement engineering because of the following reasons:

- There are two core processes in requirements engineering, domain requirements engineering and application requirements engineering. The major aims of the domain requirements engineering processes are to analyse commonality and variability for a family of products and to prepare necessary variability information for variability modelling. The major aims of the application requirements engineering processes are to define application specific requirements and bind variability defined in domain requirements engineering processes;
- It is essential to analyse the costs and benefits estimate of a product line and thereby, an organization can make a go/no-go decision. Moreover, the costs and benefits estimate plays a pivotal role as an indicator for assessing the effectiveness and efficiency of a product line.

A detailed comparison showing the differences in requirements engineering tasks between single product and product line is described in [Annex A](#).

This International Standard can be used in the following modes:

- by the users of this International Standard: to benefit people who develop, operate, and manage requirements engineering for software and systems product lines;
- by a product line organization: to provide guidance in the evaluation and selection for tools and methods for product line requirements engineering;
- by providers of tools and methods: to provide guidance in implementing or developing tools and methods by providing a comprehensive set of the capabilities of tools and methods for product line requirements engineering.

The ISO/IEC 26550 family of standards addresses both engineering and management processes and covers the key characteristics of product line development. The ISO/IEC 26550 family of standards provides an overview of the consecutive International Standards (i.e. this International Standard through ISO/IEC 26599), as well as the structure of the model:

ISO/IEC 26550, ISO/IEC 26551 and ISO/IEC 26555 are published. ISO/IEC 26557, ISO/IEC 26558 and ISO/IEC 26559 are to be published. ISO/IEC 26552, ISO/IEC 26553, ISO/IEC 26554, ISO/IEC 26556, ISO/IEC 26560, ISO/IEC 26561, ISO/IEC 26562, ISO/IEC 26563 are planned International Standards.

- Processes and capabilities of methods and tools for domain requirements engineering and application requirements engineering are provided in this International Standard;
- Processes and capabilities of methods and tools for domain design and application design are provided in ISO/IEC 26552 (International Standard under development);

- Processes and capabilities of methods and tools for domain realization and application realization are provided in ISO/IEC 26553 (International Standard under development);
- Processes and capabilities of methods and tools for domain testing and application testing are provided in ISO/IEC 26554 (International Standard under development);
- Processes and capabilities of methods and tools for technical management are provided in ISO/IEC 26555;
- Processes and capabilities of methods and tools for organizational management are provided in ISO/IEC 26556 (International Standard under development);
- Processes and capabilities of methods and tools for variability mechanisms are provided in ISO/IEC 26557;
- Processes and capabilities of methods and tools for variability modeling are provided in ISO/IEC 26558;
- Processes and capabilities of methods and tools for variability traceability are provided in ISO/IEC 26559;
- Processes and capabilities of methods and tools for product management are provided in ISO/IEC 26560 (International Standard under development);
- Processes and capabilities of methods and tools for technical probe are provided in ISO/IEC 26561 (International Standard under development);
- Processes and capabilities of methods and tools for transition management are provided in ISO/IEC 26562 (International Standard under development);
- Processes and capabilities of methods and tools for configuration management of asset are provided in ISO/IEC 26563 (International Standard under development);
- Others (ISO/IEC 26564 to ISO/IEC 26599): To be developed.

Software and systems engineering — Tools and methods for product line requirements engineering

1 Scope

This International Standard, within the context of tools and methods of requirements engineering for software and systems product lines:

- provides the terms and definitions specific to requirements engineering for software and systems product lines and associated member products;
- defines process groups and their processes performed during product line requirements engineering (those processes are described in terms of purpose, inputs, tasks, and outcomes);
- defines method capabilities to support the defined tasks of each process;
- defines tool capabilities to automate/semi-automate tasks or defined method capabilities.

This International Standard concerns processes and capabilities of requirements tools and methods for a family of products, not for a single system.

This International Standard is not applicable to physical artefacts. Instead, system-level artefacts and software lifecycle artefacts such as requirements documents, architectural data, validation plans, behavioural models, etc. are produced using methods and tools in this International Standard. In the case of the software components of a system, this International Standard can apply twice: once to handle the system elements of the product line and a second time to handle the software elements of the product line, if any. The product line processes are recursive within the different levels of products.

NOTE The requirements in this International Standard apply to the family of systems, software or services.

2 Normative references

There are no normative references in this document.

3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

3.1

application assets in requirements

application specific artefacts produced during application requirements engineering such as *application requirements specifications* (3.4) and application requirements models

3.2

application requirements elicitation

subprocess for identifying stakeholders relevant to an application, eliciting application specific requirements, and binding the appropriate variants

3.3

application requirements analysis

subprocess that understands all *application specific requirements* (3.8), scrutinizes incorrect and inconsistent application requirements through modelling, and then analyses and negotiates application requirements that cannot be satisfied through the domain requirements