INTERNATIONAL STANDARD

ISO 11298-1

First edition 2010-03-01

Plastics piping systems for renovation of underground water supply networks —

Part 1: **General**

Systèmes de canalisations en matières plastiques pour la rénovation des réseaux enterrés d'alimentation en eau —

Partie 1: Généralités




PDF disclaimer

This PDF file may contain embedded typefaces. In accordance with Adobe's licensing policy, this file may be printed or viewed but shall not be edited unless the typefaces which are embedded are licensed to and installed on the computer performing the editing. In downloading this file, parties accept therein the responsibility of not infringing Adobe's licensing policy. The ISO Central Secretariat accepts no liability in this area.

Adobe is a trademark of Adobe Systems Incorporated.

Details of the software products used to create this PDF file can be found in the General Info relative to the file; the PDF-creation parameters were optimized for printing. Every care has been taken to ensure that the file is suitable for use by ISO member bodies. In the unlikely event that a problem relating to it is found, please inform the Central Secretariat at the address given below.





COPYRIGHT PROTECTED DOCUMENT

© ISO 2010

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office Case postale 56 • CH-1211 Geneva 20 Tel. + 41 22 749 01 11 Fax + 41 22 749 09 47 E-mail copyright@iso.org Web www.iso.org

Published in Switzerland

Contents

Page

Foreword				
Introductionv				
1	Scope.			
2	Normative references	1		
3	Terms and definitions			
3.1	Ganaral	4		
3.2	Techniques	3		
3.3	Geometrics	2		
3.4	Techniques Geometrics Materials	Ę		
3.5	Product stages	6		
3.6	Service conditions	6		
3.7	Joints	6		
4	Product stages Service conditions Joints Symbols and abbreviated terms	e		
4.1	Symbols	6		
4.0	SymbolsAbbreviated terms	7		
_	Pipes at the "M" stage Materials General characteristics Material characteristics Geometric characteristics Machanical characteristics			
5	Pipes at the "M" stage	7		
5.1	Materials	<u>/</u>		
5.2	Material characteristics	<u>/</u>		
5.3	Material characteristics	<u>/</u>		
5.4 5.5	Machanical pharacteristics	/		
5.5 5.6	Mechanical characteristics	/		
5.6 5.7	Physical characteristics	<u>/</u>		
5. <i>1</i> 5.8	Marking	/		
5.0	Physical characteristics Jointing Marking Fittings at the "M" stage Materials General characteristics			
6	Fittings at the "M" stage	8		
6.1	Materials	8		
6.2	General characteristics	8		
0.3	Material characteristics Geometric characteristics Mechanical characteristics Physical characteristics Jointing	8		
6.4	Geometric characteristics	8		
6.5	Mechanical characteristics	8		
6.6	Physical characteristics	9		
6.7	Jointing	9		
6.8	warking	٠. ٤		
7	Ancillary components	9		
8	Fitness for nurnose of the installed lining system at the "I" stage	c		
8.1	Fitness for purpose of the installed lining system at the "I" stage			
8.2	General characteristics	10		
8.3	Material characteristics			
8.4	Geometric characteristics			
8.5	Mechanical characteristics			
8.6	Physical characteristics			
8.7	Additional characteristics			
8.8	Sampling			
9 Installation practice				
9 9.1	Preparatory work			
9.1	Storage, handling and transport of pipes and fittings			
9.3	Equipment			
J.J	Equipment			

ISO 11298-1:2010(E)

9.4	Installation	12
9.5	Process-related inspection and testing	13
9.6	Lining termination	13
9.7	Reconnection to the existing pipeline system	13
9.8	Final inspection and testing	13
9.9	Documentation	
Biblio	ography	14

This document is a preview denerated by EUS

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of technical committees is to prepare International Standards. Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights.

ISO 11298-1 was prepared by Technica Committee ISO/TC 138, Plastics pipes, fittings and valves for the transport of fluids.

ISO 11298 consists of the following parts, under the general title *Plastics piping systems for renovation of underground water supply networks*:

- Part 1: General
- Part 3: Lining with close-fit pipes

Lining with continuous pipes is to form the subject of a car 2; lining with cured-in-place pipes is to form the subject of a part 4; lining with adhesive-backed hoses is to form the subject of a part 6.

© ISO 2010 – All rights reserved

Introduction

This part of ISO 11298 is a part of a System Standard for plastics piping systems of various materials used for the renovation of existing pipelines in a specified application area. System Standards for renovation deal with the following applications:

- Plastics piping systems for renovation of underground non-pressure drainage and sewerage networks;
- Plastics piping systems or renovation of underground water supply networks;
- Plastics piping systems for renovation of underground gas supply networks;
- Plastics piping systems for renoration of underground drainage and sewerage networks under pressure.

These System Standards are distinguished from those for conventionally installed plastics piping systems by the requirement to verify certain characteristics in the as-installed condition, after site processing. This is in addition to specifying requirements for plastics piping system components as manufactured.

This System Standard comprises a:

— Part 1: General


and all applicable renovation technique family-related parts from the following:

- Part 2: Lining with continuous pipes
- Part 3: Lining with close-fit pipes
- Part 4: Lining with cured-in-place pipes
- Part 6: Lining with adhesive-backed hoses

The requirements for any given renovation technique family are given in paid 1, applied in conjunction with the relevant other part. For example, this part of ISO 11298 and ISO 11298-3 together specify the requirements relating to lining with close-fit pipes. For complementary information, see ISO 1295. Not all technique families are pertinent to every area of application and this is reflected in the part numbers included in each System Standard.

A consistent structure of clause headings has been adopted for all parts of ISO 11298, in order to facilitate direct comparisons across renovation technique families.

Figure 1 shows the common part and clause structure and the relationship between 150 11298 and the System Standards for other application areas.



νii © ISO 2010 - All rights reserved

Inis document is a preview denetated by EUS

Plastics piping systems for renovation of underground water supply networks —

Part 1:

General

1 Scope

This part of ISO 11298 specifies the requirements and test methods for plastics piping systems intended to be used for the renovation of undeground water supply networks, which transport water intended for human consumption, including raw water hatke pipelines. It is applicable to pipes and fittings, as manufactured, as well as to the installed lining system at is not applicable to cover sprayed coatings, the existing pipeline or any annular filler.

This part of ISO 11298 gives the general requirements common to all relevant renovation techniques.

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undeted references, the latest edition of the referenced document (including any amendments) applies.

EN 681-1, Elastomeric seals — Material requirements pipe joint seals used in water and drainage applications — Part 1: Vulcanized rubber

3 Terms and definitions

For the purposes of this document, the following terms and definitions apply

3.1 General

3.1.1

pipeline system

interconnecting pipe network for the conveyance of fluids

3.1.2

rehabilitation

all measures for restoring or upgrading the performance of an existing pipeline system

3.1.3

renovation

work incorporating all or part of the original fabric of the pipeline, by means of which its current performance is improved