
**Industrial automation systems and
integration — Product data
representation and exchange —**

**Part 52:
Integrated generic resource: Mesh-based
topology**

*Systèmes d'automatisation industrielle et intégration — Représentation
et échange de données de produits —*

*Partie 52: Ressources génériques intégrées: Topologie fondée sur la
maille*



PDF disclaimer

This PDF file may contain embedded typefaces. In accordance with Adobe's licensing policy, this file may be printed or viewed but shall not be edited unless the typefaces which are embedded are licensed to and installed on the computer performing the editing. In downloading this file, parties accept therein the responsibility of not infringing Adobe's licensing policy. The ISO Central Secretariat accepts no liability in this area.

Adobe is a trademark of Adobe Systems Incorporated.

Details of the software products used to create this PDF file can be found in the General Info relative to the file; the PDF-creation parameters were optimized for printing. Every care has been taken to ensure that the file is suitable for use by ISO member bodies. In the unlikely event that a problem relating to it is found, please inform the Central Secretariat at the address given below.

This document is a preview generated by EVS



COPYRIGHT PROTECTED DOCUMENT

© ISO 2011

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Case postale 56 • CH-1211 Geneva 20
Tel. + 41 22 749 01 11
Fax + 41 22 749 09 47
E-mail copyright@iso.org
Web www.iso.org

Published in Switzerland

Contents

Page

Foreword	vii
Introduction	viii
1 Scope	1
2 Normative references	1
3 Terms, definitions and abbreviated terms	2
3.1 Terms defined in ISO 10303-1	2
3.2 Terms defined in ISO 10303-110	2
3.3 Other terms and definitions	3
3.4 Abbreviated terms	3
4 Mesh topology	4
4.1 Fundamental concepts and assumptions	4
4.1.1 Structured mesh	4
4.1.2 Unstructured mesh	6
4.2 mesh_topology_schema type definitions	6
4.2.1 cell_shape	6
4.2.2 cell_shape_0D	6
4.2.3 cell_shape_1D	7
4.2.4 cell_shape_2D	7
4.2.5 cell_shape_3D	8
4.2.6 indices_group	8
4.2.7 mesh_location	9
4.2.8 mesh_mathspace_type	10
4.2.9 structured_mesh_type	10
4.3 mesh_topology_schema entity definitions	13
4.3.1 array_based_unstructured_mesh	13
4.3.2 array_based_unstructured_mesh_and_vertices	14
4.3.3 cell	15
4.3.4 cell_with_explicit_boundary	15
4.3.5 cell_of_structured_mesh	16
4.3.6 explicit_unstructured_mesh	16
4.3.7 extraction_of_structured_submesh	17
4.3.8 extraction_of_submesh	18
4.3.9 extraction_of_submesh_by_cells	18
4.3.10 extraction_of_submesh_by_vertices	19
4.3.11 indices_list	19
4.3.12 indices_range	20
4.3.13 mesh	20
4.3.14 mesh_derived_mathspace	21
4.3.15 product_of_mesh	22

4.3.16	rind	23
4.3.17	structured_mesh	23
4.3.18	structured_mesh_with_rind	25
4.3.19	submesh	26
4.3.20	unstructured_mesh	26
4.3.21	vertex_defined_cell	34
4.4	mesh_topology_schema function definitions	35
4.4.1	all_mesh_vertices	35
4.4.2	cell_counts	36
4.4.3	shorten_array	38
4.4.4	this_schema	39
5	Mesh connectivity	39
5.1	General	40
5.2	Fundamental concepts and assumptions	40
5.3	mesh_connectivity_schema type definitions	42
5.3.1	mismatched_region_type	42
5.4	mesh_connectivity_schema entity definitions	42
5.4.1	matched_mesh_connection	42
5.4.2	mesh_connectivity	44
5.4.3	mesh_overset_hole	45
5.4.4	mismatched_donor_mesh	45
5.4.5	mismatched_mesh_connection	46
5.4.6	mismatched_mesh_region	47
5.4.7	multiple_mesh_block	47
5.4.8	structured_donor_mesh	48
5.4.9	unstructured_donor_mesh	49
6	Mesh function	50
6.1	General	50
6.2	Fundamental concepts and assumptions	50
6.3	mesh_function_schema entity definitions	50
6.3.1	mesh_function	50
6.3.2	mesh_function_basis	53
6.4	mesh_function_schema subtype constraint definitions	55
6.4.1	sc1_application_defined_function	55
6.4.2	sc1_unary_generic_expression	55
Annex A (normative)	Short names of entities	56
Annex B (normative)	Information object registration	58
B.1	Document identification	58
B.2	Schema identification	58
Annex C (informative)	Computer-interpretable listings	59
Annex D (informative)	EXPRESS-G diagrams	60

Annex E (informative)	Additional information	73
Bibliography		74
Index		75

Figures

Figure 1	Schema relationships	ix
Figure 2	Example convention for a 2-D cell centre	5
Figure 3	Example mesh with rind vertices	5
Figure 4	A 1-D rectangular_mesh or pentahedral_mesh or pyramidal_mesh or tetrahedral_mesh (with $i = 5$)	11
Figure 5	A 2-D rectangular_mesh (with $i = 5, j = 4$)	11
Figure 6	A 3-D rectangular_mesh (with $i = 5, j = 4, k = 3$)	11
Figure 7	A 2-D pentahedral_mesh or pyramidal_mesh or tetrahedral_mesh (with $i = 5, j = 4$)	12
Figure 8	A 3-D pentahedral_mesh (with $i = 5, j = 4, k = 3$)	12
Figure 9	A 3-D pyramidal_mesh (with $i = 5, j = 4, k = 3$)	13
Figure 10	A 3-D tetrahedral_mesh (with $i = 5, j = 4, k = 3$)	13
Figure 11	Parametric coordinate system for a 1-D structured mesh	24
Figure 12	Parametric coordinate system for a 2-D structured mesh	24
Figure 13	Parametric coordinate system for a 3-D structured mesh	24
Figure 14	Linear, quadratic and cubic line cells	27
Figure 15	Linear, quadratic and cubic triangle cells	28
Figure 16	Linear, quadratic and cubic quadrilateral cells	29
Figure 17	Linear, quadratic and cubic hexahedron cells	30
Figure 18	Linear, quadratic and cubic wedge cells	31
Figure 19	Linear, quadratic and cubic tetrahedron cells	32
Figure 20	Linear, quadratic and cubic pyramid cells	33
Figure 21	A 1-to-1 abutting interface	40
Figure 22	A mismatched abutting interface	41
Figure 23	An overset interface	41
Figure D.1	Entity level diagram of mesh_topology_schema schema (page 1 of 10)	60
Figure D.2	Entity level diagram of mesh_topology_schema schema (page 2 of 10)	61
Figure D.3	Entity level diagram of mesh_topology_schema schema (page 3 of 10)	62
Figure D.4	Entity level diagram of mesh_topology_schema schema (page 4 of 10)	63
Figure D.5	Entity level diagram of mesh_topology_schema schema (page 5 of 10)	64
Figure D.6	Entity level diagram of mesh_topology_schema schema (page 6 of 10)	65
Figure D.7	Entity level diagram of mesh_topology_schema schema (page 7 of 10)	65
Figure D.8	Entity level diagram of mesh_topology_schema schema (page 8 of 10)	66
Figure D.9	Entity level diagram of mesh_topology_schema schema (page 9 of 10)	67
Figure D.10	Entity level diagram of mesh_topology_schema schema (page 10 of 10)	68
Figure D.11	Entity level diagram of mesh_connectivity_schema schema (page 1 of 3)	69
Figure D.12	Entity level diagram of mesh_connectivity_schema schema (page 2 of 3)	70
Figure D.13	Entity level diagram of mesh_connectivity_schema schema (page 3 of 3)	71
Figure D.14	Entity level diagram of mesh_function_schema schema (page 1 of 1)	72

Tables

Table 1	Number of vertices in a structured_mesh	25
Table 2	Edges of triangle, quadrilateral and polygon cells	27
Table 3	Edges of hexahedron, wedge, tetrahedron and pyramid cells	27
Table 4	Faces of hexahedron, wedge, tetrahedron and pyramid cells	32
Table 5	Domain of the control values table for a mesh_function	52
Table A.1	Short names of entities	57
Table E.1	Elements of mesh_topology_schema used by other schemas	73

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of technical committees is to prepare International Standards. Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75% of the member bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this part of ISO 10303 may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights.

International Standard ISO 10303-52 was prepared by Technical Committee ISO TC184/SC4. *Automation systems and integration*, Subcommittee SC4 *Industrial data*.

ISO 10303 is organised as a series of parts, each published separately. The structure of ISO 10303 is described in ISO 10303-1.

Each part of ISO 10303 is a member of one of the following series: description methods, implementation methods, conformance testing methodology and framework, integrated generic resources, integrated application resources, application protocols, abstract test suites, application interpreted constructs, and application modules. This part is a member of the integrated generic resource series.

The integrated generic resources and the integrated application resources specify a single conceptual product data model.

A complete list of parts of ISO 10303 is available from Internet:

[<http://www.tc184-sc4.org/titles/STEP_titles.rtf>](http://www.tc184-sc4.org/titles/STEP_titles.rtf)

Should further parts of ISO 10303 be published, they will follow the same numbering pattern.

Introduction

ISO 10303 is an International Standard for the computer-interpretable representation and exchange of product data. The objective is to provide a neutral mechanism capable of describing products throughout their life cycle. This mechanism is suitable not only for neutral file exchange, but also as a basis for implementing and sharing product databases and as a basis for archiving.

This part of ISO 10303 is a member of the integrated resources series. Major subdivisions of this part of ISO 10303 are:

- **mesh_topology_schema**;
- **mesh_connectivity_schema**.
- **mesh_function_schema**.

The relationships of the schemas in this part of ISO 10303 to other schemas that define the integrated resources of this International Standard are illustrated in Figure 1 using the EXPRESS-G notation. EXPRESS-G is defined in ISO 10303-11. The schemas identified in the bold boxes are specified in this part of ISO 10303. The **support_resource_schema** is specified in ISO 10303-41. The **topology_schema** is specified in ISO 10303-42. The **mathematical_constructs_schema** and the **mathematical_functions_schema** are specified in ISO 10303-50. The **mathematical_description_of_distribution_schema** is specified in ISO 10303-51. The **structural_response_representation_schema** is specified in ISO 10303-104. The **ISO13584_generic_expressions_schema** is specified in ISO 13584-20. Except for **ISO13584_generic_expressions_schema**, the schemas illustrated in Figure 1 are components of the integrated resources.

There are many applications that have to deal with massive amounts of data, which is normally numerical in nature. The quantity of data may be measured in gigabytes and in some cases terabytes. Examples include computational fluid dynamics, dynamic simulation of vehicle behaviour, and experimental data of many kinds ranging from high energy physics to global weather measurements.

A major concern in dealing with such data is to optimise the data representation and structure with respect to data transmission and storage. As part of the optimisation, the data tends to be maintained in large arrays where any particular data element can be referenced by a simple index into the array. When the data is part of a computer simulation the data is usually associated with a mesh of some kind — either structured or unstructured. The data can be bound to the vertices of the mesh or to the cells of the mesh. In any case, it is also possible to represent the simpler kinds of meshes by an indexing scheme. Within this part illustrative examples have been principally taken from the field of computational fluid dynamics.

This part of ISO 10303 provides general, application independent, means of representing indexible data and meshes.




Figure 1 – Schema relationships

This document is a preview generated by EVS

Industrial automation systems and integration — Product data representation and exchange —

Part 52:

Integrated generic resource: Mesh-based topology

1 Scope

This part of ISO 10303 provides general and application-independent means of representing structured and unstructured meshes, and mathematical functions and numeric data defined over such meshes. The schemas in this document are specified in the EXPRESS language; EXPRESS is defined in ISO 10303-11.

The following are within the scope of this part of ISO 10303:

- mesh-based topologies;
- cell connectivity and multiblock mesh interfaces;
- mathematical functions defined over meshes;
- the association of numeric data with the cells, faces, edges, and vertices of a mesh.

The following are outside the scope of this part of ISO 10303:

- applications of mesh topologies;
- applications of mesh interfaces;
- the semantics of data associated with a mesh.

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For updated references, the latest edition of the referenced document (including any amendments) applies.

ISO 10303-1, *Industrial automation systems and integration — Product data representation and exchange — Part 1: Overview and fundamental principles*.

ISO 10303-11, *Industrial automation systems and integration — Product data representation and exchange — Part 11: Description method: The EXPRESS language reference manual*.

ISO 10303-52:2011(E)

ISO 10303-41, *Industrial automation systems and integration — Product data representation and exchange — Part 41: Integrated generic resource: Fundamentals of product description and support.*

ISO 10303-42, *Industrial automation systems and integration — Product data representation and exchange — Part 42: Integrated generic resource: Geometric and topological representation.*

ISO 10303-50, *Industrial automation systems and integration — Product data representation and exchange — Part 50: Integrated generic resource: Mathematical constructs.*

ISO 10303-51, *Industrial automation systems and integration — Product data representation and exchange — Part 51: Integrated generic resource: Mathematical description.*

ISO 10303-104, *Industrial automation systems and integration — Product data representation and exchange — Part 104: Integrated application resource: Finite element analysis.*

ISO 10303-110, *Industrial automation systems and integration — Product data representation and exchange — Part 110: Integrated application resource: Mesh-based computational fluid dynamics.*

ISO 13584-20, *Industrial automation systems and integration — Parts library — Part 20: Logical resource: Logical model of expressions.*

3 Terms, definitions and abbreviated terms

3.1 Terms defined in ISO 10303-1

For the purposes of this document, the following terms defined in ISO 10303-1 apply.

- application protocol (AP)
- integrated resource
- product

3.2 Terms defined in ISO 10303-110

For the purposes of this document, the following term defined in ISO 10303-110 applies.

- rind