INTERNATIONAL STANDARD

ISO 14122-4

> Second edition 2016-06-01

Safety of machinery — Permanent means of access to machinery —

Part 4: Fixed ladders

inch.

ihelles fixes Sécurité des machines — Moyens d'accès permanents aux machines —

Partie 4: Échelles fixes





© ISO 2016, Published in Switzerland

nroduced or utilized 'te internet or an or ISO's mem' All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office Ch. de Blandonnet 8 • CP 401 CH-1214 Vernier, Geneva, Switzerland Tel. +41 22 749 01 11 Fax +41 22 749 09 47 copyright@iso.org www.iso.org

Co	ntent	S	Page		
For	eword		v		
Intr	oductio	n	vi		
1		e			
2	Normative references				
3	Terms and definitions				
4		ction and design of ladder systems			
	4.1	General			
		4.1.1 Design and construction			
		4.1.2 Choice depending on available space	6		
	4.2	Choice of a type fall protection device			
	1.2	4.2.1 Necessity of a fall protection device			
		4.2.2 Types of fall protection devices			
		4.2.3 Guidance for a risk assessment			
	4.3	Height of ladder flights and fall protection device			
		4.3.1 Limits of space	8		
		4.3.2 Ladder systems >3 000 mm and ≤10 000 mm total height, <i>H</i>	8		
	4.4	4.3.3 Ladder systems > 10 000 mm total height, <i>H</i>	9 0		
	4.4	4.4.1 Installation of platforms at arrival and departure areas	9 Q		
		4.4.2 Arrangement of platforms and landings for ladders with a total height, <i>H</i>			
		>10 000 mm	9		
5	Specific requirements of ladder systems				
	5.1	General requirements	10		
		5.1.1 Permanent action (dead load)	10		
		5.1.2 Variable action (rated load)			
		5.1.3 Additional loading			
	F 2	5.1.4 Design	14		
	5.2	Ladder with two stiles 5.2.1 Strength			
		5.2.2 Rungs	14 1.4		
		5.2.3 Connection of ladder and guard-rail	17		
	5.3	Ladder with one stile			
		5.3.1 Strength			
		5.3.2 Rungs			
	5.4	Departure and arrival areas			
		5.4.1 General requirements			
		5.4.2 Departure area (entrance)			
		5.4.4 Access opening			
		5.4.5 Trap doors			
	5.5	Fall protection device			
		5.5.1 Safety cage			
		5.5.2 Fall arrester			
	5.6	Platforms and landings			
		5.6.1 Access platforms			
		5.6.2 Intermediate and rest platforms 5.6.3 Intermediate landings			
		5.6.3 Intermediate landings 5.6.4 Moveable rest landings			
	5.7	Requirements on moveable parts of fixed ladders 3			
6		ication of safety requirements			
J	6.1	General			

ISO 14122-4:2016(E)

		General requirements	
		Perification of stability by calculation	
		Verification of stability by testing	
	6.2 Tests of fi	xed ladders with two stiles	31
		strength and bending of a ladder element	
		lest for safety cagedders with one stile	
		Cest of ladder elements	
		tensions of guard-rails	
7		use for fixed ladders	
/		on handbook	
		General	
		adder systems with fall arrester	
	7.2 Marking of	of ladder systems with fall arrester	37
Annex	A (normative) Re	equirements for the design of anti-climb devices	38
		Summary of main dimensions of a fixed ladder equipped with a	
	safety cage	T PP	42
Annex		Significant technical changes between this part of ISO 14122 and the	44
Diblio		0)	
DIUIIU	grapny		47
		O .	
		\mathbb{Q}	
		L.	
		4	
		, O	
		0,	
		` /	
			<i>(</i> 0)
			O'
iv		© ISO 2016 All rights r	ecorned

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation on the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the WTO principles in the Technical Barriers to Trade (TBT) see the following URL: Foreword - Supplementary information

The committee responsible for this document is ISO/TC 199, *Safety of machinery*.

This second edition cancels and replaces the first edition (ISO 14122-4:2004), which has been technically revised. It also incorporates the Amendment ISO 14122-4:2004/Amd 1:2010.

ISO 14122 consists of the following parts, under the general title *Safety of machinery — Permanent means of access to machinery*:

- Part 1: Choice of fixed means and general requirements of access
- Part 2: Working platforms and walkways
- Part 3: Stairs, stepladders and guard-rails
- Part 4: Fixed ladders

An additional part, dealing with mobile machinery, is under preparation.

2

Introduction

This International Standard is a type-B standard as stated in ISO 12100.

This International Standard is of relevance, in particular, for the following stakeholder groups representing the market players with regard to machinery safety:

- machine manufacturers (small, medium, and large enterprises);
- health and safety bodies (regulators, accident prevention organizations, market surveillance, etc.);

Others can be affected by the level of machinery safety achieved with the means of the International Standard by the above-mentioned stakeholder groups:

- machine users/employers (small, medium, and large enterprises);
- machine users/employees (e.g. trade unions, organizations for peoples with special needs);
- service providers, e.g. for maintenance (small, medium, and large enterprises);
- consumers (in case of machinery intended for use by consumers).

The above mentioned stakeholder groups have been given the possibility to participate at the drafting process of this International Standard.

In addition, this International Standard is intended for standardization bodies elaborating type-C standards.

The requirements of this International Standard can be supplemented or modified by a type-C standard.

For machines which are covered by the scope of a type-C standard and which have been designed and built according to the requirements of that standard, the requirements of that type-C standard take precedence.

The purpose of this International Standard is to define the general requirements for safe access to machines. ISO 14122-1 gives guidance about the correct choice of access means when the necessary access to the machine is not possible directly from the ground level or from a floor or platform.

The dimensions specified are consistent with established ergonomic data given in ISO 15534-3.

Safety of machinery — Permanent means of access to machinery —

Part 4:

Fixed ladders

1 Scope

This part of ISO 14122 gives requirements for fixed ladders which are a part of a stationary machine, and to the non-powered adjustable parts (e.g. foldable, slidable) and movable parts of fixed ladder systems.

NOTE 1 "Fixed" means of access are those mounted in such a manner (for example, by screws, nuts, welding) that they can only be removed by the use of tools.

This part of ISO 14122 specifies minimum requirements that also apply when the same means of access is required as the part of the building or civil construction (e.g. fixed ladders) where the machine is installed, on condition that the main function of that part of the construction is to provide a means of access to the machine.

NOTE 2 Where no local regulation or standards exists, this part of ISO 14122 may be used also for means of access which are outside the scope of the standard.

It is intended that this part of ISO 14122 be used with ISO 14122-1 to give the requirements for fixed ladder systems.

The ISO 14122 series as a whole is applicable to both stationary and mobile machinery where fixed means of access are necessary. It is not applicable to powered means of access such as lifts, escalators, or other devices specially designed to lift persons between two levels.

This part of ISO 14122 is not applicable to machinery manufactured before the date of its publication.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 12100, Safety of machinery — General principles for design — Risk assessment and risk reduction

ISO 14122-1:2016, Safety of machinery — Permanent means of access to machinery — Part 1: Choice of fixed means and general requirements of access

ISO 14122-2:2016, Safety of machinery — Permanent means of access to machinery — Part 2: Working platforms and walkways

ISO 14122-3:2016, Safety of machinery — Permanent means of access to machinery — Part 3: Stairs, stepladders and guard-rails

EN 353-1:2014, Personal protective equipment against falls from a height — Part 1: Guided type fall arresters including a rigid anchor line

EN 795, Personal fall protection equipment — Anchor devices