



Edition 1.0 2016-05

# INTERNATIONAL STANDARD

# NORME INTERNATIONALE



EMC IC modelling – Part 4: Models of integrated circuits for RF immunity behavioural simulation – Conducted immunity modelling (ICIM-CI)

Modèles de circuits intégrés pour la CEM -

Partie 4: Modèles de circuits intégrés pour la simulation du comportement d'immunité aux radiofréquences – Modélisation de l'immunité conduite (ICIM-CI)





# THIS PUBLICATION IS COPYRIGHT PROTECTED Copyright © 2016 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de l'IEC ou du Comité national de l'IEC du pays du demandeur. Si vous avez des questions sur le copyright de l'IEC ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de l'IEC de votre pays de résidence.

IEC Central Office 3, rue de Varembé CH-1211 Geneva 20 Switzerland Tel.: +41 22 919 02 11 Fax: +41 22 919 03 00 info@iec.ch www.iec.ch

#### About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

#### About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

#### IEC Catalogue - webstore.iec.ch/catalogue

The stand-alone application for consulting the entire bibliographical information on IEC International Standards, Technical Specifications, Technical Reports and other documents. Available for PC, Mac OS, Android Tablets and iPad.

#### IEC publications search - www.iec.ch/searchpub

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, replaced and withdrawn publications.

#### IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and also once a month by email.

#### Electropedia - www.electropedia.org

The world's leading online dictionary of electronic and electrical terms containing 20 000 terms and definitions in English and French, with equivalent terms in 15 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

#### IEC Glossary - std.iec.ch/glossary

65 000 electrotechnical terminology entries in English and French extracted from the Terms and Definitions clause of IEC publications issued since 2002. Some entries have been collected from earlier publications of IEC TC 37, 77, 86 and CISPR.

#### IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: csc@iec.ch.

#### A propos de l'IEC

La Commission Electrotechnique Internationale (IEC) est la première organisation mondiale qui élabore et publie des Normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

#### A propos des publications IEC

Le contenu technique des publications IEC est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

#### Catalogue IEC - webstore.iec.ch/catalogue

Application autonome pour consulter tous les renseignements bibliographiques sur les Normes internationales, Spécifications techniques, Rapports techniques et autres documents de l'IEC. Disponible pour PC, Mac OS, tablettes Android et iPad.

#### Recherche de publications IEC - www.iec.ch/searchpub

La recherche avancée permet de trouver des publications IEC en utilisant différents critères (numéro de référence, texte, comité d'études,...). Elle donne aussi des informations sur les projets et les publications remplacées ou retirées.

#### IEC Just Published - webstore.iec.ch/justpublished

Restez informé sur les nouvelles publications IEC. Just Published détaille les nouvelles publications parues. Disponible en ligne et aussi une fois par mois par email.

#### Electropedia - www.electropedia.org

Le premier dictionnaire en ligne de termes électroniques et électriques. Il contient 20 000 termes et définitions en anglais et en français, ainsi que les termes équivalents dans 15 langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International (IEV) en ligne.

#### Glossaire IEC - std.iec.ch/glossary

65 000 entrées terminologiques électrotechniques, en anglais et en français, extraites des articles Termes et Définitions des publications IEC parues depuis 2002. Plus certaines entrées antérieures extraites des publications des CE 37, 77, 86 et CISPR de l'IEC.

#### Service Clients - webstore.iec.ch/csc

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions contactez-nous: csc@iec.ch.







# INTERNATIONAL STANDARD

# NORME INTERNATIONALE



# EMC IC modelling –

Part 4: Models of integrated circuits for RF immunity behavioural simulation – Conducted immunity modelling (ICIM-CI)

Modèles de circuits intégrés pour la CEM -

Partie 4: Modèles de circuits intégrés pour la simulation du comportement d'immunité aux radiofréquences – Modélisation de l'immunité conduite (ICIM-CI)

INTERNATIONAL ELECTROTECHNICAL COMMISSION

COMMISSION ELECTROTECHNIQUE INTERNATIONALE

ICS 31.200

ISBN 978-2-8322-3417-4

Warning! Make sure that you obtained this publication from an authorized distributor. Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.

 Registered trademark of the International Electrotechnical Commission Marque déposée de la Commission Electrotechnique Internationale

# CONTENTS

Г			7			
	FOREWORD					
1	Scop	•	9			
2	Norm	hative references	9			
3	Term	s, definitions, abbreviations and conventions	10			
	3.1	Terms and definitions	10			
	3.2	Abbreviations	11			
	3.3	Conventions	11			
4	Philo	sophy	12			
5	ICIM	-CI model description	12			
	5.1	General	12			
	5.2	PDN description	14			
	5.3	IBC description	15			
	5.4	IB description	16			
6	CIML	format	17			
	6.1	General	17			
	6.2	CIML structure	18			
	6.3	Global keywords	19			
	6.4	Header section	19			
	6.5	Lead definitions	20			
	6.6	SPICE macro-models	21			
	6.7	Validity section	23			
	6.7.1	General	23			
	6.7.2	Attribute definitions	23			
	6.8	PDN	25			
	6.8.1	General	25			
	6.8.2	Attribute definitions	26			
	6.8.3	PDN for a single-ended input or output	29			
	6.8.4	PDN for a differential input	36			
	6.8.5	PDN multi-port description	39			
	6.9	IBC	40			
	6.9.1	General	40			
	6.9.2	Attribute definitions	41			
	6.10	IB	42			
	6.10.	1 General	42			
	6.10.	2 Attribute definitions	43			
	6.10.	3 Description	48			
7	Extra	action	50			
	7.1	General	50			
	7.2	Environmental extraction constraints	50			
	7.3	PDN extraction	51			
	7.3.1	General	51			
	7.3.2	S-/Z-/Y-parameter measurement	51			
	7.3.3	RFIP technique	51			
	7.4	IB extraction	52			
	7.4.1	General	52			
	7.4.2	Direct RF power injection test method	52			

7.4.3	RF Injection probe test method	54
7.4.4	IB data table	55
7.5 IBC		56
8 Validation	n of ICIM-CI hypotheses	56
8.1 Ger	neral	56
8.2 Line	earity	57
8.3 Imm	nunity criteria versus transmitted power	58
9 Model us	age	59
Annex A (norr	native) Preliminary definitions for XML representation	61
A.1 XM	L basics	61
A.1.1	XML declaration	61
A.1.2	Basic elements	61
A.1.3	Root element	61
A.1.4	Comments	62
A.1.5	Line terminations	62
A.1.6	Element hierarchy	62
A.1.7	Element attributes	62
A.2 Key	word requirements	62
A.2.1	General	62
A.2.2	Keyword characters	63
A.2.3	Keyword syntax	63
A.2.4	File structure	63
A.2.5	Values	65
Annex B (info	rmative) ICIM-CI example with disturbance load	68
Annex C (info	rmative) Conversions between parameter types	69
C.1 Ger	neral	69
C.2 Sing	gle-ended input or output	69
C.3 Diff	erential input or output	70
Annex D (info	rmative) Example of ICIM-CI macro-model in CIML format	74
Annex E (norr	native) CIML Valid keywords and usage	79
E.1 Roc	ot element keywords	79
E.2 File	header keywords	79
E.3 Vali	idity section keywords	81
E.4 Glo	bal keywords	81
E.5 <i>Lea</i>	d keyword	82
E.6 Lea	d_definitions section attributes	82
E.7 <i>Ma</i> d	cromodels section attributes	83
E.8 Pdr	e section keywords	84
E.8.1	Lead element keywords	84
E.8.2	Netlist section keywords	86
E.9 <i>lbc</i>	section keywords	87
E.9.1	Lead element keywords	87
E.9.2	Netlist section keywords	89
E.10 <i>lb</i> s	ection keywords	89
E.10.1	Lead element keywords	89
E.10.2	Max_power_level section keywords	91
E.10.3	Voltage section keywords	91
E.10.4	Current section keywords	93

E.10.5 <i>Power</i> section keywords	94				
E.10.6 Test_criteria section keywords	95				
Annex F (informative) PDN impedance measurement methods using vector network					
F1 General	97				
F.2 Conventional one-port method	97				
F.3 Two-port method for low impedance measurement.	97				
F.4 Two-port method for high impedance measurement	98				
Annex G (informative) RFIP measurement method description	99				
G.1 General	99				
G.2 Obtaining immunity parameters	99				
Annex H (informative) Immunity simulation with ICIM model based on pass/fail test	101				
H.1 ICIM-CI macro-model of a voltage regulator IC	101				
H.1.1 General	101				
H.1.2 PDN extraction	101				
H.1.3 IB extraction	101				
H.1.4 SPICE-compatible macro-model	102				
H.2 Application level simulation and failure prediction	102				
Annex I (informative) Immunity simulation with ICIM model based on non pass/fail test	104				
Bibliography	106				
Figure 1 – Example of ICIM-CI model structure	13				
Figure 2 – Example of an ICIM-CI model of an electronic board	14				
Figure 3 – Example of an IBC network	16				
Figure 4 – ICIM-CI model representation with different blocks	16				
Figure 5 – CIML inheritance hierarchy	18				
Figure 6 – Example of a netlist file defining a sub-circuit	22				
Figure 7 – PDN electrical schematics	29				
Figure 8 – PDN represented as a one-port black-box	29				
Figure 9 – PDN represented as S-parameters in Touchstone format	32				
Figure 10 – PDN represented as two-port S-parameters in Touchstone format	33				
Figure 11 – Example structure for defining the PDN using circuit elements	34				
Figure 12 Example of a single ended PDN Notliet main circuit definition					
Figure 12 – Example of a single-ended PDN Netlist main circuit deminion					
circuit definitions	35				
Figure 14 – Differential input schematic	37				
Figure 15 – PDN represented as a two-port black-box	37				
Figure 16 – PDN data format for differential input or output	37				
Figure 17 – Differential inputs of an operational amplifier example	39				
Figure $18 - 10$ Model for a 74HC08 component	40				
Figure 19 - Example IB file obtained from DPI measurement	50				
Figure 20 Test setup of the DDI immunity measurement method, as apositied in					
IEC 62132-4	52				
Figure 21 – Principle of single and multi-pin DPI	53				
Figure 22 – Electrical representation of the DPI test setup	54				
Figure 23 – Test setup of the RFIP measurement method derived from the DPI method …	55				

Figure 24 – Example setup used for illustrating ICIM-CI hypotheses	57
Figure 25 – Example of linearity assumption validation	58
Figure 26 – Example of transmitted power criterion validation	59
Figure 27 – Use of the ICIM-CI macro-model for simulation	59
Figure A.1 – Multiple XML (CIML) files	64
Figure A.2 – XML files with data files (*.dat)	64
Figure A.3 – XML files with additional files	65
Figure B.1 – ICIM-CI description applied to an oscillator stage for extracting IB	68
Figure C.1 – Single-ended DI	69
Figure C.2 – Differential DI	70
Figure C.3 – Two-port representation of a differential DI	70
Figure C.4 – Simulation of common-mode injection on a differential DI based on DPI	72
Figure C.5 – Equivalent common-mode input impedance of a differential DI	72
Figure C.6 – Determination of transmitted power for a differential DI	72
Figure D.1 – Test setup on an example LIN transceiver	74
Figure D.2 – PDN data in touchstone format (s2p), data measured using VNA	76
Figure D.3 – PDN data of leads 6 (LIN) and 7 (VCC)	77
Figure D.4 – IB data in ASCII format (.txt), data measured using DPI method – Injection on VCC pin	77
Figure D.5 – IB data for injection on VCC pin.	78
Figure F.1 – Conventional one-port S-parameter measurement	97
Figure F.2 – Two-port method for low impedance measurement	98
Figure F.3 – Two-port method for high impedance measurement	98
Figure G.1 – Test setup of the RFIP measurement method derived from DPI method	99
Figure G.2 – Principle of the RFIP measurement method.	99
Figure H.1 – Electrical schematic for extracting the voltage regulator's ICIM-CI	101
Figure H.2 – ICIM-CI extraction on the voltage regulator example	102
Figure H.3 – Example of a SPICE-compatible ICIM-CI macro-model of the voltage regulator	102
Figure H.4 – Example of a board level simulation on the voltage regulator's ICIM-CI with PCB model and other components including parasitic elements	103
Figure H.5 – Incident power as a function of frequency that is required to create a defect with a 10 nF filter	103
Figure I.1 – Example of an IB file for a given failure criterion	104
Figure I.2 – Comparison of simulated transmitted power and measured immunity	
behaviour	105
Table 1 – Attributes of Lead keyword in the Lead_definitions section	20
Table 2 – Compatibility between the Mode and Type fields for correct CIML annotation	20
Table 3 – Subckt definition	21
Table 4 – Definition of the Validity section	23
Table 5 – Definition of the <i>Lead</i> keyword for <i>Pdn</i> section	25
Table 6 – Valid data formats and their default units in the <i>Pdn</i> section	28
Table 7 – Valid file extensions in the Pdn section	28
Table 8 – Valid fields of the <i>Lead</i> keyword for single-ended PDN	30

Table 9 – Netlist definition	
Table 10 – Valid fields of the <i>Lead</i> keyword for differential PDN	
Table 11 – Differences between the Pdn and Ibc section fields       41	
Table 12 – Valid fields of the Lead keyword for IBC definition    42	
Table 13 – Definition of the <i>Lead</i> keyword in <i>Ib</i> section	
Table 14 – Max_power_level definition	
Table 15 – <i>Voltage</i> , <i>Current</i> and <i>Power</i> definition	
Table 16 – Test criteria definition   45	
Table 17 – Default values of Unit_voltage, Unit_current and Unit_power tags as a function of data format	
Table 18 – Valid file extensions in the <i>lb</i> section	
Table 19 – Example of IB table pass/fail criteria       56	
Table A.1 – Valid logarithmic units   66	
Table C.1 – Single-ended parameter conversion	
Table C.2 – Differential parameter conversion 71	
Table C.3 – Power calculation 73	
Table E.1 – Root element keywords	
Table E 2 – Header section keywords     80	
Table E.3 – Validity section keywords	
Table E 4 – Global keywords 82	
Table E.5 – <i>Lead</i> element definition	
Table E.6 – Lead definitions section keywords	
Table E.7 – <i>Macromodels</i> section keywords	
Table E.8 – Lead element keywords in the Pdn section.   84	
Table E.9 – Netlist section keywords	
Table E.10 – <i>Lead</i> element keywords in the <i>lbc</i> section	
Table E.11 – Lead element keywords in the <i>lb</i> section	
Table E.12 – Max power level section keywords	
Table E.13 – Voltage section keywords	
Table E 14 – <i>Current</i> section keywords	
Table E 15 – Power section keywords 94	
Table E 16 – Test criteria section keywords	

## INTERNATIONAL ELECTROTECHNICAL COMMISSION

### EMC IC MODELLING –

# Part 4: Models of integrated circuits for RF immunity behavioural simulation – Conducted immunity modelling (ICIM-CI)

### FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 62433-4 has been prepared by subcommittee 47A: Integrated circuits, of IEC technical committee 47: Semiconductor devices.

The text of this standard is based on the following documents:

FDIS	Report on voting
47A/988/FDIS	47A/989/RVD

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC website under "http://webstore.iec.ch" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer. r'is a proview ognation at the optimized of the second sec

## EMC IC MODELLING –

# Part 4: Models of integrated circuits for RF immunity behavioural simulation – Conducted immunity modelling (ICIM-CI)

### 1 Scope

This part of IEC 62433 specifies a flow for deriving a macro-model to allow the simulation of the conducted immunity levels of an integrated circuit (IC). This model is commonly called Integrated Circuit Immunity Model – Conducted Immunity, ICIM-CI. It is intended to be used for predicting the levels of immunity to conducted RF disturbances applied on IC pins.

In order to evaluate the immunity threshold of an electronic device, this macro-model will be inserted in an electrical circuit simulation tool.

This macro-model can be used to model both analogue and digital ICs (input/output, digital core and supply). This macro-model does not take into account the non-linear effects of the IC.

The added value of ICIM-CI is that it could also be used for immunity prediction at board and system level through simulations.

This part of IEC 62433 has two main parts:

- the electrical description of ICIM-CI macro-model elements;
- a universal data exchange format called CIML based on XML. This format allows ICIM-CI to be encoded in a more useable and generic form for immunity simulation.

### 2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 62132-1, Integrated circuits – Measurement of electromagnetic immunity – Part 1: General conditions and definitions

IEC 62132-4, Integrated circuits – Measurement of electromagnetic immunity 150 kHz to 1 GHz – Part 4: Direct RF power injection method

IEC 62433-2, EMC IC modelling – Part 2: Models of integrated circuits for EMI behavioural simulation – Conducted emissions modelling (ICEM-CE)

ISO 8879: 1986, Information processing – Text and office systems – Standard Generalized Markup Language (SGML)

ISO/IEC 646: 1991, Information technology – ISO 7-bit coded character set for information interchange (7-Bit ASCII)

CISPR 17, Methods of measurement of the suppression characteristics of passive EMC filtering devices