
**Plastics — Assessment of the
effectiveness of fungistatic compounds
in plastics formulations**

*Plastiques — Évaluation de l'efficacité des composés fongistatiques
dans les formulations de plastiques*



PDF disclaimer

This PDF file may contain embedded typefaces. In accordance with Adobe's licensing policy, this file may be printed or viewed but shall not be edited unless the typefaces which are embedded are licensed to and installed on the computer performing the editing. In downloading this file, parties accept therein the responsibility of not infringing Adobe's licensing policy. The ISO Central Secretariat accepts no liability in this area.

Adobe is a trademark of Adobe Systems Incorporated.

Details of the software products used to create this PDF file can be found in the General Info relative to the file; the PDF-creation parameters were optimized for printing. Every care has been taken to ensure that the file is suitable for use by ISO member bodies. In the unlikely event that a problem relating to it is found, please inform the Central Secretariat at the address given below.

This document is a preview generated by EVS



COPYRIGHT PROTECTED DOCUMENT

© ISO 2008

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Case postale 56 • CH-1211 Geneva 20
Tel. + 41 22 749 01 11
Fax + 41 22 749 09 47
E-mail copyright@iso.org
Web www.iso.org

Published in Switzerland

Contents

Page

Foreword.....	iv
Introduction	v
1 Scope	1
2 Normative references	1
3 Terms and definitions.....	2
4 Principle.....	2
5 Apparatus and materials.....	2
5.1 Apparatus	2
5.2 Culture media and reagents	3
5.3 Organisms and cultivation.....	5
6 Test specimens	5
6.1 Shape and dimensions.....	5
6.2 Number of specimens	5
7 Preparation of specimens.....	5
7.1 Cleaning.....	5
7.2 Labelling and storage.....	5
8 Procedure	6
8.1 Test temperature.....	6
8.2 Filling the Petri dishes.....	6
8.3 Arrangement of test specimens	6
8.4 Inoculation of the test specimens.....	6
8.4.1 Preparation of the spore suspension	6
8.4.2 Inoculation of the nutrient-salt overlay agar.....	6
8.4.3 Overlay of specimen.....	6
8.4.4 Incubation.....	7
8.4.5 Viability control.....	7
9 Assessment of fungal growth	7
10 Expression of results	7
11 Precision and bias	8
12 Test report	8
Bibliography	9

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of technical committees is to prepare International Standards. Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights.

ISO 16869 was prepared by Technical Committee ISO/TC 61, *Plastics*, Subcommittee SC 6, *Ageing, chemical and environmental resistance*.

This second edition cancels and replaces the first edition (ISO 16869:2001), of which it constitutes a minor technical revision. The main changes are an increase in the maximum diameter of the test specimen to 4 cm (see 6.1) and the introduction of centrifuging operations in the preparation of the spore suspension in 8.4.1.

Introduction

It is a well known phenomenon that plasticizers as well as other ingredients in plastics formulations can be attacked by bacteria, yeasts and fungi, the latter being the most important deteriogens. Microbial attack results in a reduction of the quality of the plastic, causing embrittlement as well as discoloration. This deterioration is of economic importance.

The prevention of fungal attack can be achieved by the incorporation of a fungistatic compound into the formulation. The function of this fungistat is to inhibit the growth of any fungi present on the surface of the plastic product.

The method described in this International Standard determines the effectiveness of fungistatic compounds incorporated into the plastic against the fungi used in the test.

This document is a preview generated by EVS

Plastics — Assessment of the effectiveness of fungistatic compounds in plastics formulations

WARNING — Handling and manipulation of microorganisms that are potentially hazardous requires a high degree of technical competence and may be subject to current national legislation and regulations. Only personnel trained in microbiological techniques should carry out such tests. Codes of practice for disinfection, sterilization and personal hygiene must be strictly observed.

It is recommended that workers consult IEC 60068-2-10:2005, Annex A “Danger to personnel”, and ISO 7218, *Microbiology of food and animal feeding stuffs — General requirements and guidance for microbiological examinations*.

1 Scope

This International Standard specifies a method for determining the effectiveness of fungistatic compounds in protecting susceptible ingredients like plasticizers, stabilizers, etc., in plastics formulations. The method demonstrates whether or not a plastic product is actively protected against fungal attack.

The evaluation is by visual examination.

The test is applicable to any articles made of plastic that are in the form of films or plates no thicker than 10 mm. In addition, porous materials such as plastic foams may be tested provided that they are in the above-mentioned form.

A minimum diffusion of the fungicides that migrate out of the matrix is necessary with this procedure.

In contrast to ISO 846, the test films are not sprayed with a fungal spore suspension but covered with a layer of test agar containing spores. It has been found that this leads to a better distribution of the spores as well as providing a good supply of water necessary for spore germination on plastic surfaces that are normally hydrophobic.

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 291:2008, *Plastics — Standard atmospheres for conditioning and testing*