
**Biological evaluation of medical
devices —**

**Part 16:
Toxicokinetic study design for
degradation products and leachables**

Évaluation biologique des dispositifs médicaux —

*Partie 16: Conception des études toxicocinétiques des produits de
dégradation et des substances relargables*



PDF disclaimer

This PDF file may contain embedded typefaces. In accordance with Adobe's licensing policy, this file may be printed or viewed but shall not be edited unless the typefaces which are embedded are licensed to and installed on the computer performing the editing. In downloading this file, parties accept therein the responsibility of not infringing Adobe's licensing policy. The ISO Central Secretariat accepts no liability in this area.

Adobe is a trademark of Adobe Systems Incorporated.

Details of the software products used to create this PDF file can be found in the General Info relative to the file; the PDF-creation parameters were optimized for printing. Every care has been taken to ensure that the file is suitable for use by ISO member bodies. In the unlikely event that a problem relating to it is found, please inform the Central Secretariat at the address given below.

This document is a preview generated by EVS



COPYRIGHT PROTECTED DOCUMENT

© ISO 2010

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Case postale 56 • CH-1211 Geneva 20
Tel. + 41 22 749 01 11
Fax + 41 22 749 09 47
E-mail copyright@iso.org
Web www.iso.org

Published in Switzerland

Contents

Page

Foreword	iv
Introduction.....	vi
1 Scope.....	1
2 Normative references	1
3 Terms and definitions	1
4 Principles for design of toxicokinetic studies.....	3
5 Guidance on test methods	4
5.1 General considerations.....	4
5.2 Guidance on specific types of test	5
5.2.1 General	5
5.2.2 Absorption.....	5
5.2.3 Distribution	6
5.2.4 Metabolism and excretion	6
Annex A (normative) Circumstances in which toxicokinetic studies shall be considered.....	7
Bibliography.....	8

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of technical committees is to prepare International Standards. Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights.

ISO 10993-16 was prepared by Technical Committee ISO/TC 194, *Biological evaluation of medical devices*.

This second edition cancels and replaces the first edition (ISO 10993-16:1997), which has been technically revised.

ISO 10993 consists of the following parts, under the general title *Biological evaluation of medical devices*:

- *Part 1: Evaluation and testing within a risk management process*
- *Part 2: Animal welfare requirements*
- *Part 3: Tests for genotoxicity, carcinogenicity and reproductive toxicity*
- *Part 4: Selection of tests for interactions with blood*
- *Part 5: Tests for in vitro cytotoxicity*
- *Part 6: Tests for local effects after implantation*
- *Part 7: Ethylene oxide sterilization residuals*
- *Part 9: Framework for identification and quantification of potential degradation products*
- *Part 10: Tests for irritation and skin sensitization*
- *Part 11: Tests for systemic toxicity*
- *Part 12: Sample preparation and reference materials*
- *Part 13: Identification and quantification of degradation products from polymeric medical devices*
- *Part 14: Identification and quantification of degradation products from ceramics*
- *Part 15: Identification and quantification of degradation products from metals and alloys*

- *Part 16: Toxicokinetic study design for degradation products and leachables*
- *Part 17: Establishment of allowable limits for leachable substances*
- *Part 18: Chemical characterization of materials*
- *Part 19: Physico-chemical, morphological and topographical characterization of materials* [Technical Specification]
- *Part 20: Principles and methods for immunotoxicology testing of medical devices* [Technical Specification]

This document is a preview generated by EVS

Introduction

Toxicokinetics describe the absorption, distribution, metabolism and excretion, with time, of foreign compounds in the body. Essential to the evaluation of the safety of a medical device is consideration of the stability of the material(s) *in vivo* and the disposition of intended and unintended leachables and degradation products. Toxicokinetic studies can be of value in assessing the safety of materials used in the development of a medical device or in elucidating the mechanism of observed adverse reactions. Toxicokinetic studies can also be applicable to medical devices containing active ingredients. The need for and extent of such studies should be carefully considered based on the nature and duration of contact of the device with the body (see Annex A). Existing toxicological literature and toxicokinetic data can be sufficient for this consideration.

The potential hazard posed by a medical device can be attributed to the interactions of its components or their metabolites with the biological system. Medical devices can release leachables (e.g. residual catalysts, processing aids, residual monomers, fillers, antioxidants, plasticizers) and/or degradation products which migrate from the material and have the potential to cause adverse effects in the body.

A considerable body of published literature exists on the use of toxicokinetic methods to study the fate of chemicals in the body (see Bibliography). The methodologies and techniques utilized in such studies form the basis of the guidance in this part of ISO 10993. Annex A provides a rationale for the use of this part of ISO 10993.

Biological evaluation of medical devices —

Part 16:

Toxicokinetic study design for degradation products and leachables

1 Scope

This part of ISO 10993 gives principles on how toxicokinetic studies relevant to medical devices should be designed and performed. Annex A describes the considerations for inclusion of toxicokinetic studies in the biological evaluation of medical devices.

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 10993-1, *Biological evaluation of medical devices — Part 1: Evaluation and testing within a risk management process*

ISO 10993-2, *Biological evaluation of medical devices — Part 2: Animal welfare requirements*

ISO 10993-12, *Biological evaluation of medical devices — Part 12: Sample preparation and reference materials*

ISO 10993-17, *Biological evaluation of medical devices — Part 17: Establishment of allowable limits for leachable substances*

ISO 10993-18, *Biological evaluation of medical devices — Part 18: Chemical characterization of materials*

ISO 14971, *Medical devices — Application of risk management to medical devices*

3 Terms and definitions

For the purposes of this document, the terms and definitions given in ISO 10993-1 and the following apply.

3.1

absorption

process by which a substance enters the blood and/or lymph system

3.2

bioavailability

extent of systemic absorption of specified substance