INTERNATIONAL STANDARD

ISO 13909-4

> Second edition 2016-07-01 Corrected version 2016-11-01

Hard coal and coke — Mechanical sampling —

Part 4:

Coal — Preparation of test samples

Houille et coke — Échantillonnage mécanique —
Partie 4: Charbon — Préparation des échantillons pour essai





© ISO 2016, Published in Switzerland

nroduced or utilized 'te internet or an or ISO's mem' All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office Ch. de Blandonnet 8 • CP 401 CH-1214 Vernier, Geneva, Switzerland Tel. +41 22 749 01 11 Fax +41 22 749 09 47 copyright@iso.org www.iso.org

Coı	ntent	ents Page					
Fore	word		v				
Intro	duction	n	vi				
1	Scope	e	1				
2	5.0	native references					
3		Terms and definitions					
4		sion of sample preparation					
5	Constitution of a sample						
3	5.1	Introduction					
	5.2	Combination of increments					
		5.2.1 Time-basis sampling					
		5.2.2 Mass-basis sampling					
	5.3	Combination of samples					
6		ion	3				
	6.1	General					
	6.2	Mechanical methods.					
		6.2.2 Mass of cut					
		6.2.3 Interval between cuts					
		6.2.4 Division of individual increments	10				
		6.2.5 Division of samples					
	6.3	Manual methods					
		6.3.1 Riffle method 6.3.2 Flattened-heap method					
		6.3.3 Strip-mixing and splitting method					
7	Reduction						
/	7.1 General						
	7.2	Reduction mills					
8	Mixir	ng	18				
9		Air-drying 1					
10	Duon	aration of samples for specific tests	10				
10	10.1	Types of test samples	19 19				
	10.2	Preparation of samples for determination of total moisture only	19				
	-	10.2.1 General	19				
		10.2.2 Storage	21				
		10.2.3 Sample reduction					
	10.2	10.2.4 Sample division Preparation of samples for general analysis only					
	10.3	10.3.1 General					
		10.3.2 Air-drying					
		10.3.3 Reduction and division					
	10.4	Common samples					
		10.4.1 General					
		10.4.2 Extraction of moisture sample by mechanical division	24				
	10.5	10.4.3 Extraction of moisture sample by manual method Preparation of size-analysis sample					
	10.6 Preparation of samples for other tests						
11		rve sample					
		•					
12	Desig 12.1	gn of equipment for preparation					
	14.1	D171UC10	4 /				

ISO 13909-4:2016(E)

	12.2		s for falling-stream dividers	
			relocity	
	12.3		ens	
	12.3			
			criteria	
		12.3.3 Abnorm	nal operation	29
	12.4		ecking for precision	
	12.5	Provision for tes	ting for bias	29
Bibli	iograph	7		30
			CV	
			10	
			2	
			10.	
			Ο,	
			4	
				4/
				(O)
				0.
				O,
iv				© ISO 2016 - All rights reserved

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation on the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the WTO principles in the Technical Barriers to Trade (TBT), see the following URL: Foreword — Supplementary information.

The committee responsible for this document is ISO/TC 27, *Solid mineral fuels*, Subcommittee SC 4, *Sampling*.

This second edition cancels and replaces the first edition (ISO 13909-4:2001), which has been technically revised.

ISO 13909 consists of the following parts, under the general title *Hard coal and coke — Mechanical sampling*:

- Part 1: General introduction
- Part 2: Coal Sampling from moving streams
- Part 3: Coal Sampling from stationary lots
- Part 4: Coal Preparation of test samples
- Part 5: Coke Sampling from moving streams
- Part 6: Coke Preparation of test samples
- Part 7: Methods for determining the precision of sampling, sample preparation and testing
- Part 8: Methods of testing for bias

This corrected version of ISO 13909-4:2016 incorporates the following correction:

— the wrong Figure 6 has been replaced by the correct one.

Introduction

The objective of sample preparation is to prepare one or more test samples from the primary increments for subsequent analysis. The requisite mass and particle size of the test sample depend on the test to be carried out.

The process of sample preparation may involve constitution of samples, reduction, division, mixing and drying, or all or a combination of these.

Primary increments may be prepared individually as test samples or combined to constitute samples either as taken or after having been prepared by reduction and/or division. Samples may either be prepared individually as test samples or combined on a weighted basis to constitute a further sample.

When difficulty in handling the coal or coals being sampled is expected at a particular stage in sample preparation, or if there is a likelihood of losing moisture by evaporation, it is necessary to withdraw the sample or increment from the on-line system at the stage immediately prior to the point of difficulty and proceed off-line.

Hard coal and coke — Mechanical sampling —

Part 4:

Coal — Preparation of test samples

1 Scope

This part of ISO 13909 describes the preparation of samples of coal from the combination of primary increments to the preparation of samples for specific tests.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 589, Hard coal — Determination of total moisture

ISO 3310-1, Test sieves — Technical requirements and testing — Part 1: Test sieves of metal wire cloth

ISO 13909-1, Hard coal and coke — Mechanical sampling — Part 1: General introduction

ISO 13909-2, Hard coal and coke — Mechanical sampling — Part 2: Coal — Sampling from moving streams

ISO 13909-3, Hard coal and coke — Mechanical sampling — Part 3: Coal — Sampling from stationary lots

ISO 13909-7, Hard coal and coke — Mechanical sampling — Part 7: Methods for determining the precision of sampling, sample preparation and testing

ISO 13909-8, Hard coal and coke — Mechanical sampling — Part 8: Methods of testing for bias

3 Terms and definitions

For the purposes of this document, the terms and definitions given in ISO 13909-1 apply.

4 Precision of sample preparation

From the equations given in ISO 13909-7, the estimated absolute value of the precision of the result obtained for the lot at the 95 % confidence level, $P_{\rm L}$, for sampling is given by Formula (1):

$$P_{\rm L} = 2\sqrt{\frac{V_{\rm I}}{n} + V_{\rm PT}}$$
ere

where