

# TECHNICAL REPORT



## Optical fibre cables – Guidelines to the installation of optical fibre cables



## THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2016 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

IEC Central Office  
3, rue de Varembe  
CH-1211 Geneva 20  
Switzerland

Tel.: +41 22 919 02 11  
Fax: +41 22 919 03 00  
[info@iec.ch](mailto:info@iec.ch)  
[www.iec.ch](http://www.iec.ch)

### About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

### About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

#### IEC Catalogue - [webstore.iec.ch/catalogue](http://webstore.iec.ch/catalogue)

The stand-alone application for consulting the entire bibliographical information on IEC International Standards, Technical Specifications, Technical Reports and other documents. Available for PC, Mac OS, Android Tablets and iPad.

#### IEC publications search - [www.iec.ch/searchpub](http://www.iec.ch/searchpub)

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, replaced and withdrawn publications.

#### IEC Just Published - [webstore.iec.ch/justpublished](http://webstore.iec.ch/justpublished)

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and also once a month by email.

#### Electropedia - [www.electropedia.org](http://www.electropedia.org)

The world's leading online dictionary of electronic and electrical terms containing 20 000 terms and definitions in English and French, with equivalent terms in 15 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

#### IEC Glossary - [std.iec.ch/glossary](http://std.iec.ch/glossary)

65 000 electrotechnical terminology entries in English and French extracted from the Terms and Definitions clause of IEC publications issued since 2002. Some entries have been collected from earlier publications of IEC TC 37, 77, 86 and CISPR.

#### IEC Customer Service Centre - [webstore.iec.ch/csc](http://webstore.iec.ch/csc)

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: [csc@iec.ch](mailto:csc@iec.ch).

generated by EVS

# TECHNICAL REPORT



**Optical fibre cables –  
Guidelines to the installation of optical fibre cables**

INTERNATIONAL  
ELECTROTECHNICAL  
COMMISSION

ICS 33.180.10

ISBN 978-2-8322-3497-6

**Warning! Make sure that you obtained this publication from an authorized distributor.**

## CONTENTS

FOREWORD.....	5
INTRODUCTION.....	7
1 Scope.....	8
2 Normative references.....	8
3 Installation planning.....	8
3.1 Installation specification .....	8
3.2 Route considerations.....	9
3.3 Cable installation – Tension considerations .....	9
3.4 Duct installations – Cable tension predictions .....	10
3.5 Maximum tension or compression force exerted on cable .....	10
3.5.1 General .....	10
3.5.2 Total cable tension – pulling applications.....	10
3.5.3 Total cable tension – pushing, blowing, or pulling applications .....	12
3.6 Installation temperature.....	17
3.7 Information and training.....	17
4 Cable installation methods .....	18
4.1 General considerations.....	18
4.2 Safety in confined spaces.....	18
4.3 FTTX installation.....	18
4.4 Pre-installation procedures.....	19
4.5 Installation of optical cables in underground ducts .....	19
4.5.1 Application.....	19
4.5.2 Installation using trenchless technique .....	20
4.5.3 Cable overload protection methods.....	20
4.5.4 Cable bending and guiding systems.....	20
4.5.5 Winching equipment and ropes.....	20
4.5.6 Cable friction and lubrication .....	21
4.5.7 Cable handling methods to maximise installed lengths .....	22
4.5.8 Jointing length allowance .....	23
4.5.9 Blowing techniques for the installation of fiber optic cables into ducts.....	23
4.5.10 Optical fibre cable installation by floating technique .....	23
4.6 Installation of aerial optical cables .....	23
4.6.1 Application.....	23
4.6.2 Installation methods .....	26
4.6.3 Cable protection methods.....	26
4.6.4 Winching and guiding systems.....	27
4.6.5 Methods to maximise lengths .....	27
4.6.6 Jointing length allowance .....	27
4.6.7 In-service considerations.....	27
4.6.8 Lashed aerial applications .....	28
4.7 Installation of buried cable.....	31
4.7.1 Installation methods .....	31
4.7.2 Cables in trenches .....	31
4.7.3 Installing cables by ploughing.....	33
4.7.4 Methods to maximise lengths .....	33
4.7.5 Jointing length allowance .....	33

4.8	Installation in special situations .....	33
4.8.1	Tunnel and building lead-in .....	33
4.8.2	Bridges .....	33
4.8.3	Underwater .....	33
4.8.4	Storm and sanitary sewers .....	34
4.8.5	High pressure gas pipes (fiber-in-gas) .....	38
4.8.6	Drinking water pipes .....	39
4.8.7	Industrial environments .....	41
4.9	Installation of indoor cables .....	41
4.9.1	General considerations .....	41
4.9.2	Cable routing .....	41
4.9.3	Confined spaces .....	42
4.9.4	Installation of cables in the vertical riser area of buildings .....	42
4.10	Blown systems .....	42
4.10.1	General considerations .....	42
4.10.2	Tube installation .....	43
4.10.3	Fibre and cable installation .....	43
4.11	Cable location .....	44
5	Lightning protection .....	44
	Bibliography .....	45
	Figure 1 – Cable tension calculations (Equations (1) to (3)) .....	11
	Figure 2 – Cable tension calculations (Equations (4) to (9)) .....	14
	Figure 3 – Cable tension calculations .....	17
	Figure 4 – FTTX applications .....	19
	Figure 5 – Cable with fitted sock-type grip .....	21
	Figure 6 – The "figure-8" system .....	22
	Figure 7 – Optical fibre cabling in an underground duct .....	23
	Figure 8 – Aerial cable parameters .....	24
	Figure 9 – Analysis of forces acting on an aerial cable with ice formation .....	25
	Figure 10 – Example of calculated forces for an aerial operation cable design .....	26
	Figure 11 – Aerial cable joint point .....	27
	Figure 12 – Aerial cable applications .....	28
	Figure 13 – Drive-off (moving reel) method .....	28
	Figure 14 – Stationary reel method .....	29
	Figure 15 – Minimum bend radius for the optical cable at dead ends (single fixing) and at directional changes (double anchorage) situations .....	31
	Figure 16 – Conduit robotized installation .....	35
	Figure 17 – Spring loaded stainless-steel ring – Conduit fastening .....	35
	Figure 18 – Schematic drawing robotized installation – Drilling .....	36
	Figure 19 – Schematic drawing – Spanning of optical fibre cables within sewers .....	37
	Figure 20 – Schematic drawing – Laying on the ground of optical fibre cables within sewers .....	37
	Figure 21 – Picture of an the I/O-port .....	38
	Figure 22 – Schematic drawing of cable installation within gas pipe .....	39
	Figure 23 – I/O-port for optical fibre installation in water drinking pipes .....	40

Figure 24 – Schematic drawing of OF cable installation within drinking water lines .....	40
Figure 25 – Installation of I/O-ports on high pressure PE drinking water pipes .....	41
Figure 26 – Cable installation by cascade blowing .....	44
Table 1 – Calculation for total tension .....	12
Table 2 – Calculation for pulling force in Figure 2 .....	14
Table 3 – Calculation for pushing force in Figure 2 .....	15
Table 4 – Calculation for blowing force in Figure 2.....	16
Table 5 – Minimum installation depths.....	32

This document is a preview generated by EVS

## INTERNATIONAL ELECTROTECHNICAL COMMISSION

**OPTICAL FIBRE CABLES –****Guidelines to the installation of optical fibre cables****FOREWORD**

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

IEC TR 62691, which is a Technical Report, has been prepared by subcommittee 86A: Fibres and cables, of IEC technical committee 86: Fibre optics.

This second edition cancels and replaces the first edition published in 2011. It constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- a) more details have been added on cables for lashed applications (transferred from IEC 60794-3-10);
- b) more details have been added on cables for storm and sanitary sewer applications (transferred from IEC 60794-3-40);
- c) more details have been added on cables for high pressure gas pipe applications (transferred from IEC 60794-3-50);

- d) more details have been added on cables for drinking water pipe applications (transferred from IEC 60794-3-60);
- e) a reference to IEC TR 62263 has been included, concerning optical cables installation on high voltage power lines;
- f) a revision, and an update when applicable, has been done on the referred documents.

The text of this Technical Report is based on the following documents:

Enquiry draft	Report on voting
86A/1721/DTR	86A/1730/RVC

Full information on the voting for the approval of this Technical Report can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC website under "<http://webstore.iec.ch>" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

A bilingual version of this publication may be issued at a later date.

**IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.**



## INTRODUCTION

Optical fibre cabling provides a high performance communications pathway whose characteristics can be degraded by inadequate installation. This Technical Report provides guidance to assist the user and installer with regard to the general aspects of the installation of optical fibre cables covered by the IEC 60794 series, and the particular aspects of the "blowing" technique.

Optical fibre cables are designed so that normal installation practices and equipment can be used wherever possible. They do, however, generally have a strain limit rather lower than metallic conductor cables and, in some circumstances, special care and arrangements can be needed to ensure successful installation.

It is important to pay particular attention to the cable manufacturer's recommendations and stated physical limitations and not exceed the given cable tensile load rating for a particular cable. Damage caused by overloading during installation may not be immediately apparent but can lead to failure later in its service life.

This document does not supersede the additional relevant standards and requirements applicable to certain hazardous environments, for example electricity supply and railways.

## OPTICAL FIBRE CABLES –

### Guidelines to the installation of optical fibre cables

#### 1 Scope

IEC TR 62691, which is a Technical Report, gives recommendations for handling and installing optical fibre cables on metropolitan communication networks. Installation methods covered by this document include underground ducts, trenchless technique, blowing in microducts, aerial installation on poles, lashed aerial in metropolitan networks, direct buried and use of trenches.

Special installation situations such as tunnelling and lead-in installations, on-bridges, underwater, use of sanitary sewers, high pressure gas pipes and drinking water pipes are commented and detailed.

Installation and maintenance of optical fibre cables on overhead power lines including the following are not covered by this document and are referred to in IEC TR 62263:

- optical ground wire (OPGW) fibre cable;
- optical phase conductor (OPPC) fibre cable;
- optical attached fibre cable (OPAC);
- all dielectric self-supporting (ADSS) optical fibre cable.

IEC TR 62263 includes an extensive coverage on recommendations to ensure the safety of personnel and equipment when installing or maintaining these types of optical fibre cables on overhead power lines.

#### 2 Normative references

There are no normative references in this document.

#### 3 Installation planning

##### 3.1 Installation specification

The successful installation of an optical fibre cable can be influenced significantly by careful planning and assisted by the preparation of an installation specification by the user. The installation specification should address the cabling infrastructure, cable routes, potential hazards and installation environment and provide a bill of materials and technical requirements for cables, connectors and closures.

The installation specification should also detail any civil works, route preparation (including drawpits, ductwork, traywork and trunking) and surveying that are necessary, together with a clear indication of responsibilities and contractual interfaces, especially if there are any site or access limitations.

Post-installation requirements for reinstatement, spares, ancillary services and regulatory issues should also be addressed.