

INTERNATIONAL STANDARD

**ISO
486**

Third edition
1988-11-01



INTERNATIONAL ORGANIZATION FOR STANDARDIZATION
ORGANISATION INTERNATIONALE DE NORMALISATION
МЕЖДУНАРОДНАЯ ОРГАНИЗАЦИЯ ПО СТАНДАРТИЗАЦИИ

Cinematography — 16 mm motion-picture film perforated 8 mm Type R — Cutting and perforating dimensions

Cinématographie — Film cinématographique 16 mm perforé 8 mm type R — Dimensions de coupe et de perforation

Reference number
ISO 486:1988 (E)

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

Draft International Standards adopted by the technical committees are circulated to the member bodies for approval before their acceptance as International Standards by the ISO Council. They are approved in accordance with ISO procedures requiring at least 75 % approval by the member bodies voting.

International Standard ISO 486 was prepared by Technical Committee ISO/TC 36, *Cinematography*.

This third edition cancels and replaces the second edition (ISO 486 : 1982) of which it constitutes a minor revision, the annex having been replaced.

Users should note that all International Standards undergo revision from time to time and that any reference made herein to any other International Standard implies its latest edition, unless otherwise stated.

Cinematography — 16 mm motion-picture film perforated 8 mm Type R — Cutting and perforating dimensions

1 Scope and field of application

This International Standard specifies the cutting and perforating dimensions for 16 mm motion-picture film which is perforated 8 mm Type R, as well as the width of the motion-picture film after processing and slitting.

NOTE — Film perforated in accordance with this International Standard is also referred to as “double 8 mm motion-picture film”.

2 Reference

ISO 543, *Cinematography — Motion-picture safety film — Definition, testing and marking*.