TRAFODE, REAKTORITE, ELEKTRITOITEPLOKKIDE JA NENDE KOMBINATSIOONIDE OHUTUS. OSA 1: ÜLDNÕUDED JA KATSETUSED

Safety of transformers, reactors, power supply units and combinations thereof - Part 1: General requirements and tests



## EESTI STANDARDI EESSÕNA

## NATIONAL FOREWORD

See Eesti standard EVS-EN IEC 61558-1:2019 sisaldab Euroopa standardi EN IEC 61558-1:2019 ingliskeelset teksti.	This Estonian standard EVS-EN IEC 61558-1:2019 consists of the English text of the European standard EN IEC 61558-1:2019.
Standard on jõustunud sellekohase teate avaldamisega EVS Teatajas	This standard has been endorsed with a notification published in the official bulletin of the Estonian Centre for Standardisation.
Euroopa standardimisorganisatsioonid on teinud Euroopa standardi rahvuslikele liikmetele kättesaadavaks 21.06.2019.	Date of Availability of the European standard is 21.06.2019.
Standard on kättesaadav Eesti Standardikeskusest.	The standard is available from the Estonian Centre for Standardisation.

Tagasisidet standardi sisu kohta on võimalik edastada, kasutades EVS-i veebilehel asuvat tagasiside vormi või saates e-kirja meiliaadressile <u>standardiosakond@evs.ee</u>.

### ICS 29.180

Standardite reprodutseerimise ja levitamise õigus kuulub Eesti Standardikeskusele

Andmete paljundamine, taastekitamine, kopeerimine, salvestamine elektroonsesse süsteemi või edastamine ükskõik millises vormis või millisel teel ilma Eesti Standardikeskuse kirjaliku loata on keelatud.

Kui Teil on küsimusi standardite autorikaitse kohta, võtke palun ühendust Eesti Standardikeskusega: Koduleht <a href="www.evs.ee">www.evs.ee</a>; telefon 605 5050; e-post <a href="mailto:info@evs.ee">info@evs.ee</a>

The right to reproduce and distribute standards belongs to the Estonian Centre for Standardisation

No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying, without a written permission from the Estonian Centre for Standardisation.

If you have any questions about copyright, please contact Estonian Centre for Standardisation:

Homepage www.evs.ee; phone +372 605 5050; e-mail info@evs.ee

## EUROPEAN STANDARD NORME EUROPÉENNE EUROPÄISCHE NORM

**EN IEC 61558-1** 

June 2019

ICS 29.180

Supersedes EN 61558-1:2005

#### **English Version**

Safety of transformers, reactors, power supply units and combinations thereof - Part 1: General requirements and tests (IEC 61558-1:2017)

Sécurité des transformateurs, bobines d'inductance, blocs d'alimentation et des combinaisons de ces éléments Partie 1: Exigences générales et essais
(IEC 61558-1:2017)

Sicherheit von Transformatoren, Netzgeräten, Drosseln und entsprechenden Kombinationen - Teil 1: Allgemeine Anforderungen und Prüfungen (IEC 61558-1:2017)

This European Standard was approved by CENELEC on 2017-11-03. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.



European Committee for Electrotechnical Standardization Comité Européen de Normalisation Electrotechnique Europäisches Komitee für Elektrotechnische Normung

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

## **European foreword**

The text of document 96/466/FDIS, future edition 3 of IEC 61558-1, prepared by IEC/TC 96 "Transformers, reactors, power supply units, and combinations thereof" was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN IEC 61558-1:2019.

The following dates are fixed:

- latest date by which the document has to be implemented at national (dop) 2019-12-21 level by publication of an identical national standard or by endorsement
- latest date by which the national standards conflicting with the (dow) 2022-06-21 document have to be withdrawn

This document supersedes EN 61558-1:2005.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC shall not be held responsible for identifying any or all such patent rights.

This document has been prepared under a mandate given to CENELEC by the European Commission and the European Free Trade Association, and supports essential requirements of EU Directive(s).

For the relationship with EU Directive(s) see informative Annex ZZ, which is an integral part of this document.

## **Endorsement notice**

The text of the International Standard IEC 61558-1:2017 was approved by CENELEC as a European Standard without any modification.

In the official version, for Bibliography, the following notes have to be added for the standards indicated:

IEC 60038:2009	NOTE	Harmonized as EN 60038:2011
IEC 60051 (series)	NOTE	Harmonized as EN 60051-9:1989/A2 (series)
IEC 60317-43	NOTE	Harmonized as EN 60317-43
IEC 60364-4-41:2005	NOTE	Harmonized as HD 60364-4-41:2017
IEC 60584-1:2013	NOTE	Harmonized as EN 60584-1:2013 (not modified)
IEC 60695-10-2:2014	NOTE	Harmonized as EN 60695-10-2:2014 (not modified)
IEC 60738-1:2006	NOTE	Harmonized as EN 60738-1:2006 (not modified)
IEC 60998-1:2002	NOTE	Harmonized as EN 60998-1:2004
IEC 61000-3-2:2014	NOTE	Harmonized as EN 61000-3-2:2014 (not modified)
IEC 61000-3-3:2013	NOTE	Harmonized as EN 61000-3-3:2013 (not modified)
IEC 61180:2016	NOTE	Harmonized as EN 61180:2016 (not modified)
IEC 61558-2 (series)	NOTE	Harmonized as EN 61558-2 (series)
IEC 61558-2-4	NOTE	Harmonized as EN 61558-2-4
IEC 61558-2-6	NOTE	Harmonized as EN 61558-2-6
IEC 61558-2-23	NOTE	Harmonized as EN 61558-2-23
IEC 62041:2010	NOTE	Harmonized as EN 62041:2010 (not modified)
CISPR 11:2015	NOTE	Harmonized as EN 55011:2016

## Annex ZA

(normative)

# Normative references to international publications with their corresponding European publications

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE 1 Where an International Publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

NOTE 2 Up-to-date information on the latest versions of the European Standards listed in this annex is available here: www.cenelec.eu.

<u>Publication</u>	<u>Year</u>	<u>Title</u>	EN/HD	<u>Year</u>
IEC 6006 (mod)	52014	Audio, video and similar electronic apparatus - Safety requirements	EN 60065	2014
-	-	<b>(3)</b>	+ A11	2017
IEC 60068-2-6	-	Environmental testing - Part 2-6 Tests - Test Fc: Vibration (sinusoidal)		2008
IEC 60068-2-14	-	Environmental testing - Part 2-14 Tests - Test N: Change of temperature		2009
IEC 60068-2-31	-	Environmental testing - Part 2-31 Tests - Test Ec: Rough handling shocks, primarily for equipment- type specimens	l	2008
IEC 60068-2-75	-	Environmental testing - Part 2-75 Tests - Test Eh: Hammer tests	: EN 60068-2-75	2014
IEC 60076-1	-	Power transformers - Part 1 General	EN 60076-1	2011
IEC 60076-11	2004	Power transformers Part 11: Dry- type transformers	- EN 60076-11	2004
IEC/TR 60083	20151	Plugs and socket-outlets for domestic and similar general use standardized in member countries of IEC		-
IEC 60085	2007	Electrical insulation - Therma evaluation and designation	I EN 60085	2008

<sup>&</sup>lt;sup>1</sup> Dated as no European equivalent exists.

-

<u>Publication</u>	<u>Year</u>	<u>Title</u>	EN/HD	<u>Year</u>
IEC 60112	2003	Method for the determination of the proof and the comparative tracking indices of solid insulating materials		2003
IEC 60127	series	Miniature fuses	EN 60127	series
IEC 60127-3	-	Miniature fuses - Part 3: Sub miniature fuse-links	- EN 60127-3	2015
IEC 60216	series	Electrical insulating materials Thermal endurance properties	- EN 60216	series
IEC 60227	series	Polyvinyl chloride insulated cables of rated voltages up to and including 450/750 V		-
IEC 60227-5	2011	Polyvinyl chloride insulated cables of rated voltages up to and including 450/750 V - Part 5 Flexible cables (cords)	t	-
IEC 60245	series	Rubber insulated cables - Rated voltages up to and including 450/750 V Part 1: General requirements	9	-
IEC 60245-4	2011	Rubber insulated cables - Rated voltages up to and including 450/750 V - Part 4: Cords and flexible cables	9	-
IEC 60269	series	Low-voltage fuses	EN 60269	series
IEC 60269- (mod)	22013	Low-voltage fuses - Part 2 Supplementary requirements fo fuses for use by authorized persons (fuses mainly for industria application) - Examples o standardized systems of fuses A to K	S     	2013
IEC 60269- (mod)	32010	Low-voltage fuses - Part 3 Supplementary requirements fo fuses for use by unskilled persons (fuses mainly for household o similar applications) - Examples o standardized systems of fuses A to F	r 6	2010
IEC 60309	series	Plugs, socket-outlets and couplers for industrial purposes	s EN 60309	series
IEC 60317	series	Specifications for particular types o winding wires	f EN 60317	series

<u>Publication</u>	<u>Year</u>	<u>Title</u>	EN/HD	<u>Year</u>
IEC 60317-0-7	2012	Specifications for particular types of winding wires Part 0-7: General requirements - Fully insulated (FIW zero-defect enamelled round copper wire with nominal conductor diameter of 0,040 mm to 1,600 mm	l ) d	2012
IEC 60317-56	2	Specifications for particular types of winding wires – Part 56: Solderable fully insulated (FIW) zero-defect polyurethane enamelled round copper wire with nominal conductodiameter 0,040 mm to 1,600 mm class 180	e t d r	2017
IEC 60320	series	Appliance couplers for household and similar general purposes	d EN 60320	series
IEC 60320-2-3	2018 <sup>1</sup>	Appliance couplers for household and similar general purposes – Par 2-3: Appliance couplers with a degree of protection higher than IPX0	t a	-
IEC 60384-14	2013	Fixed capacitors for use in electronic equipment - Part 14 Sectional specification - Fixed capacitors for electromagnetic interference suppression and connection to the supply mains	d C	2013
IEC 60417	1973 <sup>1</sup>	Graphical symbols for use or equipment. Index, survey and compilation of the single sheets.		-
IEC 60454	series	Specifications for pressure sensitive adhesive tapes fo electrical purposes	- EN 60454 r	series
IEC 60529	1989	Degrees of protection provided by enclosures (IP Code)	y EN 60529	1991
-	-		+ corrigendur May	m1993
+ A1	1999		+ A1	2000
+ A2	2013		+ A2	2013
IEC 60664-1	2007	Insulation coordination for equipment within low-voltage systems - Part 1: Principles requirements and tests		2007

<u>Publication</u>	<u>Year</u>	<u>Title</u>	EN/HD	<u>Year</u>
IEC 60664-3	2016	Insulation coordination for equipment within low-voltage systems - Part 3: Use of coating potting or moulding for protection against pollution	,	2017
IEC 60691	2015	Thermal-links - Requirements and application guide	I EN 60691	2016
IEC 60695-2-10	2013	Fire hazard testing - Part 2-10 Glowing/hot-wire based tes methods - Glow-wire apparatus and common test procedure	t	2013
IEC 60695-2-11	2014	Fire hazard testing - Part 2-11 Glowing/hot-wire based tes methods - Glow-wire flammability test method for end-products (GWEPT)	t ′	2014
IEC 60721-3-2	-	Classification of environmental conditions – Part 3: Classification of groups of environmental parameters and their severities – Section 2: Transportation	I	-2018
IEC 60730	series	Automatic electrical controls	EN 60730	series
IEC 60730- (mod)	12013	Automatic electrical controls - Par 1: General requirements	t EN 60730-1	2016
IEC 60851-3	2009	Winding wires - Test methods - Par 3: Mechanical properties	t EN 60851-3	2009
IEC 60851-5	2008	Winding wires - Test methods - Par 5: Electrical properties	t EN 60851-5	2008
IEC 60851-6	2012	Winding wires - Test methods - Par 6: Thermal properties	t EN 60851-6	2012
IEC 60884-1	2002	Plugs and socket-outlets for household and similar purposes - Part 1: General requirements		-
+ A1	2006		-	-
+ A2	2013		-	-
IEC 60884-2-4	2007 <sup>1</sup>	Plugs and socket-outlets for household and similar purposes Part 2-4: Particular requirements for plugs and socket-outlets for SELV	-	70

<u>Publication</u>	<u>Year</u>	<u>Title</u>	EN/HD	<u>Year</u>
IEC 60898	series	Electrical accessories - Circuit- breakers for overcurrent protection for household and similar installations	1	series
IEC 60906-1	2009 <sup>1</sup>	IEC system of plugs and socket- outlets for household and similar purposes - Part 1: Plugs and socket-outlets 16 A 250 V a.c.	r	-
IEC 60906-3	1994 <sup>1</sup>	IEC System of plugs and socket- outlets for household and similar purposes - Part 3: SELV plugs and socket-outlets, 16 A 6V, 12 V, 24 V 48 V, a.c. and d.c.	r I	-
IEC 60947-7-1	-	Low-voltage switchgear and controlgear - Part 7-1: Ancillary equipment - Terminal blocks for copper conductors		2009
IEC 60990	2016	Methods of measurement of touch current and protective conductor current		2016
IEC 60998-2-1 (mod)	-	Connecting devices for low-voltage circuits for household and similar purposes - Part 2-1: Particular requirements for connecting devices as separate entities with screw-type clamping units	r r J	2004
IEC 60998-2-2 (mod)	-	Connecting devices for low-voltage circuits for household and similar purposes - Part 2-2: Particular requirements for connecting devices as separate entities with screwless-type clamping units	r r J	2004
IEC 60999-1	-	Connecting devices - Electrical copper conductors - Safety requirements for screw-type and screwless-type clamping units - Part 1: General requirements and particular requirements for clamping units for conductors from 0,2 mm2 up to 35 mm2 (included)		2000
IEC 61032	-	Protection of persons and equipment by enclosures - Probes for verification	I EN 61032 S	1998

<u>Publication</u>	<u>Year</u>	<u>Title</u>	EN/HD	<u>Year</u>
IEC 61058-1	2016	Switches for appliances - Part 1 General requirements	: EN IEC 61058-	1 2018
IEC 61058-1-1	2016	Switches for appliances - Part 1-1 Requirements for mechanica switches		2016
- %	-		EN 61058-1-1: 2016/AC:2019- 02	
IEC 61140	2016	Protection against electric shock Common aspects for installation and equipment		2016
IEC 61373	- (	Railway applications - Rolling stock equipment - Shock and vibration tests		2010
ISO 8820	series	Road vehicles - Fuse-links	-	-
-	-	Specification for flat non-wirable two-pole plugs 2.5 A 250 V, with cord, for the connection of class II equipment for household and similar purposes	า -	1990
DIN 43671	1975	Copper bus bars; design fo continuous current	r -	-
DIN 43670	1975	Aluminium bus bars; design fo continuous current	r -	-
DIN 43670-2	1985	Aluminium bus bars coppe cladding; design for continuous current		-
			Ŝ	
			6,	
				40
				O,

## Annex ZZ

(informative)

# Relationship between this European standard and the safety objectives of Directive 2014/35/EU [2014 OJ L96] aimed to be covered

This European Standard has been prepared under a Commission's standardization request relating to harmonized standards in the field of the Low Voltage Directive, M/511, to provide one voluntary means of conforming to safety objectives of Directive 2014/35/EU of the European Parliament and of the Council of 26 February 2014 on the harmonization of the laws of the Member States relating to the making available on the market of electrical equipment designed for use within certain voltage limits [2014 OJ L96].

Once this standard is cited in the Official Journal of the European Union under that Directive, compliance with the normative clauses of this standard given in Table ZZ.1 confers, within the limits of the scope of this standard, a presumption of conformity with the corresponding safety objectives of that Directive, and associated EFTA regulations.

For other hazards not covered by IEC 61558-1 (e.g. EMF functional safety linked to electric, magnetic and electromagnetic disturbances) the manufacturer has to perform a risk assessment.

Table ZZ.1 – Correspondence between this European standard and Annex I of Directive 2014/35/EU [2014 OJ L96]

		T
Safety objectives of Directive 2014/35/EU	Clause(s) / sub- clause(s) of this EN	Remarks / Notes
1 General conditions		
a) the essential characteristics, the recognition and observance of which will ensure that electrical equipment will be used safely and in applications for which it was made, shall be marked on the electrical equipment, or, if this is not possible, on an accompanying document	Clause 8	
b) the electrical equipment, together with its component parts, shall be made in such a way as to ensure that it can be safely and properly assembled and connected	Clauses 5; 8; 10; 20; 22; 23; 24; 25	
c) the electrical equipment shall be so designed and manufactured as to ensure that protection against the hazards set out in points 2 and 3 is assured, providing that the equipment is used in applications for which it was made and is adequately maintained	Clauses 1; 3; 7; 13; 19	See also Basic Protection Requirements in points 2 and 3 in this table
2 Protection against hazards arising from the ele	ctrical equipment	
Measures of a technical nature shall be laid down in accordance with point 1, in order to ensure that:  a) persons and domestic animals are adequately protected against the danger of physical injury or other harm which might be caused by direct or indirect contact	Clauses 4; 5; 7; 9; 17; 18; 19; 20; 21; 24; 26; Annex H	

Safety objectives of Directive 2014/35/EU	Clause(s) / sub- clause(s) of this EN	Remarks / Notes
Measures of a technical nature shall be laid down in accordance with point 1, in order to ensure that:	Clauses 4; 5; 14; 15; 18; 27	
b) temperatures, arcs or radiation which would cause a danger, are not produced		
Measures of a technical nature shall be laid down in accordance with point 1, in order to ensure that:  c) persons, domestic animals and property are adequately protected against non- electrical dangers	Clauses 4; 5; 19; Annex H	
caused by the electrical equipment which are revealed by experience		
Measures of a technical nature shall be laid down in accordance with point 1, in order to ensure that:  d) the insulation is suitable for foreseeable conditions	Clauses 4; 5; 17; 18; 19; 20; 26; 27	
3 Protection against hazards which may be caus	ed by external influence	es on the electrical equipment
Technical measures shall be laid down in accordance with point 1, in order to ensure that the electrical equipment:	Clauses 4; 5; 16; 22; 25; 28	
a) meets the expected		
mechanical requirements in such a way that persons, domestic animals and property are not endangered	4	
Technical measures shall be laid down in accordance with point 1, in order to ensure that the electrical equipment:	Clauses 4; 5; 11; 12; 17; 24; 28	
b) is resistant to non- mechanical influences in expected environmental conditions, in such a way that persons, domestic animals and property are not endangered		
Technical measures shall be laid down in accordance with point 1, in order to ensure that the electrical equipment:	Clause 4; 5; 15; 26; Annex H	O.X
c) does not endanger persons, domestic animals and		
property in foreseeable conditions of overload		· 6.

**WARNING 1** — Presumption of conformity stays valid only as long as a reference to this European standard is maintained in the list published in the Official Journal of the European Union. Users of this standard should consult frequently the latest list published in the Official Journal of the European Union.

**WARNING 2** — Other Union legislation may be applicable to the product(s) falling within the scope of this standard.

## CONTENTS

FOREW	ORD	9
INTROD	UCTION	11
1 Sco	pe	14
2 Nor	mative references	16
3 Teri	ms and definitions	19
3.1	Transformers	20
3.2	General terms	
3.3	Operations and protections	
3.4	Circuits and windings	
3.5	Ratings	27
3.6	No-load values	29
3.7	Insulation	29
3.8	Touch current and protective earthing conductor current	
	neral requirements	
5 Ger	neral notes on tests	34
6 Rat	ings	36
7 Clas	ssification	36
8 Mar	king and other information	37
	tection against electric shock	
9.1	General	
9.2	Protection against contact with hazardous-live-parts	
9.2.		
9.2.		
9.2.		
9.3	Protection against hazardous electrical discharge	47
	inge of input voltage setting	
11 Out	put voltage and output current under load	48
12 No-	load output voltage	49
13 Sho	ort-circuit voltage	49
	iting	
14.1	General requirements	
14.		
14.		
14.1		54
14.2	Application of 14.1 or 14.3 according to the insulation system	
14.3	Accelerated ageing test for undeclared class of insulation system	56
14.3		
14.3	3.2 Heat run	56
14.3	3.3 Vibration	57
14.3	3.4 Moisture treatment	57
14.3		
15 Sho	rt circuit and overload protection	
15.1	General requirements	
15.1	1.1 Short circuit and overload test method	57

	15.1.	2 Alternative short circuit and overload test method	60
	15.2	Inherently short-circuit proof transformers	60
	15.3	Non-inherently short-circuit proof transformers	60
	15.4	Non-short-circuit proof transformers	61
	15.5	Fail-safe transformers	61
16	Mech	nanical strength	62
	16.1	General	62
	16.2	Stationary transformers	
	16.3	Portable transformers (except portable transformers with integral pins for introduction in socket-outlet in the fixed wiring)	
	16.4	Portable transformers provided with integral pins for introduction in socket- outlets of the fixed wiring	
	16.4.	1 General requirements	63
	16.4.	Portable transformers provided with integral pins according to EN 50075 (IEC plug type C) for introduction in socket-outlets of the fixed wiring	64
	16.5	Additional requirements for transformers to be used in vehicles and railway applications	
	16.5.	1 Transformers to be used in vehicles and railway applications	65
	16.5.	2 Test requirements for the transportation of transformers	66
17	Prote	ection against harmful ingress of dust, solid objects and moisture	67
	17.1	Degrees of protection provided by enclosures (IP code)	67
	17.1.		
	17.1.		
	17.2	Humidity treatment	
18	Insul	ation resistance, dielectric strength and leakage current	
	18.1	General	
	18.2	Insulation resistance	
	18.3	Dielectric strength test	
	18.4	Insulation between and within windings	
	18.5	Touch current and protective earthing conductor current	
	18.5.	· · · · · · · · · · · · · · · · · · ·	
	18.5.		
	18.5.		76
19		struction	
19		di delloit	
	19.1	General construction	/ /
	19.1.		
	19.1.		
	19.1.		
	19.1.	, ,	
	19.2	Flammability of materials	
	19.3	Short-circuit characteristics of portable transformers	
	19.4	Class II transformer contact prevention of accessible conductive parts	81
	19.5	Class II transformer insulation reassembling after service	
	19.6	Loosening of wires, screws or similar parts	82
	19.7	Resistor or capacitor connection with accessible conductive parts	82
	19.8	Bridging of separated conductive parts by resistors or capacitors	82
	19.9	Insulating material separating input and output windings	83
	19.10	Accidental contact protection against hazardous-live-parts provided by	
		isolating coating	83

19.11 Insulating material of handles, operating levers, knobs and similar parts  19.12 Winding construction	
19.13 Fixing of handles, operating levers and similar parts	
19.14 Fixing of covers providing protection against electric shock	
19.15 Strain on fixed socket-outlets caused by pin-transformers connection	
19.16 Portable transformers for use in irregular or harsh conditions	
19.17 Drain hole of transformers protected against ingress of water	
19.18 Plug connected transformers protected against ingress of water	
19.19 Flexible cable or flexible cord connection for class I portable transformers	
19.20 SELV- and PELV-circuit separation of live parts	
19.21 Protection against contact for FELV-circuit	
19.22 Protective earthing regarding class II transformers	
19.23 Protective earthing regarding class III transformers	
20 Components	
21 Internal wiring	96
22 Supply connection and other external flexible cables or cords	
23 Terminals for external conductors	
24 Provisions for protective earthing	
25 Screws and connections	
26 Creepage distances, clearances and distances through insulation	108
26.1 General	108
26.2 Creepage distances and clearances	109
26.2.1 General	
26.2.2 Windings covered with adhesive tape	
26.2.3 Uncemented insulationing parts	
26.2.4 Cemented insulating parts	
26.2.5 Enclosed parts (e.g. by impregnation or potting)	
26.3 Distance through insulation	
27 Resistance to heat, fire and tracking	
27.1 General	
27.2 Resistance to heat	
27.2.1 General	
27.2.2 External accessible parts	
27.2.3 Internal parts	
27.3 Resistance to abnormal heat under fault conditions	
27.4 Resistance to fire	
27.4.1 General	
27.4.2 External accessible parts	
27.4.3 Internal parts	
27.5 Resistance to tracking	
28 Resistance to rusting	
Annex A (normative) Measurement of creepage distances and clearances	
Annex B (normative) Testing a series of transformers	131
B.1 General	131
B.2 Requirements	
B.3 Constructional inspection	132
Annex C (void)	133

Annex D (void)		134
Annex E (normative)	Glow-wire test	135
E.1 General		135
E.2 Severity		135
E.3 Conditioning	g	135
E.4 Test proced	lure	135
	Requirements for manually operated switches which are parts o	
F.1 General		136
F.2 Switches te	sted as a separate component	136
F.3 Switches te	sted as part of the transformer	136
Annex G (normative)	Tracking test	139
G.1 General	<u></u>	139
G.2 Test specim	nen	139
G.3 Test appara	atus	139
G.4 Procedure		139
Annex H (normative)	Electronic circuits	140
H.1 General	O'	140
	tes on tests (addition to Clause 5)	
H.3 Short circuit	t and overload protection (addition to Clause 15)	140
	listances, clearances and distances through insulation (addition 6)	
	Dimensions for rectangular cross-section connectors of mensions and coordination	144
Annex J (normative) I	Measuring network for touch-currents	146
Annex K (normative)	Insulated winding wires	147
	7	
	al	
K.2.2 Dielect	ric strength test	147
K.2.3 Flexibil	lity and adherence	147
K.2.4 Heat sl	hock	148
K.2.5 Retent	ion of dielectric strength after bending	148
K.3 Testing duri	ing manufacturing	149
K.3.1 Genera	al	149
K.3.2 Routine	e test	149
	ng test	
Annex L (normative)	Routine tests (production tests)	150
L.1 General		150
	earthing continuity test	
	f no-load output voltage	
	trength test	
<del>-</del>	f protective devices mounting	
•	ection	
•	est after routine dielectric strength test	
,	Examples to be used as a guide for 19.1	
M 2 Cail former		150

M.2.1	Concentric type	152
M.2.2	Side-by-side type	153
M.3 Win	dings	153
M.3.1	Without screen	153
M.3.2	With screen	
Annex N (info	mative) Examples for checking points of dielectric strength test voltages	155
Annex O (void	)	157
	mative) Examples for measurement points of creepage distances and	158
Annex Q (info	mative) Explanation of IP numbers for degrees of protection	161
Q.1 Ger	eral	161
	rees of protection against access to hazardous parts and against solid ign objects	161
Q.3 Deg	rees of protection against ingress of water	163
Annex R (norn	native) Explanations of the application of 6.1.2.2.1 of IEC 60664-1:2007	164
R.1 Imp	ulse dielectric test	164
	mple	
•	)	
Annex T (void	)	167
Annex U (void	)	168
Annex V (infor	mative) Symbols to be used for thermal cut-outs	169
V.1 Ger	eral	169
V.2 Non	-self-resetting thermal cut-out (see 3.3.4)	169
V.3 Self	-resetting thermal cut-out (see 3.3.3)	169
Annex W (nor	mative) Coated printed circuit boards	170
W.1 Pre	amble	170
	eral	
	1	
W.4 Rap	id change of temperature	170
	itional tests	
Bibliography	ed terms	171
Index of define	ed terms	173
Figure 1 – IEC	61558 principle	12
=	unting box for flush-type transformer	
=	et pin (see IEC 61032, test probe 13)	
	ndard test finger (see IEC 61032, test probe B)	
	ample of back-to-back method – Single phase	
	ample of back-to-back method – Three phase	
	plitude spectrum density for random testing	
	malised spectrum of shock	
=	st voltage sequence	
=	est configuration: single-phase equipment on star TN or TT system	
	prasion resistance test for insulating coated layers	
_		
rigure 12 – Fl	exing test apparatus	100

Figure 13 – Test arrangement for checking mechanical withstanding of insulating materials in thin sheet layers	114
Figure 14 – Ball-pressure apparatus	122
Figure A.1 – Example 1	
Figure A.2 – Example 2	128
Figure A.3 – Example 3	
Figure A.4 – Example 4	
Figure A.5 – Example 5	129
Figure A.6 – Example 6	
Figure A.7 – Example 7	130
Figure A.8 – Example 8	130
Figure H.1 – Example of an electronic circuit with low-power points	143
Figure J.1 – Measuring network for touch-current	146
Figure M.1 – Examples for concentric type constructions	152
Figure M.2 – Examples for side-by-side type constructions	153
Figure M.3 – Examples for winding constructions without screen	153
Figure M.4 – Examples for wrapped winding constructions	
Figure M.5 – Examples for winding constructions with screen	154
Figure N.1 – Transformer of class I construction with metal enclosure	155
Figure N.2 – Transformer of class II construction with metal enclosure	156
Figure N.3 – Transformer of class II construction with enclosure of insulating material	156
Figure P.1 – Transformer of class I construction	158
Figure P.2 – Transformer of class I construction with earthed metal screen	159
Figure P.3 – Transformer of class II construction with metal enclosure	159
Figure P.4 – Transformer of class II construction with enclosure of insulating material	160
Figure V.1 – Restored by manual operation	169
Figure V.2 – Restored by disconnection of the supply	169
Figure V.3 – Thermal link (see 3.3.5)	169
Figure V.4 – Self-resetting thermal cut-out	169
Table 1 – Symbols used on equipment or in instructions	41
Table 2 – Values of maximum temperatures in normal use	54
Table 3 – Explanation of the maximum winding temperatures required in Table 2	
Table 4 – Test temperature and testing time (in days) per cycle	56
Table 5 – Maximum values of temperatures under short-circuit or overload conditions	59
Table 6 – Values of $T$ and $k$ for fuses	
Table 7 – Pull force on pins	64
Table 8 – Conditions for vibration testing (random)	
Table 9 – Amplitude spectrum density ASD values for accelerated life testing	
Table 10 – Frequency values depending on the weight of the specimen	66
Table 11 – Excitation values for vibration testing	66
Table 12 – Solid-object-proof transformer test	69
Table 13 – Values of insulation resistance	72

	73
able 15 – Limits for currents	76
able 16 – Nominal cross-sectional areas of external flexible cables or cords	98
able 17 – Pull and torque to be applied to external flexible cables or cords fixed to ationary and portable transformers	
able 18 – Torque to be applied to screws and connections	
able 19 – Torque test on glands	
able 20 – Clearances in mm	
able 21 – Creepage distances in mm	
able 22 – Distance through insulation in mm	
able 23 – Creepage distances and clearance between terminals for external	
able 24 – Values of FIW wires with minimum overall diameter and minimum test bltages according to the total enamel increase	
able A.1 – Width of groove values depending on the pollution degree	
able F.1 – Peak surge current of additional loads	
able I.1 – Dimensions of rectangular copper connectors	
able K.1 – Mandrel diameter	
able K.2 – Oven temperature	
able Q.1 – Degrees of protection against access to hazardous parts indicated by	the
able Q.2 – Degrees of protection against solid foreign objects indicated by the first numeral	
able Q.3 – Degrees of protection indicated by the second characteristic numeral	163
	1/_
	, Tu
	, Z
	5

#### INTERNATIONAL ELECTROTECHNICAL COMMISSION

## SAFETY OF TRANSFORMERS, REACTORS, POWER SUPPLY UNITS AND COMBINATIONS THEREOF –

## Part 1: General requirements and tests

#### **FOREWORD**

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 61558-1 has been prepared by IEC technical committee 96: Transformers, reactors, power supply units and combinations thereof.

This third edition cancels and replaces the second edition published in 2005 and Amendment 1:2009. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- a) fully insulated winding wires (FIW), new tables and aging tests for FIW constructions,
- b) overvoltage categories 1, 2, 3 and 4 for clearances and dielectric strength tests (new tables) are included,
- c) development of new symbols for the different overvoltage categories,
- d) symbol for maximum altitudes, if higher than 2 000 m,
- e) symbol for plug in power supply units, if the pins are damaged (tumbling barrel test),

- f) symbol for minimum temperature (even during the transportation),
- g) alternative temperature measurement, simulated load and back to back method according to IEC 60076-11.

**- 10 -**

- h) short circuit and overload protection, simulated load and back to back method according to IEC 60076-11,
- i) adjustment of temperatures in Table 2 according to CENELEC Guide 29,
- j) establishing partial discharge test above 750 V for FIW constructions,
- k) requirements for toroidal core constructions, division for basic and for supplementary isolation,
- I) modification of protection indexes for enclosures (IP-code),
- m) dimensioning of rectangular cross section connectors for transformers,
- n) repetition test, 80 % of required dielectric strength test voltage of Table 14,
- o) vibration test for vehicles and railway applications,
- p) two Y1 Capacitors for working voltages above 250 V and not exceeding 500 V with overvoltage category 3.

The text of this International Standard is based on the following documents:

FDIS	Report on voting
96/466/FDIS	96/468/RVD

Full information on the voting for the approval of this International Standard can be found in the report on voting indicated in the above table.

This document has been drafted in accordance with the ISO/IEC Directives, Part 2.

It has the status of a group safety publication in accordance with IEC Guide 104.

A list of all parts of the IEC 61558 series, published under the general title *Safety of transformers, reactors, power supply units and combination thereof,* can be found on the IEC website.

Future standards in this series will carry the new general title as cited above. Titles of existing standards in this series will be updated at the time of the next edition.

In this document, the following print types are used:

- proper requirements: in roman type;
- test specifications: in italic type;
- explanatory matters: in smaller roman type.

In the text of the document, the words in **bold** are defined in Clause 3.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under "http://webstore.iec.ch" in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- · replaced by a revised edition, or
- amended.

#### INTRODUCTION

This document covers safety requirements for transformers. Where the term transformer is used, it covers transformers, reactors and power supply units where applicable.

During the development of this document, to the extent possible, the requirements of IEC 60364 (all parts) were taken into consideration, so that a **transformer** can be installed in accordance with the wiring rules contained in that document. However, national wiring rules can differ.

This document recognizes the internationally accepted levels of protection against the possible electrical, mechanical, and fire hazards caused by **transformers** operating under normal conditions in accordance with the manufacturer's instructions. It also covers abnormal conditions which can occur in practice.

A **transformer** complying with this document will not necessarily be judged to comply with the safety principles of this document if, when examined and tested, it is found to have other features that impair the level of safety covered by these requirements.

A **transformer** employing materials or having forms of construction differing from those detailed in this document may be examined and tested according to the intent of the requirements and, if found to be substantially equivalent, may be judged to comply with the safety principles of this document.

The document dealing with non-safety aspects of electromagnetic compatibility (EMC) of **transformers** is IEC 62041. However, that document also includes tests that can subject the **transformer** to conditions involving safety aspects.

The objective of of IEC 61558-1 is to provide a set of requirements and tests considered to be generally applicable to most types of **transformers**, and which can be called up as required by the relevant part of IEC 61558-2. IEC 61558-1 is thus not to be regarded as a specification by itself for any type of **transformer**, and its provisions apply only to particular types of **transformers** to the extent determined by the appropriate part of IEC 61558-2. IEC 61558-1 also contains normative routine tests.

Each part of IEC 61558-2 in conjunction with this document contains all the necessary requirements for the **transformer** being covered and does not contain references to other parts of IEC 61558-2. For **transformers** with a protection index IP00 and associated **transformers**, it is possible to have circuits corresponding to different parts of IEC 61558-2 within the same construction (e.g. SELV output circuit according to IEC 61558-2-6 and a 230 V output circuit according to IEC 61558-2-4). However, if the **transformer** is covered by different parts IEC 61558-2, to the extent reasonable, the relevant part of IEC 61558-2 is applied to each function/application separately. If applicable, the effect of one function on the other is taken into consideration.

If an appropriate part of IEC 61558-2 does not exist for a particular **transformer** or group of **transformer**s, the nearest applicable part may be used as a guide to the requirements and tests.

However, individual countries may wish to consider its application, to the extent reasonable, to transformers not mentioned in the IEC 61558-2 series, and to transformers designed on new principles.

Where the requirements of any of the clauses of a part of IEC 61558-2 refer to IEC 61558-1 by the phrase "This clause of Part 1 is applicable", this phrase means that all the requirements of that clause of IEC 61558-1 are applicable, except those requirements that are clearly not applicable to the particular type of **transformer** covered by that part of IEC 61558-2.