INTERNATIONAL STANDARD



Second edition 2009-11-15

Mechanical properties of corrosionresistant stainless steel fasteners —

Part 1: Bolts, screws and studs

Caractéristiques mécaniques des éléments de fixation en acier inoxydable résistant à la corrosion —

Partie 1: Vis et goujons



Reference number ISO 3506-1:2009(E)

PDF disclaimer

This PDF file may contain embedded typefaces. In accordance with Adobe's licensing policy, this file may be printed or viewed but shall not be edited unless the typefaces which are embedded are licensed to and installed on the computer performing the editing. In downloading this file, parties accept therein the responsibility of not infringing Adobe's licensing policy. The ISO Central Secretariat accepts no liability in this area.

Adobe is a trademark of Adobe Systems Incorporated.

Details of the software products used to create this PDF file can be found in the General Info relative to the file; the PDF-creation parameters were optimized for printing. Every care has been taken to ensure that the file is suitable for use by ISO member bodies. In the unlikely event that a problem relating to it is found, please inform the Central Secretariat at the address given below.

This document is a preview denerated by FUS



COPYRIGHT PROTECTED DOCUMENT

© ISO 2009

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office Case postale 56 • CH-1211 Geneva 20 Tel. + 41 22 749 01 11 Fax + 41 22 749 09 47 E-mail copyright@iso.org Web www.iso.org Published in Switzerland

Contents

Forewo	ordiv
Introdu	ctionv
1	Scope1
2	Normative references
3	Symbols 2
4 4.1 4.2 4.3	Designation, marking and finish
5	Chemical composition
6	Mechanical properties
7 7.1 7.2	Testing
Annex	A (normative) External thread – Calculation of stress area14
Annex	B (informative) Description of the groups and grades of stainless steels
Annex	C (informative) Stainless steel composition specifications
Annex	D (informative) Stainless steels for cold heading and extruding21
	E (informative) Austenitic stainless steels with particular resistance to chloride induced stress corrosion
	F (informative) Mechanical properties at elevated emperatures; application at low temperatures
Annex	G (informative) Time-temperature diagram of intergranular corrosion in austenitic stainless steels, grade A2 (18/8 steels)
Annex	stainless steels, grade A2 (18/8 steels) 25 H (informative) Magnetic properties for austenitic stainles 26
Bibliog	raphy

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in Maison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of technical convertues is to prepare International Standards. Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires applora by at least 75 % of the member bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights.

ISO 3506-1 was prepared by Technical Committee ISO/TC 2, Fasteners, Subcommittee SC 1, Mechanical properties of fasteners.

edition (ISO 3506-1:1997), which has been technically This second edition cancels and replaces the first revised.

ISO 3506 consists of the following parts, under the general title Mechanical properties of corrosion-resistant stainless steel fasteners:

- Part 1: Bolts, screws and studs
- Part 2: Nuts
- nerated by FLS Part 3: Set screws and similar fasteners not under tensile stress
- Part 4: Tapping screws

Introduction

In the preparation of this part of ISO 3506, special attention has been given to the fundamentally different property characteristics of the stainless steel fastener grades compared with those of carbon steel and lowalloy steel fasteners. Ferritic and austenitic stainless steels are strengthened only by cold working and consequently, the components do not have as homogeneous local material properties as hardened and tempered parts. These special features have been recognized in the elaboration of the property classes and

alloy steel fastenets. Ferritic and austenitic statistics steels are strengthered only by conserving and tempered parts these special features have been recognized in the elaboration of the property classes and the test procedures for mechanical properties. The latter differ from the carbon steel and low-alloy steel fastenet test procedures with regard to the measurement of the stress at 0.2 % permanent strain (yield stress) and ductility (total elongation after fracture).

this document is a preview denerated by EUS

Mechanical properties of corrosion-resistant stainless steel fasteners —

Part 1: Bolts, screws and studs

1 Scope

This part of ISO 3506 spectres the mechanical properties of bolts, screws and studs made of austenitic, martensitic and ferritic steel grades of corrosion-resistant stainless steels, when tested over an ambient temperature range of 10 °C to 35 °C. Properties vary at higher or lower temperatures.

This part of ISO 3506 applies to bolts, screws and studs

- with nominal thread diameter $d \leq 39$ mc
- of triangular ISO metric threads with diameters and pitches in accordance with ISO 68-1, ISO 261 and ISO 262, and
- of any shape.

It does not apply to screws with special properties, such as weldability.

NOTE The designation system of this part of ISO 3506 carries used for sizes outside the limits given in this clause (e.g. d > 39 mm), provided that all applicable mechanical and physical requirements of the property classes are met.

This part of ISO 3506 does not define corrosion or oxidation restance in particular environments. However, some information on materials for particular environments is given in Annex E. Regarding definitions of corrosion and corrosion resistance, see ISO 8044.

The aim of this part of ISO 3506 is the classification of corrosion-resistant stainless steel fasteners¹) into property classes. Some materials can be used at temperatures down to -200 °C, while some can be used at temperatures up to + 800 °C in air. Information on the influence of temperature on mechanical properties is found in Annex F.

Corrosion and oxidation performances and mechanical properties for use at elevated or sub-zero temperatures can be agreed on between the user and the manufacturer in each particular case. Annex G shows how the risk of intergranular corrosion at elevated temperatures depends on the carbon content.

All austenitic stainless steel fasteners are normally non-magnetic in the annealed condition; after cold working, some magnetic properties can be evident (see Annex H).

¹⁾ The term "fasteners" is used when bolts, screws and studs are considered all together.

Normative references 2

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 68-1, ISO general purpose screw threads — Basic profile — Part 1: Metric screw threads

ISO 261, ISO general purpose metric screw threads — General plan

ISO 262, ISO general purpose metric screw threads — Selected sizes for screws, bolts and nuts

ISO 898-1, Mechanical properties of fasteners made of carbon steel and alloy steel — Part 1: Bolts, screws and studs with specified property classes — Coarse thread and fine pitch thread

ISO 3651-1, Determination of re stance to intergranular corrosion of stainless steels — Part 1: Austenitic and ferritic-austenitic (duplex) stainles steels - Corrosion test in nitric acid medium by measurement of loss in mass (Huey test)

ISO 3651-2, Determination of resistance to intergranular corrosion of stainless steels — Part 2: Ferritic, austenitic and ferritic-austenitic (duplex) steels — Corrosion test in media containing sulfuric acid

ISO 6506-1, Metallic materials — Brinell hardness test — Part 1: Test method

ISO 6507-1, Metallic materials — Vickers hardness test — Part 1: Test method

ISO 6508-1, Metallic materials — Rockwell hardness test Part 1: Test method (scales A, B, C, D, E, F, G, H, K, N, T) $\mathbf{\Lambda}$

– Part 1: Method of test at room temperature ISO 6892-1, Metallic materials — Tensile testing -

enerated by The ISO 16048, Passivation of corrosion-resistant stainless-steel fasteners

ISO 16426, Fasteners — Quality assurance system

Symbols 3

- elongation after fracture A
- nominal stress area $A_{s,nom}$
- nominal thread diameter d
- basic minor diameter of external thread d_1
- basic pitch diameter of external thread d_2
- minor diameter of external thread (for stress calculation) dз
- height of the fundamental triangle of the thread Η
- L_1 total length of fastener
- total length of fastener after fracture L_2
- L3 distance between the underside of the head and the threaded adapter
- nominal length of the fastener 1
- plain shank length la