

Protective clothing for firefighters - Physiological impact - Part 1: Measurement of coupled heat and moisture transfer with the sweating torso (ISO 18640-1:2018)

EESTI STANDARDI EESSÕNA

NATIONAL FOREWORD

| | |
|---|--|
| See Eesti standard EVS-EN ISO 18640-1:2018 sisaldab Euroopa standardi EN ISO 18640-1:2018 ingliskeelset teksti. | This Estonian standard EVS-EN ISO 18640-1:2018 consists of the English text of the European standard EN ISO 18640-1:2018. |
| Standard on jõustunud sellekohase teate avaldamisega EVS Teatajas. | This standard has been endorsed with a notification published in the official bulletin of the Estonian Centre for Standardisation. |
| Euroopa standardimisorganisatsioonid on teinud Euroopa standardi rahvuslikele liikmetele kättesaadavaks 27.06.2018. | Date of Availability of the European standard is 27.06.2018. |
| Standard on kättesaadav Eesti Standardikeskusest. | The standard is available from the Estonian Centre for Standardisation. |

Tagasisidet standardi sisu kohta on võimalik edastada, kasutades EVS-i veebilehel asuvat tagasiside vormi või saates e-kirja meiliaadressile standardiosakond@evs.ee.

ICS 13.340.10

Standardite reprodutseerimise ja levitamise õigus kuulub Eesti Standardikeskusele

Andmete paljundamine, taastekitamine, kopeerimine, salvestamine elektroonsesse süsteemi või edastamine ükskõik millises vormis või millisel teel ilma Eesti Standardikeskuse kirjaliku loata on keelatud.

Kui Teil on küsimusi standardite autorikaitse kohta, võtke palun ühendust Eesti Standardikeskusega:
Koduleht www.evs.ee; telefon 605 5050; e-post info@evs.ee

The right to reproduce and distribute standards belongs to the Estonian Centre for Standardisation

No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying, without a written permission from the Estonian Centre for Standardisation.

If you have any questions about copyright, please contact Estonian Centre for Standardisation:

Homepage www.evs.ee; phone +372 605 5050; e-mail info@evs.ee

English Version

Protective clothing for firefighters - Physiological impact -
Part 1: Measurement of coupled heat and moisture
transfer with the sweating torso (ISO 18640-1:2018)

Vêtements de protection pour sapeurs-pompiers -
Impact physiologique - Partie 1: Mesurage du transfert
de masse et de la chaleur couplé de chaleur et
d'humidité à l'aide du torse transpirant (ISO 18640-
1:2018)

Schutzkleidung für die Feuerwehr - Physiologische
Wärmebelastung - Teil 1: Messung von gekoppelter
Wärme und Stoffaustausch mit dem schwitzenden
Torso (ISO 18640-1:2018)

This European Standard was approved by CEN on 2 January 2018.

This European Standard was corrected and reissued by the CEN-CENELEC Management Centre on 22 August 2018.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

European foreword

This document (EN ISO 18640-1:2018) has been prepared by Technical Committee ISO/TC 94 "Personal safety - Personal protective equipment" in collaboration with Technical Committee CEN/TC 162 "Protective clothing including hand and arm protection and lifejackets" the secretariat of which is held by DIN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by December 2018, and conflicting national standards shall be withdrawn at the latest by December 2018.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

This document has been prepared under a mandate given to CEN by the European Commission and the European Free Trade Association, and supports essential requirements of EU Directive.

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

Endorsement notice

The text of ISO 18640-1:2018 has been approved by CEN as EN ISO 18640-1:2018 without any modification.

Contents

Page

| | |
|---|-----------|
| Foreword | v |
| Introduction | vi |
| 1 Scope | 1 |
| 2 Normative references | 1 |
| 3 Terms and definitions | 1 |
| 4 Symbols and abbreviations | 4 |
| 5 Apparatus | 4 |
| 5.1 Sweating torso | 5 |
| 5.1.1 General | 5 |
| 5.1.2 Heated cylinder | 6 |
| 5.1.3 Thermal guard sections | 6 |
| 5.1.4 Heating and temperature control | 6 |
| 5.1.5 Temperature measurement | 6 |
| 5.1.6 Simulation of perspiration | 6 |
| 5.1.7 Wicking layer | 6 |
| 5.1.8 Balance torso weight | 7 |
| 5.2 Computer, control system and data acquisition | 7 |
| 5.2.1 General | 7 |
| 5.2.2 Computer and measurement software | 7 |
| 5.2.3 Control system | 7 |
| 5.2.4 Data acquisition | 7 |
| 5.2.5 Measurement control options | 7 |
| 5.3 Climatic chamber | 8 |
| 5.3.1 General | 8 |
| 5.3.2 Climatic chamber sensors | 8 |
| 5.4 Fan system | 8 |
| 5.5 Sweat water supply | 8 |
| 5.5.1 Gravimetric sweat water control system | 9 |
| 5.6 Simulation of air layers | 10 |
| 6 Sampling and test specimens | 11 |
| 6.1 General | 11 |
| 6.1.1 Size of samples | 11 |
| 6.1.2 Type of test specimen | 11 |
| 6.1.3 Garment/ensemble specification | 11 |
| 6.2 Number of test specimens | 11 |
| 7 Specimen preparation | 11 |
| 7.1 Pre-treatment | 12 |
| 7.2 Conditioning | 12 |
| 8 Measurement procedure | 12 |
| 8.1 Test preparation | 12 |
| 8.1.1 Preparation of climatic chamber | 12 |
| 8.1.2 Wind speed | 12 |
| 8.2 Specimen testing | 13 |
| 8.2.1 General | 13 |
| 8.2.2 Dressing the torso | 14 |
| 8.2.3 Recording specimen identification and test observations | 14 |
| 8.2.4 Starting the test | 14 |
| 8.2.5 Calculated values | 15 |
| 9 Test report | 18 |
| 9.1 General | 18 |
| 9.2 Specimen identification | 18 |

| | | |
|--|---|-----------|
| 9.3 | Experiment conditions..... | 18 |
| 9.4 | Calculated results..... | 18 |
| 10 | Maintenance and calibration..... | 19 |
| 10.1 | Maintenance..... | 19 |
| 10.1.1 | Sweat water tank..... | 19 |
| 10.1.2 | Valve checks..... | 19 |
| 10.2 | Calibration..... | 19 |
| 10.2.1 | General..... | 19 |
| 10.2.2 | Correction value for thermal resistance, R_{ct0} (torso)..... | 19 |
| 10.2.3 | Wicking layer..... | 19 |
| 10.2.4 | torso temperature sensors..... | 20 |
| 10.2.5 | torso heating power..... | 20 |
| 10.2.6 | torso sweat rate..... | 20 |
| 10.2.7 | Environmental conditions..... | 20 |
| 10.3 | Experiments with a standard fabric (optional)..... | 20 |
| Annex A (informative) torso size and materials definition..... | | 21 |
| Annex B (informative) Calibration..... | | 25 |
| Annex C (informative) Example of data evaluation..... | | 27 |
| Annex D (informative) Sample check list..... | | 31 |
| Annex E (informative) Validation of the measurement device..... | | 32 |
| Annex F (informative) Example Matlab code..... | | 33 |
| Bibliography..... | | 37 |

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation on the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT) see the following URL: www.iso.org/iso/foreword.html.

This document was prepared by Technical Committee ISO/TC 94, *Personal safety*, Subcommittee SC 14, *Firefighters PPE*.

A list of all parts in the ISO 18640 series can be found on the ISO website.

Introduction

The main functions of protective clothing are protection against hazards and maintenance of health and comfort for the wearer. Furthermore, protective clothing against heat and flame prevents the wearer from health risks or even life threatening heat stress in extreme environmental conditions. Today's standards provide requirements for the protective properties of protective clothing against heat and flame. However, the higher the protective properties of such clothing, the less the heat originating from the human body is dissipated. Firefighters reach metabolic rates above 500 W/m² during their work[5][6]. Thereof 75-85 % is released as heat[7], which has to be dissipated from the human body by thermo-regulative processes to avoid an increase in body core temperature. If heat dissipation is not restricted, the human body is able to maintain its temperature in the range of 36,5 °C to 37,5 °C (normothermia)[8]. However, in harsh environmental conditions and/or in situations of restricted heat dissipation due to protective clothing the human body is not able to maintain body core temperature within normothermia and suffers from heat stress. The working performance is gradually reduced and any further increases in body core temperature can become life threatening[16]. To reduce the risk of heat stress during high intensity physical activities, protective clothing should additionally be assessed with regard to its impact on human thermoregulation and heat stress.

Different approaches exist for the assessment of thermo-physiological impact. On the one hand, established standard parameters such as water vapour resistance, R_{et} , and thermal insulation, R_{ct} , of fabric samples are considered with regard to thermo-regulative impact. However, these parameters do not fully reflect the real impact of protective clothing; for example, moisture management properties and the combined effect of heat and moisture transfer are not considered. On the other hand, human subject trials reveal real thermo-physiological responses for a specific environmental condition and protective clothing ensemble. However, the outcome of this methodology does not only refer to the intrinsic properties of material samples but are influenced also by the design of the clothing and trapped air layers within the clothing. Furthermore, human subject trials are very time consuming and expensive, constricted by ethical guidelines and provide findings related to the collective of participants included. Thus, reproducibility between laboratories might be limited. The use of thermal manikins overcomes the limitations for human subject trials. As for human subject trials, full body manikins provide findings on ready-made protective garments including design and fit. Hence, the attribution to intrinsic material properties remains difficult.

A methodology referring to intrinsic clothing properties and taking into account combined heat and moisture transfer is the Sweating torso[9][10]. Sweating torso device is an upright standing heated cylinder, representing the surface of a human trunk, with the ability for perspiration[11]. The clothing sample is investigated by wrapping specimens around the sweating torso. Three phases are run to measure dry thermal insulation, dry and wet heat transfer and drying properties. Findings from the Sweating torso have been validated with standard methodologies, such as sweating guarded hotplate, and were shown to be highly reproducible[11]. Furthermore, validation studies have been conducted to relate human thermos-physiological measurements to Sweating torso findings under realistic environmental conditions and activities for firefighters. Based on this knowledge, guidelines are provided for intrinsic textile properties based on thermo-physiological responses. In addition to the standard procedure described above, the impact of more complex protective clothing systems including underwear, air gaps and/or design features is investigated optionally applying the same experimental protocol described in this document.

Protective clothing for firefighters — Physiological impact —

Part 1:

Measurement of coupled heat and moisture transfer with the sweating torso

1 Scope

This document provides a test method for evaluating the physiological impact of protective fabric ensembles and potentially protective clothing ensembles in a series of simulated activities (phases) under defined ambient conditions. This standard test method characterizes the essential properties of fabric assemblies of a representative garment or clothing ensemble for thermo-physiological assessment:

- dry thermal insulation;
- cooling properties during average metabolic activity and moisture management (dry and wet heat transfer);
- drying behaviour.

Default measurements are done on fabric samples representing the garment or protective clothing combination. Optionally and in addition to the standard test method, the same testing protocol can be applied to characterise more complex protective clothing ensembles including underwear, air layer and certain design features¹⁾. In addition, measurements on readymade garments are possible.

This test method is intended to be used to measure and describe the behaviour of fabric assemblies of a garment or clothing ensemble in response to a simulated series of activities under controlled laboratory conditions, with the results used to optimize garment combinations and material selection. Furthermore, this document together ISO 18640-2, is intended to be used to describe the thermo-physiological impact of protective clothing but not the risk for heat stress under actual fire conditions. The results of this test can be used as elements of a risk assessment with respect to thermo-physiological load.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 3696, *Water for analytical laboratory use — Specification and test methods*

3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

1) A study conducted by Empa (Swiss Federal Laboratories for Materials Science and Technology, Switzerland) showed good correlation between results of standard torso tests (without underwear and air layers on fabrics) to tests on fabrics with underwear, tests on fabrics with underwear and air layers and test on readymade garments (with underwear and with or without air layers) of the same material composition. Due to the added thermal insulation values of the additional layers direct comparison of results between different measurement configurations is not possible, however.