

ABIKOHAS TESTIMINE (AKT). KVALITEEDI JA  
KOMPETENTSUSE NÕUDED

Point-of-care testing (POCT) - Requirements for quality  
and competence (ISO 22870:2016)

## EESTI STANDARDI EESSÕNA

## NATIONAL FOREWORD

See Eesti standard EVS-EN ISO 22870:2016 sisaldab Euroopa standardi EN ISO 22870:2016 ingliskeelset teksti.	This Estonian standard EVS-EN ISO 22870:2016 consists of the English text of the European standard EN ISO 22870:2016.
Standard on jõustunud sellekohase teate avaldamisega EVS Teatajas.	This standard has been endorsed with a notification published in the official bulletin of the Estonian Centre for Standardisation.
Euroopa standardimisorganisatsioonid on teinud Euroopa standardi rahvuslikele liikmetele kättesaadavaks 30.11.2016.	Date of Availability of the European standard is 30.11.2016.
Standard on kättesaadav Eesti Standardikeskusest.	The standard is available from the Estonian Centre for Standardisation.

Tagasisidet standardi sisu kohta on võimalik edastada, kasutades EVS-i veebilehel asuvat tagasiside vormi või saates e-kirja meiliaadressile [standardiosakond@evs.ee](mailto:standardiosakond@evs.ee).

ICS 03.120.10, 11.100.01

Standardite reprodutseerimise ja levitamise õigus kuulub Eesti Standardikeskusele

Andmete paljundamine, taastekitamine, kopeerimine, salvestamine elektroonsesse süsteemi või edastamine ükskõik millises vormis või millisel teel ilma Eesti Standardikeskuse kirjaliku loata on keelatud.

Kui Teil on küsimusi standardite autorikaitse kohta, võtke palun ühendust Eesti Standardikeskusega:  
Koduleht [www.evs.ee](http://www.evs.ee); telefon 605 5050; e-post [info@evs.ee](mailto:info@evs.ee)

The right to reproduce and distribute standards belongs to the Estonian Centre for Standardisation

No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying, without a written permission from the Estonian Centre for Standardisation.

If you have any questions about copyright, please contact Estonian Centre for Standardisation:

Homepage [www.evs.ee](http://www.evs.ee); phone +372 605 5050; e-mail [info@evs.ee](mailto:info@evs.ee)

English Version

Point-of-care testing (POCT) - Requirements for quality  
and competence (ISO 22870:2016)

Examens de biologie médicale délocalisée (EBMD) -  
Exigences concernant la qualité et la compétence (ISO  
22870:2016)

Patientennahe Untersuchungen (point-of-care testing,  
POCT) - Anforderungen an Qualität und Kompetenz  
(ISO 22870:2016)

This European Standard was approved by CEN on 14 October 2016.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION  
COMITÉ EUROPÉEN DE NORMALISATION  
EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

## European foreword

This document (EN ISO 22870:2016) has been prepared by Technical Committee ISO/TC 212 "Clinical laboratory testing and in vitro diagnostic test systems" in collaboration with Technical Committee CEN/TC 140 "In vitro diagnostic medical devices" the secretariat of which is held by DIN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by May 2017, and conflicting national standards shall be withdrawn at the latest by November 2019.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

This document supersedes EN ISO 22870:2006.

This document has been prepared under a mandate given to CEN by the European Commission and the European Free Trade Association, and supports essential requirements of EC Regulation 765/2008.

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

## Endorsement notice

The text of ISO 22870:2016 has been approved by CEN as EN ISO 22870:2016 without any modification.

# Contents

Page

<b>Foreword</b> .....	<b>iv</b>
<b>Introduction</b> .....	<b>v</b>
<b>1 Scope</b> .....	<b>1</b>
<b>2 Normative references</b> .....	<b>1</b>
<b>3 Terms and definitions</b> .....	<b>1</b>
<b>4 Management requirements</b> .....	<b>1</b>
4.1 Organization and management .....	1
4.2 Quality management system.....	2
4.3 Document control.....	4
4.4 Service agreements.....	4
4.5 Examination by referral laboratories .....	4
4.6 External services and supplies.....	4
4.7 Advisory services.....	4
4.8 Resolution of complaints.....	4
4.9 Identification and control of nonconformities .....	4
4.10 Corrective action .....	5
4.11 Preventive action.....	5
4.12 Continual improvement.....	5
4.13 Quality and technical records.....	5
4.14 Internal audits .....	6
4.15 Management review .....	6
<b>5 Technical requirements</b> .....	<b>6</b>
5.1 Personnel.....	6
5.2 Accommodation and environmental conditions .....	8
5.3 Equipment.....	8
5.4 Pre-examination procedures .....	8
5.5 Examination procedures .....	8
5.6 Assuring the quality of examination procedures .....	9
5.7 Post-examination procedure.....	9
5.8 Reporting of results .....	10
<b>Bibliography</b> .....	<b>11</b>

## Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see [www.iso.org/directives](http://www.iso.org/directives)).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see [www.iso.org/patents](http://www.iso.org/patents)).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation on the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT) see the following URL: [www.iso.org/iso/foreword.html](http://www.iso.org/iso/foreword.html).

The committee responsible for this document is ISO/TC 212, *Clinical laboratory testing and in vitro diagnostic test systems*.

This second edition cancels and replaces the first edition (ISO 22870:2006), of which it constitutes a minor revision.

The changes compared to the previous edition are as follows:

- inclusion of cross-references to the applicable clauses in ISO 15189:2012.

## Introduction

Traditional examinations of a patient's body fluids, excreta and tissues are carried out generally in the controlled and regulated environment of a recognized medical laboratory. The introduction of quality management systems and accreditation of these laboratories are gaining increasing interest.

Advances in technology have resulted in compact, easy-to-use *in vitro* diagnostic (IVD) medical devices that make it possible to carry out some examinations at, or close to, the location of the patient. Point-of-care/near-patient testing may benefit the patient as well as healthcare facilities.

Risk to the patient and to the facility can be managed by a well-designed, fully implemented quality management system that facilitates

- evaluation of new or alternative POCT instruments and systems,
- evaluation and approval of end-user proposals and protocols,
- purchase, installation and maintenance of equipment,
- maintenance of consumable supplies and reagents,
- training, certification and recertification of POCT system operators, and
- quality control and quality assurance.

Bodies that recognize the competence of POCT facilities may use this document as the basis for their activities. If a healthcare facility seeks accreditation for a part or all of its activities, it should select an accreditation body that operates in a manner which takes into account the special requirements of POCT.

# Point-of-care testing (POCT) — Requirements for quality and competence

## 1 Scope

This document gives specific requirements applicable to point-of-care testing and is intended to be used in conjunction with ISO 15189. The requirements of this document apply when POCT is carried out in a hospital, clinic and by a healthcare organization providing ambulatory care. This document can be applied to transcutaneous measurements, the analysis of expired air, and *in vivo* monitoring of physiological parameters.

Patient self-testing in a home or community setting is excluded, but elements of this document can be applicable.

NOTE Local, regional and national regulations are to be taken into consideration.

## 2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 15189:2012, *Medical laboratories — Requirements for quality and competence*

## 3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- IEC Electropedia: available at <http://www.electropedia.org/>
- ISO Online browsing platform: available at <http://www.iso.org/obp>

### 3.1

#### point-of-care testing

#### POCT

near-patient testing

testing that is performed near or at the site of a patient with the result leading to possible change in the care of the patient

## 4 Management requirements

### 4.1 Organization and management

4.1.1 ISO 15189:2012, 4.1.1.2, 4.1.1.3 and the following apply.

The management of laboratory services shall plan and develop the processes needed for POCT.

The following shall be considered, as appropriate:

- a) quality objectives and requirements for POCT;