

Energy management system application program
interface (EMS-API) - Part 452: CIM static transmission
network model profiles

EESTI STANDARDI EESSÕNA

NATIONAL FOREWORD

See Eesti standard EVS-EN 61970-452:2017 sisaldab Euroopa standardi EN 61970-452:2017 ingliskeelset teksti.	This Estonian standard EVS-EN 61970-452:2017 consists of the English text of the European standard EN 61970-452:2017.
Standard on jõustunud sellekohase teate avaldamisega EVS Teatajas	This standard has been endorsed with a notification published in the official bulletin of the Estonian Centre for Standardisation.
Euroopa standardimisorganisatsioonid on teinud Euroopa standardi rahvuslikele liikmetele kättesaadavaks 17.11.2017.	Date of Availability of the European standard is 17.11.2017.
Standard on kättesaadav Eesti Standardikeskusest.	The standard is available from the Estonian Centre for Standardisation.

Tagasisidet standardi sisu kohta on võimalik edastada, kasutades EVS-i veebilehel asuvat tagasiside vormi või saates e-kirja meiliaadressile standardiosakond@evs.ee.

ICS 33.200

Standardite reprodutseerimise ja levitamise õigus kuulub Eesti Standardikeskusele

Andmete paljundamine, taastekitamine, kopeerimine, salvestamine elektroonsesse süsteemi või edastamine ükskõik millises vormis või millisel teel ilma Eesti Standardikeskuse kirjaliku loata on keelatud.

Kui Teil on küsimusi standardite autorikaitse kohta, võtke palun ühendust Eesti Standardikeskusega:
Koduleht www.evs.ee; telefon 605 5050; e-post info@evs.ee

The right to reproduce and distribute standards belongs to the Estonian Centre for Standardisation

No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying, without a written permission from the Estonian Centre for Standardisation.

If you have any questions about copyright, please contact Estonian Centre for Standardisation:

Homepage www.evs.ee; phone +372 605 5050; e-mail info@evs.ee

English Version

**Energy management system application program interface
(EMS-API) - Part 452: CIM static transmission network model
profiles
(IEC 61970-452:2017)**

Interface de programmation d'application pour système de
gestion d'énergie (EMS-API) - Partie 452: Profils du modèle
de réseau de transport statique CIM
(IEC 61970-452:2017)

Schnittstelle für Anwendungsprogramme für
Netzführungssysteme (EMS-API) - Teil 452: CIM-Statische-
Übertragungsnetzwerk-Modell-Profil
(IEC 61970-452:2017)

This European Standard was approved by CENELEC on 2017-08-30. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.



European Committee for Electrotechnical Standardization
Comité Européen de Normalisation Electrotechnique
Europäisches Komitee für Elektrotechnische Normung

CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

European foreword

The text of document 57/1868/FDIS, future edition 3 of IEC 61970-452, prepared by IEC/TC 57 "Power systems management and associated information exchange" was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN 61970-452:2017.

The following dates are fixed:

- latest date by which the document has to be (dop) 2018-05-30
implemented at national level by
publication of an identical national
standard or by endorsement
- latest date by which the national (dow) 2020-08-30
standards conflicting with the
document have to be withdrawn

This document supersedes EN 61970-452:2015.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC shall not be held responsible for identifying any or all such patent rights.

Endorsement notice

The text of the International Standard IEC 61970-452:2017 was approved by CENELEC as a European Standard without any modification.

In the official version, for Bibliography, the following notes have to be added for the standards indicated:

IEC 61970-1	NOTE	Harmonized as EN 61970-1.
IEC/TS 61970-2	NOTE	Harmonized as CLC/TS 61970-2.
IEC 61970-552	NOTE	Harmonized as EN 61970-552.

Annex ZA (normative)

Normative references to international publications with their corresponding European publications

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE 1 Where an International Publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

NOTE 2 Up-to-date information on the latest versions of the European Standards listed in this annex is available here: www.cenelec.eu.

<u>Publication</u>	<u>Year</u>	<u>Title</u>	<u>EN/HD</u>	<u>Year</u>
IEC 61968-13	-	Application integration at electric utilities - System interfaces for distribution management - Part 13: CIM RDF Model exchange format for distribution	EN 61968-13	-
IEC 61970-301	2016	Energy Management System Application Program Interface (EMS-API) - Part 301: Common Information model (CIM) base	EN 61970-301	2017
IEC 61970-456	-	Energy management system application program interface (EMS-API) - Part 456: Solved power system state profiles	EN 61970-456	-
IEC 61970-501	-	Energy management system application program interface (EMS-API) - Part 501: Common Information Model Resource Description Framework (CIM RDF) schema	EN 61970-501	-
IEC 61970-552	-	Energy management system application program interface (EMS-API) - Part 552: CIMXML Model exchange format	EN 61970-552	-

CONTENTS

FOREWORD.....	4
INTRODUCTION.....	6
1 Scope.....	7
2 Normative references	8
3 Terms and definitions	8
4 Overview of data requirements	8
4.1 Overview.....	8
4.2 General requirements	9
4.3 Transformer modeling	9
4.4 Modeling authorities.....	11
4.5 Use of measurement classes	11
4.5.1 General	11
4.5.2 ICCP data exchange.....	12
4.6 Voltage or active power regulation	12
4.7 Use of curves.....	13
4.7.1 General	13
4.7.2 Generating unit reactive power limits	13
4.8 Definition of schedules.....	13
5 CIM Static Transmission Network Model Profiles	13
5.1 CIM Static Transmission Network Model Profiles General	13
5.2 Core Equipment Profile	14
5.2.1 Concrete Classes	14
5.2.2 Abstract Classes.....	66
5.2.3 Enumerations	83
5.2.4 Datatypes	88
5.3 Operation Profile.....	92
5.3.1 Concrete Classes	92
5.3.2 Abstract Classes.....	113
5.3.3 Enumerations	122
5.3.4 Datatypes	125
5.4 Short Circuit Profile.....	126
5.4.1 Concrete Classes	126
5.4.2 Abstract Classes.....	148
5.4.3 Enumerations	154
5.4.4 Datatypes	154
6 Amplifications and conventions.....	157
6.1 Overview.....	157
6.2 XML file validity	157
6.3 Normative string tables	157
6.4 Roles and multiplicity.....	158
Annex A (informative) Model exchange use cases	159
A.1 General.....	159
A.2 Regional security coordinators operating as peers	159
A.3 Hierarchical modeling	161
Annex B (informative) Modeling authorities	164
B.1 General.....	164

B.2	The ModelingAuthority Class and ModelingAuthoritySets	164
B.3	Full Model Exchange.....	164
B.4	Benefits of this approach	164
B.4.1	Generality.....	164
B.4.2	Naming & MRIDs	165
B.4.3	Processing efficiency.....	165
B.4.4	Verification of authority	165
Annex C (informative)	Boundary definition	166
Annex D (informative)	Multiple profile processing.....	167
Annex E (informative)	Common power system model (CPSM) minimum data requirements	168
E.1	Overview.....	168
E.2	Scope of the ENTSO-E Common Grid Model Exchange (CGMES) specification.....	168
E.3	Glossary of the ENTSO-E Common Grid Model Exchange (CGMES) specification.....	169
E.4	Recommended data model exchange attributes	170
Bibliography	174
Figure 1	– Two winding transformer impedance	10
Figure 2	– Three winding transformer impedance.....	10
Figure A.1	– Security coordinators	159
Figure A.2	– CIM model exchange	160
Figure A.3	– Revised CIM model exchange.....	161
Figure A.4	– Hierarchical modeling	162
Figure E.1	– Example model configuration	172
Table 1	– Valid measurementTypes	12
Table 2	– Profiles defined in this document.....	14
Table 3	– Valid attribute values.....	158

INTRODUCTION

This part of IEC 61970 is part of the IEC 61970 series that define an application program interface (API) for an energy management system (EMS).

The IEC 61970-3x series specifies a Common Information Model (CIM). The CIM is an abstract model that represents all of the major objects in an electric utility enterprise typically needed to model the operational aspects of a utility. It provides the semantics for the IEC 61970 APIs specified in the IEC 61970-4x series of Component Interface Standards (CIS). The IEC 61970-3x series includes IEC 61970-301, *Common Information Model (CIM) base* and draft standard IEC 61970-302¹, *Common Information Model (CIM) for Dynamics*.

This document is one of the IEC 61970-4x series of Component Interface Standards that specify the functional requirements for interfaces that a component (or application) shall implement to exchange information with other components (or applications) and/or to access publicly available data in a standard way. The component interfaces describe the specific message contents and services that can be used by applications for this purpose. The implementation of these messages in a particular technology is described in the IEC 61970-5x series.

This document specifies the specific profiles (or subsets) of the CIM for exchange of static power system data between utilities, security coordinators and other entities participating in a interconnected power system, such that all parties have access to the modeling of their neighbor's systems that is necessary to execute state estimation or power flow applications. Currently three profiles, the CoreEquipment Profile, the Operation Profile and the Short Circuit Profile, have been defined. A companion standard, IEC 61970-552, defines the CIM XML Model Exchange Format based on the Resource Description Framework (RDF) Schema specification language. IEC 61970-552 is the common industry approach and is recommended to be used to transfer power system model data for the IEC 61970-452 profile.

1 Under preparation. Stage at the time of publication: IEC/AFDIS 61970-302:2017.

ENERGY MANAGEMENT SYSTEM APPLICATION PROGRAM INTERFACE (EMS-API) –

Part 452: CIM static transmission network model profiles

1 Scope

This IEC document is one of the IEC 61970-450 to 499 series that, taken as a whole, defines at an abstract level the content and exchange mechanisms used for data transmitted between control centers and/or control center components, such as power systems applications.

The purpose of this document is to define the subset of classes, class attributes, and roles from the CIM necessary to execute state estimation and power flow applications. The North American Electric Reliability Council (NERC) Data Exchange Working Group (DEWG) Common Power System Modeling group (CPSM) produced the original data requirements, which are shown in Annex E. These requirements are based on prior industry practices for exchanging power system model data for use primarily in planning studies. However, the list of required data has been extended to facilitate a model exchange that includes parameters common to breaker-oriented applications. Where necessary this document establishes conventions, shown in Clause 6, with which an XML data file must comply in order to be considered valid for exchange of models.

This document is intended for two distinct audiences, data producers and data recipients, and may be read from two perspectives.

From the standpoint of model export software used by a data producer, the document describes a minimum subset of CIM classes, attributes, and associations which must be present in an XML formatted data file for model exchange. This standard does not dictate how the network is modelled, however. It only dictates what classes, attributes, and associations are to be used to describe the source model as it exists.

Optional and required classes, attributes and associations must be imported if they are in the model file prior to import. If an optional attribute does not exist in the imported file, it does not have to be exported in case exactly the same data set is exported, i.e. the tool is not obliged to automatically provide this attribute. If any mandatory attribute or association is missing, the exchanged data is considered invalid. Specific business processes may relax restrictions of the profile, but such exchanges would not be considered to be compliant with the standard. Business processes governing different exchanges can also require mandatory exchange of certain optional attributes or associations.

Furthermore, an exporter may, at his or her discretion, produce an XML data file containing additional class data described by the CIM RDF Schema but not required by this document provided these data adhere to the conventions established in Clause 6.

From the standpoint of the model import used by a data recipient, the document describes a subset of the CIM that importing software must be able to interpret in order to import exported models. As mentioned above, data providers are free to exceed the minimum requirements described herein as long as their resulting data files are compliant with the CIM RDF Schema and the conventions established in Clause 6. The document, therefore, describes additional classes and class data that, although not required, exporters will, in all likelihood, choose to include in their data files. The additional classes and data are labeled as required (cardinality 1..1) or as optional (cardinality 0..1) to distinguish them from their required counterparts. Please note, however, that data importers could potentially receive data containing instances of any and all classes described by the CIM RDF Schema.