
**Interoperability of microfluidic
devices — Guidelines for pitch
spacing dimensions and initial device
classification**

*Interopérabilité des dispositifs microfluidiques — Lignes directrices
pour les dimensions d'un pas d'espacement et le classement initial de
l'appareil*

This document is a preview generated by EMS



COPYRIGHT PROTECTED DOCUMENT

© ISO 2016, Published in Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Ch. de Blandonnet 8 • CP 401
CH-1214 Vernier, Geneva, Switzerland
Tel. +41 22 749 01 11
Fax +41 22 749 09 47
copyright@iso.org
www.iso.org

Contents

Page

Foreword	iv
Introduction	v
1 Scope	1
2 Terms and definitions	1
3 Geometrical pitch specifications	3
3.1 General.....	3
3.2 Geometrical specifications on pitch dimensions.....	4
4 Device classification	5
4.1 General.....	5
4.2 Initial device classification.....	5
5 Potential future work	6
Annex A (informative) Workshop resolutions	7
Annex B (informative) Workshop contributors	9
Bibliography	11

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation on the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT) see the following URL: www.iso.org/iso/foreword.html.

The committee responsible for this document is the ISO/TMB, *Technical Management Board*.

International Workshop Agreement IWA 23 was approved at a workshop organized by pan European (ENIAC Joint Undertaking) project MFmanufacturing, in association with Deutsches Institut für Normung (DIN). The workshop was held in British Standards Institution (BSI), London, United Kingdom, on 19 April, 2016. The workshop resolutions and contributors are listed in [Annexes A](#) and [B](#), respectively.

Introduction

Microfluidics technology plays an important role for next generation devices. In the last few decades, initial R&D investment in academia has led to the generation of a number of spin out companies. Most of the companies that have flourished are microfluidic foundries or suppliers of microfluidic components. However, the track record associated with the success of actual application devices has been disappointing, with only a small handful of products (such as the ink jet printer) reaching commercial success.

The concern surrounding the lack of commercialization with regards to microfluidic devices has been discussed amongst various interested parties and stakeholders within the Microfluidics Consortium (MC). MC is an ad hoc group that offers a forum for discussion amongst interested parties and stakeholders in the microfluidics community. Such discussions led to the identification of several factors that can potentially hinder commercial success of microfluidics devices. This includes the high R&D and manufacturing costs of devices currently sold into a relatively small market [13]. It has been recognized that in order to reduce costs, there is a need to bring manufacturing of microfluidic devices to the same level of maturity and industrialization as electronic devices. This meant the need to mimic some of the standardization initiatives and outputs from the electronic industry in order to not only reduce costs but at the same time increase interoperability, thus promoting plug-and-play. The standardization initiative that had begun in the MC led to the development of several internal documents, such as a guideline on how to design microfluidic devices [14]. The standardization initiative and knowledge base gained through the MC eventually led to the formation of a pan-European project MFmanufacturing consisting of 20 project partners.

In identifying what standards should be proposed, consideration must be given to current market needs and trends. This led MFmanufacturing to develop, implement and analyse a survey (of 134 respondents), in order to identify those items that are in need of standardization to ultimately enhance the commercialization of microfluidic devices. Attention was given to those items that have been identified as being of highest priority, which are

- a) terminology of relevance,
- b) geometrical specifications on pitch dimensions,
- c) device classification.

These items are further discussed in the relevant paragraphs below.

Interoperability of microfluidic devices — Guidelines for pitch spacing dimensions and initial device classification

1 Scope

This International Workshop Agreement is a consensus document developed by the workshop participants and observers in response to the need for standardization and harmonization of pitch spacing dimension, initial device classification and terminology of relevance.

This International Workshop Agreement will serve as a guideline and is applicable to various interested parties and stakeholders in the microfluidics community.

This International Workshop Agreement

- specifies geometrical standards in relation to pitch connector dimensions of microfluidic devices,
- specifies an initial device classification rules, and
- defines terms of relevance.

2 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

2.1

classification

method of sorting into categories

[SOURCE: ISO 22935-1:2009, 3.7]

2.2

connector

component that allows one part of the set to be connected to another

[SOURCE: ISO 3826-4:2015, 3.4]

2.3

device

component or assembly of components to perform a required function

[SOURCE: ISO 10209:2012, 2.30, modified]

2.4

end-users

person or persons who will ultimately be using the system for its intended purpose

[SOURCE: ISO/IEC 19770-5:2015, 3.13]

2.5

integration

process of physically and functionally combining lower-level functional elements (hardware or software) to obtain a particular functional configuration considered to be of a much higher-level entity

[SOURCE: ISO 10795:2011, 1.117, modified]