

PÕLLUMAJANDUS- JA METSATÖÖMASINAD.  
MURUNIIDUKID. OHUTUS

Agricultural and forestry machinery - Pedestrian  
controlled motor mowers - Safety

## EESTI STANDARDI EESSÕNA

## NATIONAL FOREWORD

See Eesti standard EVS-EN 12733:2018 sisaldab Euroopa standardi EN 12733:2018 ingliskeelset teksti.	This Estonian standard EVS-EN 12733:2018 consists of the English text of the European standard EN 12733:2018.
Standard on jõustunud sellekohase teate avaldamisega EVS Teatajas	This standard has been endorsed with a notification published in the official bulletin of the Estonian Centre for Standardisation.
Euroopa standardimisorganisatsioonid on teinud Euroopa standardi rahvuslikele liikmetele kättesaadavaks 03.10.2018.	Date of Availability of the European standard is 03.10.2018.
Standard on kättesaadav Eesti Standardikeskusest.	The standard is available from the Estonian Centre for Standardisation.

Tagasisidet standardi sisu kohta on võimalik edastada, kasutades EVS-i veebilehel asuvat tagasiside vormi või saates e-kirja meiliaadressile [standardiosakond@evs.ee](mailto:standardiosakond@evs.ee).

ICS 65.060.50

Standardite reprodutseerimise ja levitamise õigus kuulub Eesti Standardikeskusele

Andmete paljundamine, taastekitamine, kopeerimine, salvestamine elektroonsesse süsteemi või edastamine ükskõik millises vormis või millisel teel ilma Eesti Standardikeskuse kirjaliku loata on keelatud.

Kui Teil on küsimusi standardite autorikaitse kohta, võtke palun ühendust Eesti Standardikeskusega:  
Koduleht [www.evs.ee](http://www.evs.ee); telefon 605 5050; e-post [info@evs.ee](mailto:info@evs.ee)

The right to reproduce and distribute standards belongs to the Estonian Centre for Standardisation

No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying, without a written permission from the Estonian Centre for Standardisation.

If you have any questions about copyright, please contact Estonian Centre for Standardisation:

Homepage [www.evs.ee](http://www.evs.ee); phone +372 605 5050; e-mail [info@evs.ee](mailto:info@evs.ee)

EUROPEAN STANDARD

**EN 12733**

NORME EUROPÉENNE

EUROPÄISCHE NORM

October 2018

ICS 65.060.50

Supersedes EN 12733:2001+A1:2009

English Version

## Agricultural and forestry machinery - Pedestrian controlled motor mowers - Safety

Matériel agricole et forestier - Motofaucheuses à  
conducteur à pied - Sécurité

Land- und forstwirtschaftliche Maschinen -  
Handgeführte Motormäher - Sicherheit

This European Standard was approved by CEN on 22 January 2018.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION  
COMITÉ EUROPÉEN DE NORMALISATION  
EUROPÄISCHES KOMITEE FÜR NORMUNG

**CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels**

<b>Contents</b>	<b>Page</b>
European foreword.....	7
Introduction .....	8
<b>1 Scope</b> .....	<b>9</b>
<b>2 Normative references</b> .....	<b>9</b>
<b>3 Terms and definitions</b> .....	<b>11</b>
<b>4 List of hazards</b> .....	<b>12</b>
<b>5 Safety requirements and/or protective/risk reduction measures</b> .....	<b>13</b>
<b>5.1 General</b> .....	<b>13</b>
<b>5.2 Engine starting and stopping devices</b> .....	<b>13</b>
<b>5.2.1 General</b> .....	<b>13</b>
<b>5.2.2 Primary engine starting</b> .....	<b>13</b>
<b>5.2.3 Secondary engine starting</b> .....	<b>13</b>
<b>5.2.4 Stopping</b> .....	<b>14</b>
<b>5.3 Location of controls</b> .....	<b>14</b>
<b>5.3.1 Controls in the hand reach zone</b> .....	<b>14</b>
<b>5.3.2 Controls in the hand reach zone or foot reach zone</b> .....	<b>14</b>
<b>5.3.3 Further controls</b> .....	<b>14</b>
<b>5.3.4 Hand reach zone</b> .....	<b>14</b>
<b>5.3.5 Foot reach zone</b> .....	<b>15</b>
<b>5.4 Identification of controls</b> .....	<b>15</b>
<b>5.5 Controls of the movement of the machine and of the cutting means</b> .....	<b>16</b>
<b>5.6 Reverse traction drive</b> .....	<b>17</b>
<b>5.7 Handlebars</b> .....	<b>18</b>
<b>5.8 Pressurized components</b> .....	<b>18</b>
<b>5.9 Liquid spillage</b> .....	<b>18</b>
<b>5.10 Exhaust system</b> .....	<b>18</b>
<b>5.10.1 Protection against exhaust gases</b> .....	<b>18</b>
<b>5.10.2 Protection against hot surfaces</b> .....	<b>18</b>
<b>5.11 Steering mechanism</b> .....	<b>20</b>
<b>5.11.1 General</b> .....	<b>20</b>
<b>5.11.2 Measurement of the steering force</b> .....	<b>20</b>
<b>5.12 Brakes</b> .....	<b>21</b>
<b>5.12.1 General</b> .....	<b>21</b>
<b>5.12.2 Service brake</b> .....	<b>22</b>
<b>5.12.3 Parking brake</b> .....	<b>22</b>
<b>5.13 Maximum travel speed</b> .....	<b>23</b>
<b>5.14 Electrical installations</b> .....	<b>23</b>
<b>5.15 Noise</b> .....	<b>23</b>
<b>5.15.1 Reduction by design and protective measures</b> .....	<b>23</b>
<b>5.15.2 Reduction by information</b> .....	<b>23</b>
<b>5.15.3 Noise emission measurement</b> .....	<b>23</b>
<b>5.16 Vibration</b> .....	<b>24</b>
<b>5.16.1 Reduction by design and protective measures</b> .....	<b>24</b>
<b>5.16.2 Reduction by information</b> .....	<b>24</b>
<b>5.16.3 Vibration measurement</b> .....	<b>24</b>
<b>6 Specific requirements</b> .....	<b>24</b>

6.1	Sickle bar mowers .....	24
6.2	Grassland mowers .....	25
6.2.1	Protection against contact with cutting blades .....	25
6.2.2	Verification of the safety requirements and/or measures for grassland mowers .....	27
6.2.3	Cutting blades .....	35
6.2.4	Cutting blade stopping .....	35
6.3	Flail mowers .....	37
6.3.1	Protection against contact with cutting blades .....	37
6.3.2	Protection against thrown objects .....	38
6.3.3	Cutting blade stopping time .....	38
6.4	Scrub clearing machines .....	40
6.4.1	Protection against contact with cutting means .....	40
6.4.2	Protection against thrown objects .....	41
6.4.3	Structural integrity of the casing .....	41
6.4.4	Cutting blades .....	41
6.4.5	Cutting blade stopping time .....	41
7	Information for use .....	43
7.1	Instruction handbook .....	43
7.1.1	General .....	43
7.1.2	Additional information for scrub clearing machines .....	44
7.2	Marking .....	45
7.3	Warnings .....	45
Annex A (normative) List of hazards .....		46
Annex B (normative) Noise test code for motor mowers - Engineering method (grade 2) .....		50
B.1	Scope .....	50
B.2	A-weighted sound power level determination .....	50
B.3	A-weighted emission sound pressure level determination .....	52
B.4	Requirements for test floor .....	52
B.5	Installation, mounting and operating conditions .....	52
B.6	Measurement uncertainties and declaration of noise emission values .....	53
B.7	Information to be recorded and reported .....	53
Annex C (normative) Vibration measurement of motor mowers .....		54
C.1	Quantities to be measured .....	54
C.2	Instrumentation .....	54
C.2.1	General .....	54
C.2.2	Fastening of transducer .....	54
C.2.3	Calibration .....	54
C.3	Measurement direction and measurement location .....	54
C.3.1	Measurement direction .....	54
C.3.2	Measurement location .....	54
C.4	Test procedure .....	55
C.4.1	General .....	55
C.4.2	Test procedure for machine with rotary cutting blade(s) .....	55
C.4.2.1	Test condition .....	55

<b>C.4.2.2 Test procedure for reciprocating machine</b> .....	<b>55</b>
<b>C.4.2.2.1 Driving speed</b> .....	<b>55</b>
<b>C.4.2.2.2 Cutting blade</b> .....	<b>55</b>
<b>C.4.2.2.3 Machine centre of gravity</b> .....	<b>55</b>
<b>C.4.2.2.4 Test conditions</b> .....	<b>55</b>
<b>C.5 Measurement procedure</b> .....	<b>56</b>
<b>C.6 Determination of the measurement result</b> .....	<b>56</b>
<b>Annex D (normative) Foot probe test</b> .....	<b>58</b>
<b>D.1 Test equipment</b> .....	<b>58</b>
<b>D.2 Test method</b> .....	<b>58</b>
<b>D.3 Test acceptance</b> .....	<b>58</b>
<b>Annex E (normative) Testing of protective skirts</b> .....	<b>60</b>
<b>E.1 General</b> .....	<b>60</b>
<b>E.2 Tensile resistance test</b> .....	<b>60</b>
<b>E.2.1 Procedure</b> .....	<b>60</b>
<b>E.2.2 Preparation of the samples</b> .....	<b>60</b>
<b>E.2.3 Clamping</b> .....	<b>60</b>
<b>E.2.4 Acceptance criteria</b> .....	<b>61</b>
<b>E.3 Perforation resistance test</b> .....	<b>61</b>
<b>E.3.1 Procedure</b> .....	<b>61</b>
<b>E.3.2 Acceptance criteria</b> .....	<b>62</b>
<b>E.4 Wear resistance test</b> .....	<b>62</b>
<b>E.4.1 Procedure</b> .....	<b>62</b>
<b>E.4.2 Acceptance criteria</b> .....	<b>63</b>
<b>Annex F (normative) Corrugated fibreboard penetration tests on grassland mowers - Test enclosure wall panels (see 6.2.2.2.4.2)</b> .....	<b>64</b>
<b>F.1 Purpose</b> .....	<b>64</b>
<b>F.2 Test fixture</b> .....	<b>64</b>
<b>F.3 Fibreboard samples</b> .....	<b>64</b>
<b>F.4 Procedure</b> .....	<b>64</b>
<b>F.5 Acceptance criteria</b> .....	<b>64</b>
<b>Annex G (normative) Target elevation areas</b> .....	<b>66</b>
<b>G.1 Lower elevation target</b> .....	<b>66</b>
<b>G.2 Middle elevation target</b> .....	<b>66</b>
<b>G.3 Top elevation target</b> .....	<b>66</b>
<b>G.4 Operator target area</b> .....	<b>66</b>
<b>Annex H (normative) Test enclosure</b> .....	<b>67</b>
<b>H.1 Base</b> .....	<b>67</b>

<b>H.2</b>	<b>Target composition</b> .....	<b>67</b>
<b>Annex I</b>	<b>(normative) Thrown object test for flail mower</b> .....	<b>70</b>
<b>I.1</b>	<b>Principle</b> .....	<b>70</b>
<b>I.2</b>	<b>Testing conditions</b> .....	<b>70</b>
<b>I.2.1</b>	<b>Mower used for test</b> .....	<b>70</b>
<b>I.2.1.1</b>	<b>General</b> .....	<b>70</b>
<b>I.2.1.2</b>	<b>Thrown-object guard adjustment</b> .....	<b>70</b>
<b>I.2.1.3</b>	<b>Cutting height</b> .....	<b>70</b>
<b>I.2.2</b>	<b>Test surface area</b> .....	<b>70</b>
<b>I.2.2.1</b>	<b>Ground conditions</b> .....	<b>70</b>
<b>I.2.2.2</b>	<b>Coconut matting</b> .....	<b>70</b>
<b>I.2.2.3</b>	<b>Sand layer (natural, crushed or uncrushed)</b> .....	<b>70</b>
<b>I.2.2.4</b>	<b>Moisture</b> .....	<b>70</b>
<b>I.3</b>	<b>Target</b> .....	<b>71</b>
<b>I.3.1</b>	<b>General</b> .....	<b>71</b>
<b>I.3.2</b>	<b>Target construction</b> .....	<b>71</b>
<b>I.3.2.1</b>	<b>General</b> .....	<b>71</b>
<b>I.3.2.2</b>	<b>Panels</b> .....	<b>71</b>
<b>I.3.2.3</b>	<b>Target material attachment</b> .....	<b>71</b>
<b>I.3.3</b>	<b>Reference lines</b> .....	<b>72</b>
<b>I.4</b>	<b>Test material</b> .....	<b>74</b>
<b>I.4.1</b>	<b>Test material preparation</b> .....	<b>74</b>
<b>I.4.2</b>	<b>Moisture for test material</b> .....	<b>75</b>
<b>I.4.3</b>	<b>Test material configuration</b> .....	<b>75</b>
<b>I.5</b>	<b>Test run conditions</b> .....	<b>76</b>
<b>I.6</b>	<b>Test procedure</b> .....	<b>76</b>
<b>I.7</b>	<b>Test result and report</b> .....	<b>77</b>
<b>I.8</b>	<b>Acceptance criteria</b> .....	<b>77</b>
<b>I.9</b>	<b>Thrown object test report for flail mower machine</b> .....	<b>78</b>
<b>I.9.1</b>	<b>Specifications</b> .....	<b>78</b>
<b>I.9.2</b>	<b>Primary tests report</b> .....	<b>79</b>
<b>I.9.3</b>	<b>Additional test report</b> .....	<b>81</b>
<b>Annex J</b>	<b>(normative) Thrown object test for scrub clearing machines</b> .....	<b>83</b>
<b>J.1</b>	<b>Test equipment</b> .....	<b>83</b>
<b>J.1.1</b>	<b>Test surface</b> .....	<b>83</b>
<b>J.1.2</b>	<b>Target</b> .....	<b>83</b>
<b>J.1.3</b>	<b>Balls</b> .....	<b>83</b>

<b>J.1.4</b>	<b>Injection point</b> .....	<b>83</b>
<b>J.1.5</b>	<b>Injection tube</b> .....	<b>83</b>
<b>J.1.6</b>	<b>Preliminary adjustments of the velocity</b> .....	<b>83</b>
<b>J.2</b>	<b>Test method</b> .....	<b>83</b>
<b>J.2.1</b>	<b>General</b> .....	<b>83</b>
<b>J.2.2</b>	<b>Balls velocity</b> .....	<b>83</b>
<b>J.2.3</b>	<b>Test procedure</b> .....	<b>84</b>
<b>J.2.4</b>	<b>Test result and acceptance</b> .....	<b>84</b>
<b>J.3</b>	<b>Data sheet - Thrown object test for scrub clearing machine</b> .....	<b>85</b>
<b>Annex K</b>	<b>(informative) Example of a material and construction fulfilling the requirements for an artificial surface</b> .....	<b>86</b>
<b>K.1</b>	<b>Material</b> .....	<b>86</b>
<b>K.2</b>	<b>Construction</b> .....	<b>86</b>
<b>Annex L</b>	<b>(informative) Examples of machines</b> .....	<b>89</b>
<b>Annex ZA</b>	<b>(informative) Relationship between this European Standard and the Essential Requirements of EU Directive 2006/42/EC amended by Directive 2009/127/EC aimed to be covered</b> .....	<b>91</b>
<b>Bibliography</b>	.....	<b>92</b>



## European foreword

This document (EN 12733:2018) has been prepared by Technical Committee CEN/TC 144 “Tractors and machinery for agriculture and forestry”, the secretariat of which is held by AFNOR.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by April 2019 and conflicting national standards shall be withdrawn at the latest by January 2020.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

This document supersedes EN 12733:2001+A1:2009.

This document has been prepared under a mandate given to CEN by the European Commission and the European Free Trade Association, and supports essential requirements of EU Directive(s).

For relationship with EU Directive(s), see informative Annex ZA, which is an integral part of this document.

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

## Introduction

This document is a type-C standard as specified in EN ISO 12100.

This document is of relevance, in particular, for the following stakeholder groups representing the market players with regard to machinery safety:

- machine manufacturers (small, medium and large enterprises);
- health and safety bodies (regulators, accident prevention organizations, market surveillance, etc.).

Others can be affected by the level of machinery safety achieved with the means of the document by the above-mentioned stakeholder groups:

- machine users/employers (small, medium and large enterprises);
- machine users/employees (e.g. trade unions, organizations for people with special needs);
- service providers, e.g. for maintenance (small, medium and large enterprises);
- consumers (in case of machinery intended for use by consumers).

The above-mentioned stakeholder groups have been given the possibility to participate at the drafting process of this document.

The machinery concerned and the extent to which hazards, hazardous situations and events are covered are indicated in the scope of this document.

When provisions of this type C standard are different from those which are stated in type A or B standards, the provisions of this type C standard take precedence over the provisions of the other standards, for machines that have been designed and built according to the provisions of this type C standard.

The requirements of this document concern designers, manufacturers and their authorized representatives of pedestrian controlled motor mowers. This document also includes information to be provided by the manufacturer to the user.

## 1 Scope

This European Standard specifies safety requirements and their verification for design and construction of pedestrian controlled motor mowers with rotary or reciprocating cutting means used in agricultural, forestry and landscaping to cut and/or mulch grass or similar plants or scrub and woody vegetation.

For the purposes of this standard the following types of pedestrian controlled machines are considered to be motor mowers:

- flail mowers;
- grassland mowers;
- scrub clearing machines;
- sickle bar mowers.

This standard applies also to multipurpose machines when used for cutting or mulching grass or scrub.

NOTE When they are used for other operations (e.g. soil working) other standards can apply.

This standard does not cover lawn mowers (see EN ISO 5395-1, EN ISO 5395-2), engine driven brush cutters and grass trimmers (see EN ISO 11806) or other lawn maintenance equipment.

This document deals with significant hazards, hazardous situations and events, as listed in Annex A, relevant to pedestrian controlled motor mowers when used as intended and under conditions of misuse foreseeable by the manufacturer during normal operation and service. Additionally, it specifies the type of information to be provided by the manufacturer on safe working practices.

Environmental aspects (except noise) have not been considered in this standard.

This document is not applicable to motor mowers manufactured before the date of its publication.

## 2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

CR 1030-1:1995, *Hand-arm vibration - Guidelines for vibration hazards reduction - Part 1: Engineering methods by design of machinery*

EN 709:1997+A4:2009, *Agricultural and forestry machinery - Pedestrian controlled tractors with mounted rotary cultivators, motor hoes, motor hoes with drive wheel(s) - Safety*

EN 12096, *Mechanical vibration - Declaration and verification of vibration emission values*

EN 61672-1:2013, *Electroacoustics - Sound level meters - Part 1: Specifications (IEC 61672-1:2013)*

EN 61672-2:2013, *Electroacoustics - Sound level meters - Part 2: Pattern evaluation tests (IEC 61672-2:2013)*

EN 61672-3:2013, *Electroacoustics - Sound level meters - Part 3: Periodic tests (IEC 61672-3:2013)*

EN ISO 354:2003, *Acoustics - Measurement of sound absorption in a reverberation room (ISO 354:2003)*

EN ISO 845:2009, *Cellular plastics and rubbers - Determination of apparent density (ISO 845)*

EN ISO 2758:2014, *Paper - Determination of bursting strength (ISO 2758)*

EN ISO 3744, *Acoustics - Determination of sound power levels and sound energy levels of noise sources using sound pressure - Engineering methods for an essentially free field over a reflecting plane (ISO 3744)*

EN ISO 4413:2010, *Hydraulic fluid power - General rules and safety requirements for systems and their components (ISO 4413:2010)*

EN ISO 4871, *Acoustics - Declaration and verification of noise emission values of machinery and equipment (ISO 4871)*

EN ISO 5395-1:2013, *Garden equipment - Safety requirements for combustion-engine-powered lawnmowers - Part 1: Terminology and common tests (ISO 5395-1:2013)*

EN ISO 5395-2:2013, *Garden equipment - Safety requirements for combustion-engine-powered lawnmowers - Part 2: Pedestrian-controlled lawnmowers (ISO 5395-2:2013)*

EN ISO 11102-1:2009, *Reciprocating internal combustion engines - Handle starting equipment - Part 1: Safety requirements and tests (ISO 11102-1:1997)*

EN ISO 11102-2:2009, *Reciprocating internal combustion engines - Handle starting equipment - Part 2: Method of testing the angle of disengagement (ISO 11102-2:1997)*

EN ISO 11201, *Acoustics - Noise emitted by machinery and equipment - Determination of emission sound pressure levels at a work station and at other specified positions in an essentially free field over a reflecting plane with negligible environmental corrections (ISO 11201)*

EN ISO 11688-1:2009, *Acoustics - Recommended practice for the design of low-noise machinery and equipment - Part 1: Planning (ISO/TR 11688-1:1995)*

EN ISO 11688-2:2000, *Acoustics - Recommended practice for the design of low-noise machinery and equipment - Part 2: Introduction to the physics of low-noise design (ISO/TR 11688-2:1998)*

EN ISO 12100:2010, *Safety of machinery - General principles for design - Risk assessment and risk reduction (ISO 12100:2010)*

EN ISO 13857:2008, *Safety of machinery - Safety distances to prevent hazard zones being reached by upper and lower limbs (ISO 13857:2008)*

EN ISO 20643:2008, *Mechanical vibration - Hand-held and hand-guided machinery - Principles for evaluation of vibration emission (ISO 20643:2005)*

ISO 3767-1, *Tractors, machinery for agriculture and forestry, powered lawn and garden equipment - Symbols for operator controls and other displays - Part 1: Common symbols*

ISO 3767-3, *Tractors, machinery for agriculture and forestry, powered lawn and garden equipment - Symbols for operator controls and other displays - Part 3: Symbols for powered lawn and garden equipment*

ISO 3864-1:2011, *Graphical symbols - Safety colours and safety signs - Part 1: Design principles for safety signs and safety markings*

ISO 5718:2013, *Harvesting equipment - Blades for agricultural rotary mowers - Requirements*