# INTERNATIONAL STANDARD

First edition 1993-09-15

# Flight dynamics — Concepts, quantities and symbols —

## Part 9:

Models of atmospheric motions along the trajectory of the aircraft

Mécanique du vol — Concepts, grandeurs et symboles ---

Partie 9: Modèles de mouvements atmosphériques le long de la trajectoire de l'avion



### Foreword



ISO (the International Organization) or Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a suffect for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electro-technical Commission (IEC) on all matters of electrotechnical standardization.

Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

International Standard ISO 1151-9 was prepared by chnical Committee ISO/TC 20, Aircraft and space vehicles, Sub-Committee SO Concepts, quantities and symbols for flight dynamics.

ISO 1151 consists of the following parts, under the general Flight dynamics — Concepts, quantities and symbols :

- Part 9: Models of atmospheric motions along the trajectory of the aircraft

#### © ISO 1993

All rights reserved. No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from the publisher.

International Organization for Standardization

Case postale 56 • CH-1211 Genève 20 • Switzerland

Printed in Switzerland

ISO 1151 is intended to introduce the main concepts, to include the more important terms used in theoretical and experimental studies and, as far as possible, to give corresponding symbols.

In all the parts comprising ISO 1151, the term "aircraft" denotes a vehicle intended for atmosphere or space flight. Usually, it has an essentially port and starboard symmetry with respect to a plane. That plane is determined by the geometric characteristics of the aircraft. In that plane, two orthogonal directions are defined: fore-and-aft and dorsal-ventral. The transverse direction, on the perpendicular to that plane, follows.

When there is a single plane of symmetry, it is the reference plane of the aircraft. When there is more than one plane of symmetry, or when there is none, it is necessary to choose a reference plane. In the former case, the reference plane is one of the planes of symmetry. In the latter case, the reference plane is arbitrary. In all cases, it is necessary to specify the choice made.

Angles of rotation, angular velocities and moments about any axis are positive clockwise when viewed in the positive direction of that axis.

All the axis systems used are three-dimensional, orthogonal and right-handed, which implies that a positive rotation through  $\pi/2$  around the *x*-axis brings the *y*-axis into the position previously occupied by the *z*-axis.

The centre of gravity coincides with the centre of mass if the field of gravity is homogeneous. If this is not the case, the centre of gravity can be replaced by the centre of mass in the definitions of ISO 1151; in which case, this should be indicated.

#### Numbering of sections and clauses

Khis docu

With the aim of easing the indication of references from a section or a clause, a decimal numbering system has been adopted such that the first figure is the number of the part of ISO 1151 considered.

This comment is a particularly left blank This page intentionally left blank This man and the page intentionally left blank

72 ب



This part of ISO 1151 deals with the concepts and quantities characterizing models of the air motions affecting the dynamic

The motion of the air with respect to the Earth is defined by the wind velocity (2.2.3) in each point of the aircraft trajectory (8.2.1).

In flight dynamic problems, it is usual to use mathematical models of the wind velocity field and its variations with time. These are schematic representations of the real air motions. , DY FLYS

In this part of ISO 1151, the following models are defined:

- constant wind (9.1);
- wind gradients (9.2);
- discrete gusts (9.3);
- three-dimensional wind models (9.4);
- vortices (9.5).

Other models can be defined by superposition of these models.