INTERNATIONAL STANDARD

ISO/IEC/ IEEE 9945

First edition 2009-09-15

Information technology — Portable Operating System Interface (POSIX®) Base Specifications, Issue 7

nolos r la pon. Technologies de l'information — Spécifications de base de l'interface



Reference number ISO/IEC/IEEE 9945:2009(E)

PDF disclaimer

This PDF file may contain embedded typefaces. In accordance with Adobe's licensing policy, this file may be printed or viewed but shall not be edited unless the typefaces which are embedded are licensed to and installed on the computer performing the editing. In downloading this file, parties accept therein the responsibility of not infringing Adobe's licensing policy. Neither the ISO Central Secretariat nor IEEE accepts any liability in this area.

Adobe is a trademark of Adobe Systems Incorporated.

sed t.

Inting Es

Aly event tha.

utilized in any
either ISO

"nee" Details of the software products used to create this PDF file can be found in the General Info relative to the file; the PDF-creation parameters were optimized for printing. Every care has been taken to ensure that the file is suitable for use by ISO member bodies and IEEE members. In the unlikely event that a problem relating to it is found, please inform the ISO Central Secretariat or IEEE at the address given below.



COPYRIGHT PROTECTED DOCUMENT

© IEEE 2001-2008

Published in Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO or IEEE at the respective address below.

ISO copyright office Case postale 56 • CH-1211 Geneva 20 Tel. + 41 22 749 01 11 Fax + 41 22 749 09 47 E-mail copyright@iso.org Web www.iso.org

Institute of Electrical and Electronics Engineers, Inc. 3 Park Avenue, New York • NY 10016-5997, USA E-mail stds.ipr@ieee.org Web www.ieee.org

Foreword

ISO (the International Organization for Standardization) and IEC (the International Electrotechnical Commission) form the specialized system for worldwide standardization. National bodies that are members of ISO or IEC participate in the development of International Standards through technical committees established by the respective organization to deal with particular fields of technical activity. ISO and IEC technical committees collaborate in fields of mutual interest. Other international organizations, governmental and non-governmental, in liaison with ISO and IEC, also take part in the work. In the field of information technology, ISO and IEC have established a joint technical committee, ISO/IEC JTC 1.

IEEE Standards documents are developed within the IEEE Societies and the Standards Coordinating Committees of the IEEE Standards Association (IEEE-SA) Standards Board. The IEEE develops its standards through a consensus development process, approved by the American National Standards Institute, which brings together volunteers representing varied viewpoints and interests to achieve the final product. Volunteers are not necessarily members of the Institute and serve without compensation. While the IEEE administers the process and establishes rules to promote fairness in the consensus development process, the IEEE does not independently evaluate, test, or verify the accuracy of any of the information contained in its standards.

The main task of ISO/IEC JTC 1 is to prepare International Standards. Draft International Standards adopted by the joint technical committee are circulated to national bodies for voting. Publication as an International Standard requires approval by at least 75 % of the national bodies casting a vote.

Attention is called to the possibility that implementation of this standard may require the use of subject matter covered by patent rights. By publication of this standard, no position is taken with respect to the existence or validity of any patent rights in connection therewith. ISO/IEEE is not responsible for identifying essential patents or patent claims for which a license may be required, for conducting inquiries into the legal validity or scope of patents or patent claims or determining whether any licensing terms or conditions provided in connection with submission of a Letter of Assurance or a Patent Statement and Licensing Declaration Form, if any, or in any licensing agreements are reasonable or non-discriminatory. Users of this standard are expressly advised that determination of the validity of any patent rights, and the risk of infringement of such rights, is entirely their own responsibility. Further information may be obtained from ISO or the IEEE Standards Association.

ISO/IEC/IEEE 9945 was prepared by The Open Group (as The Open Group Technical Standard Base Specifications, Issue 7) and the Portable Applications Standards Committee of the Computer Society of the IEEE (as IEEE Std 1003.1™-2008). It was adopted by Joint Technical Committee ISO/IEC JTC 1, *Information technology*, Subcommittee SC 22, *Programming languages*, *their environments and system software interfaces*, in parallel with its approval by the ISO/IEC national bodies, under the "fast-track procedure" defined in the Partner Standards Development Organization cooperation agreement between ISO and IEEE. IEEE is responsible for the maintenance of this document with participation and input from ISO/IEC national bodies.

This first edition of ISO/IEC/IEEE 9945 cancels and replaces ISO/IEC 9945-1:2003, ISO/IEC 9945-2:2003, ISO/IEC 9945-3:2003 and ISO/IEC 9945-4:2003, which have been technically revised. It also incorporates the Technical Corrigenda ISO/IEC 9945-1:2003/Cor.1:2004, ISO/IEC 9945-2:2003/Cor.1:2004 and ISO/IEC 9945-4:2003/Cor.1:2004.

alk page)





Standard for Information Technology— Portable Operating System Interface (POSIX®)

Base Specifications, Issue 7

IEEE Computer Society

Sponsored by the Portable Applications Standards Committee and

The Open Group

IEEE 3 Park Avenue New York, NY 10016-5997, USA

1 December 2008

IEEE Std 1003.1™-2008 (Revision of IEEE Std 1003.1-2004) nk page)

IEEE Std 1003.1[™]-2008 (Revision of IEEE Std 1003.1-2004)

The Open Group Technical Standard Base Specifications, Issue 7

Standard for Information Technology— Portable Operating System Interface (POSIX®)

Base Specifications, Issue 7

Sponsor

Portable Applications Standards Committee

of the

IEEE Computer Society

and

The Open Group

Approved 26 September 2008

IEEE-SA Standards Board

Approved 24 July 2008

The Open Group





Abstract

POSIX.1-2008 is simultaneously IEEE Std 1003.1[™]-2008 and The Open Group Technical Standard Base Specifications, Issue 7.

POSIX.1-2008 defines a standard operating system interface and environment, including a command interpreter (or "shell"), and common utility programs to support applications portability at the source code level. POSIX.1-2008 is intended to be used by both application developers and system implementors and comprises four major components (each in an associated volume):

- General terms, concepts, and interfaces common to all volumes of this standard, including utility conventions and C-language header definitions, are included in the Base Definitions volume.
- Definitions for system service functions and subroutines, language-specific system services for the C programming language, function issues, including portability, error handling, and error recovery, are included in the System Interfaces volume.
- Definitions for a standard source code-level interface to command interpretation services (a "shell") and common utility programs for application programs are included in the Shell and Utilities volume.
- Extended rationale that did not fit well into the rest of the document structure, which contains historical information concerning the contents of POSIX.1-2008 and why features were included or discarded by the standard developers, is included in the Rationale (Informative) volume.

The following areas are outside the scope of POSIX.1-2008:

- Graphics interfaces
- Database management system interfaces
- Record I/O considerations
- Object or binary code portability
- System configuration and resource availability

POSIX.1-2008 describes the external characteristics and facilities that are of importance to application developers, rather than the internal construction techniques employed to achieve these capabilities. Special emphasis is placed on those functions and facilities that are needed in a wide variety of commercial applications.

Keywords

application program interface (API), argument, asynchronous, basic regular expression (BRE), batch job, batch system, built-in utility, byte, child, command language interpreter, CPU, extended regular expression (ERE), FIFO, file access control mechanism, input/output (I/O), job control, network, portable operating system interface (POSIX®), parent, shell, stream, string, synchronous, system, thread, X/Open System Interface (XSI)

The Institute of Electrical and Electronics Engineers, Inc.

3 Park Avenue, New York, NY 10016-5997, USA

The Open Group

Thames Tower, Station Road, Reading, Berkshire, RG1 1LX, U.K.

Copyright © 2008 by the Institute of Electrical and Electronics Engineers, Inc. and The Open Group All rights reserved.

Published 1 December 2008 by the IEEE. Printed in the United States of America by the IEEE.

PDF: ISBN 978-0-7381-5798-6 STD95820 CDROM: ISBN 978-0-7381-5799-3 STDCD95820

Published 1 December 2008 by The Open Group. Printed in the United Kingdom by The Open Group.

Doc. Number: C082

ISBN: 1-931624-79-8

No part of this publication may be reproduced in any form, in an electronic retrieval system or otherwise, without the prior written permission of the publisher. Permission to reproduce all or any part of this standard must be with the consent of both copyright holders and may be subject to a license fee. Both copyright holders will need to be satisfied that the other has granted permission. Requests should be sent by email to austin-group-permissions@opengroup.org.

This standard has been prepared by the Austin Group. Feedback relating to the material contained within this standard may be submitted by using the Austin Group web site at www.opengroup.org/austin/defectform.html.

IEEE

IEEE Standards documents are developed within the IEEE Societies and the Standards Coordinating Committees of the IEEE Standards Association (IEEE-SA) Standards Board. The IEEE develops its standards through a consensus development process, approved by the American National Standards Institute, which brings together volunteers representing varied viewpoints and interests to achieve the final product. Volunteers are not necessarily members of the Institute and serve without compensation. While the IEEE administers the process and establishes rules to promote fairness in the consensus development process, the IEEE does not independently evaluate, test, or verify the accuracy of any of the information contained in its standards.

Use of an IEEE Standard is wholly voluntary. The IEEE disclaims liability for any personal injury, property, or other damage, of any nature whatsoever, whether special, indirect, consequential, or compensatory, directly or indirectly resulting from the publication, use of, or reliance upon this, or any other IEEE Standard document.

The IEEE does not warrant or represent the accuracy or content of the material contained herein, and expressly disclaims any express or implied warranty, including any implied warranty of merchantability or fitness for a specific purpose, or that the use of the material contained herein is free from patent infringement. IEEE Standards documents are supplied "AS IS".

The existence of an IEEE Standard does not imply that there are no other ways to produce, test, measure, purchase, market, or provide other goods and services related to the scope of the IEEE Standard. Furthermore, the viewpoint expressed at the time a standard is approved and issued is subject to change brought about through developments in the state of the art and comments received from users of the standard. Every IEEE Standard is subjected to review at least every five years for revision or reaffirmation. When a document is more than five years old and has not been reaffirmed, it is reasonable to conclude that its contents, although still of some value, do not wholly reflect the present state of the art. Users are cautioned to check to determine that they have the latest edition of any IEEE Standard.

In publishing and making this document available, the IEEE is not suggesting or rendering professional or other services for, or on behalf of, any person or entity. Nor is the IEEE undertaking to perform any duty owed by any other person or entity to another. Any person utilizing this, and any other IEEE Standards document, should rely upon the advice of a competent professional in determining the exercise of reasonable care in any given circumstances.

Interpretations: Occasionally questions may arise regarding the meaning of portions of standards as they relate to specific applications. When the need for interpretations is brought to the attention of IEEE, the Institute will initiate action to prepare appropriate responses. Since IEEE Standards represent a consensus of concerned interests, it is important to ensure that any interpretation has also received the concurrence of a balance of interests. For this reason, IEEE and the members of its societies and Standards Coordinating Committees are not able to provide an instant response to interpretation requests except in those cases where the matter has previously received formal consideration. At lectures, symposia, seminars, or educational courses, an individual presenting information on IEEE Standards shall make it clear that his or her views should be considered the personal views of that individual rather than the formal position, explanation, or interpretation of the IEEE.

Comments for revision of IEEE Standards are welcome from any interested party, regardless of membership affiliation with IEEE. Suggestions for changes in documents should be in the form of a proposed change of text, together with appropriate supporting comments. Comments on standards and requests for interpretations should be addressed to:

Secretary, IEEE-SA Standards Board 445 Hoes Lane Piscataway, NJ 08854 USA

Authorization to photocopy portions of any individual standard for internal or personal use is granted by the Institute of Electrical and Electronics Engineers, Inc., provided that the appropriate fee is paid to Copyright Clearance Center. To arrange for payment of licensing fee, please contact Copyright Clearance Center, Customer Service, 222 Rosewood Drive, Danvers, MA 01923 USA; +1 978 750 8400. Permission to photocopy portions of any individual standard for educational classroom use can also be obtained through the Copyright Clearance Center.

_

A For this standard please send comments via the Austin Group, as indicated on page ii.

The Open Group

The Open Group is a vendor-neutral and technology-neutral consortium, whose vision of Boundaryless Information Flow[™] will enable access to integrated information within and between enterprises based on open standards and global interoperability. The Open Group works with customers, suppliers, consortia, and other standards bodies. Its role is to capture, understand, and address current and emerging requirements, establish policies, and share best practices; to facilitate interoperability, develop consensus, and evolve and integrate specifications and Open Source technologies; to offer a comprehensive set of services to enhance the operational efficiency of consortia; and to operate the industry's premier certification service, including UNIX® certification.

Further information on The Open Group is available at www.opengroup.org.

The Open Group has over 20 years' experience in developing and operating certification programs and has extensive experience developing and facilitating industry adoption of test suites used to validate conformance to an open standard or specification.

The Open Group publishes a wide range of technical documentation, the main part of which is focused on development of Technical and Product Standards and Guides, but which also includes white papers, technical studies, branding and testing documentation, and business titles. Full details and a catalog are available at www.opengroup.org/bookstore.

As with all live documents, Technical Standards and Specifications require revision to align with new developments and associated international standards. To distinguish between revised specifications which are fully backwards compatible and those which are not:

- A new Version indicates there is no change to the definitive information contained in the previous publication of that title, but additions/extensions are included. As such, it *replaces* the previous publication.
- A new Issue indicates there is substantive change to the definitive information contained in the previous publication of that title, and there may also be additions/extensions. As such, both previous and new documents are maintained as current publications.

A. .ny publi. Readers should note that Corrigenda may apply to any publication. Corrigenda information is published at www.opengroup.org/corrigenda.

Introduction

This introduction is not part of POSIX.1-2008, Standard for Information Technology – Portable Operating System Interface (POSIX).

This standard was developed, and is maintained, by a joint working group of members of the IEEE Portable Applications Standards Committee, members of The Open Group, and members of ISO/IEC Joint Technical Committee 1. This joint working group is known as the Austin Group.^B

The Austin Group arose out of discussions amongst the parties which started in early 1998, leading to an initial meeting and formation of the group in September 1998. The purpose of the Austin Group is to develop and maintain the core open systems interfaces that are the POSIX® 1003.1 (and former 1003.2) standards, ISO/IEC 9945, and the core of the Single UNIX Specification.

The approach to specification development has been one of "write once, adopt everywhere", with the deliverables being a set of specifications that carry the IEEE POSIX designation, The Open Group's Technical Standard designation, and an ISO/IEC designation.

This unique development has combined both the industry-led efforts and the formal standardization activities into a single initiative, and included a wide spectrum of participants. The Austin Group continues as the maintenance body for this document.

Anyone wishing to participate in the Austin Group should contact the chair with their request. There are no fees for participation or membership. You may participate as an observer or as a contributor. You do not have to attend face-to-face meetings to participate; electronic participation is most welcome. For more information on the Austin Group and how to participate, see www.opengroup.org/austin.

Background

The developers of POSIX.1-2008 represent a cross-section of hardware manufacturers, vendors of operating systems and other software development tools, software designers, consultants, academics, authors, applications programmers, and others.

Conceptually, POSIX.1-2008 describes a set of fundamental services needed for the efficient construction of application programs. Access to these services has been provided by defining an interface, using the C programming language, a command interpreter, and common utility programs that establish standard semantics and syntax. Since this interface enables application developers to write portable applications – it was developed with that goal in mind – it has been designated POSIX^C, an acronym for Portable Operating System Interface.

Although originated to refer to the original IEEE Std 1003.1-1988, the name POSIX more correctly refers to a *family* of related standards: IEEE Std 1003.n and the parts of ISO/IEC 9945. In earlier editions of the IEEE standard, the term POSIX was used as a synonym for IEEE Std 1003.1-1988. A preferred term, POSIX.1, emerged. This maintained the advantages of readability of the symbol "POSIX" without being ambiguous with the POSIX family of standards.

Audience

The intended audience for POSIX.1-2008 is all persons concerned with an industry-wide standard operating system based on the UNIX system. This includes at least four groups of people:

- Persons buying hardware and software systems
- Persons managing companies that are deciding on future corporate computing directions
- Persons implementing operating systems, and especially
- Persons developing applications where portability is an objective

^B The Austin Group is named after the location of the inaugural meeting held at the IBM facility in Austin, Texas in September 1998. ^C The Name POSIX was suggested by Richard Stallman. It is expected to be pronounced *pahz-icks*, as in *positive*, not *poh-six*, or

operating system interface.

Purpose

Several principles guided the development of POSIX.1-2008:

- Application-Oriented The basic goal was to promote portability of application programs across UNIX system
 environments by developing a clear, consistent, and unambiguous standard for the interface specification of a
 portable operating system based on the UNIX system documentation. POSIX.1-2008 codifies the common,
 existing definition of the UNIX system.
- Interface, Not Implementation POSIX.1-2008 defines an interface, not an implementation. No distinction is made between library functions and system calls; both are referred to as functions. No details of the implementation of any function are given (although historical practice is sometimes indicated in the RATIONALE section). Symbolic names are given for constants (such as signals and error numbers) rather than numbers.
- Source, Not Object, Portability POSIX.1-2008 has been written so that a program written and translated for
 execution on one conforming implementation may also be translated for execution on another conforming
 implementation. POSIX.1-2008 does not guarantee that executable (object or binary) code will execute under a
 different conforming implementation than that for which it was translated, even if the underlying hardware is
 identical.
- The C Language The system interfaces and header definitions are written in terms of the standard C language as specified in the ISO C standard.
- No Superuser, No System Administration There was no intention to specify all aspects of an operating system. System administration facilities and functions are excluded from this standard, and functions usable only by the superuser have not been included. Still, an implementation of the standard interface may also implement features not in POSIX.1-2008. POSIX.1-2008 is also not concerned with hardware constraints or system maintenance.
- Minimal Interface, Minimally Defined In keeping with the historical design principles of the UNIX system, the
 mandatory core facilities of POSIX.1-2008 have been kept as minimal as possible. Additional capabilities have
 been added as optional extensions.
- Broadly Implementable The developers of POSIX.1-2008 endeavored to make all specified functions implementable across a wide range of existing and potential systems, including:
 - All of the current major systems that are ultimately derived from the original UNIX system code (Version 7 or later)
 - Compatible systems that are not derived from the original UNIX system code
 - Emulations hosted on entirely different operating systems
 - Networked systems
 - Distributed systems
 - Systems running on a broad range of hardware

No direct references to this goal appear in POSIX.1-2008, but some results of it are mentioned in the Rationale (Informative) volume.

• Minimal Changes to Historical Implementations – When the original version – IEEE Std 1003.1-1988 – was published, there were no known historical implementations that did not have to change. However, there was a broad consensus on a set of functions, types, definitions, and concepts that formed an interface that was common to most historical implementations.

The adoption of the 1988 and 1990 IEEE system interface standards, the 1992 IEEE shell and utilities standard, the various Open Group (formerly X/Open) specifications, and IEEE Std 1003.1-2001 and its technical corrigenda have consolidated this consensus, and this version reflects the significantly increased level of consensus arrived at since the original versions. The authors of the original versions tried, as much as possible, to follow the principles below when creating new specifications:

- By standardizing an interface like one in an historical implementation; for example, directories
- By specifying an interface that is readily implementable in terms of, and backwards-compatible with, historical implementations, such as the extended tar format defined in the pax utility
- By specifying an interface that, when added to an historical implementation, will not conflict with it; for example, the *sigaction()* function

POSIX.1-2008 is specifically not a codification of a particular vendor's product.

It should be noted that implementations will have different kinds of extensions. Some will reflect "historical usage" and will be preserved for execution of pre-existing applications. These functions should be considered "obsolescent" and the standard functions used for new applications. Some extensions will represent functions beyond the scope of POSIX.1-2008. These need to be used with careful management to be able to adapt to future extensions of POSIX.1-2008 and/or port to implementations that provide these services in a different manner.

 Minimal Changes to Existing Application Code – A goal of POSIX.1-2008 was to minimize additional work for application developers. However, because every known historical implementation will have to change at least slightly to conform, some applications will have to change.

POSIX.1-2008

POSIX.1-2008 defines the Portable Operating System Interface (POSIX) requirements and consists of the following topics arranged as a series of volumes within the standard:

- Base Definitions
- System Interfaces
- Shell and Utilities
- Rationale (Informative)

Base Definitions

The Base Definitions volume provides common definitions for this standard, therefore readers should be familiar with it before using the other volumes.

This volume is structured as follows:

- Chapter 1 is an introduction.
- Chapter 2 defines the conformance requirements.
- Chapter 3 defines general terms used.
- Chapter 4 describes general concepts used.
- Chapter 5 describes the notation used to specify file input and output formats in this volume and the Shell and Utilities volume.
- Chapter 6 describes the portable character set and the process of character set definition.
- Chapter 7 describes the syntax for defining internationalization locales as well as the POSIX locale provided on all systems.
- Chapter 8 describes the use of environment variables for internationalization and other purposes.
- Chapter 9 describes the syntax of pattern matching using regular expressions employed by many utilities and matched by the regcomp() and regexec() functions.
- Chapter 10 describes files and devices found on all systems.
- Chapter 11 describes the asynchronous terminal interface for many of the functions in the System Interfaces volume and the *stty* utility in the Shell and Utilities volume.
- Chapter 12 describes the policies for command line argument construction and parsing.
- Chapter 13 defines the contents of headers which declare the functions and global variables, and define types, constants, macros, and data structures that are needed by programs using the services provided by the System Interfaces volume.

Comprehensive references are available in the index.

System Interfaces

The System Interfaces volume describes the interfaces offered to application programs by POSIX-conformant systems. Readers are expected to be experienced C language programmers, and to be familiar with the Base Definitions volume. This volume is structured as follows:

- Chapter 1 explains the status of this volume and its relationship to other formal standards.
- Chapter 2 contains important concepts, terms, and caveats relating to the rest of this volume.
- Chapter 3 defines the functional interfaces to the POSIX-conformant system.

Comprehensive references are available in the index.

Shell and Utilities

The Shell and Utilities volume describes the commands and utilities offered to application programs on POSIX-conformant systems. Readers are expected to be familiar with the Base Definitions volume.

This volume is structured as follows:

- Chapter 1 explains the status of this volume and its relationship to other formal standards. It also describes the defaults used by the utility descriptions.
- Chapter 2 describes the command language used in POSIX-conformant systems, and special built-in utilities.
- Chapter 3 describes a set of services and utilities that are implemented on systems supporting the Batch Environment Services and Utilities option.
- Chapter 4 consists of reference pages for all utilities, other than the special built-in utilities described in Chapter 2, available on POSIX-conformant systems.

Comprehensive references are available in the index.

Rationale (Informative)

The Rationale volume is published to assist in the process of review. It contains historical information concerning the contents of this standard and why features were included or discarded by the standard developers. It also contains notes of interest to application programmers on recommended programming practices, emphasizing the consequences of some aspects of POSIX.1-2008 that may not be immediately apparent.

This volume is organized in parallel to the normative volumes of this standard, with a separate part for each of the three normative volumes.

Within this volume, the following terms are used:

- Base standard The portions of POSIX.1-2008 that are not optional, equivalent to the definitions of *classic* POSIX.1 and POSIX.2.
- POSIX.0 Although this term is not used in the normative text of POSIX.1-2008, it is used in this volume to refer to IEEE Std 1003.0[™]-1995.
- POSIX.1b Although this term is not used in the normative text of POSIX.1-2008, it is used in this volume to refer to the elements of the POSIX Realtime Extension amendment. (This was earlier referred to as POSIX.4 during the standard development process.)
- POSIX.1c Although this term is not used in the normative text of POSIX.1-2008, it is used in this volume to refer to the POSIX Threads Extension amendment. (This was earlier referred to as POSIX.4a during the standard development process.)
- Standard developers The individuals and companies in the development organizations responsible for POSIX.1-2008: the IEEE P1003.1 working groups, The Open Group Base working group, advised by the hundreds of individual technical experts who balloted the draft standards within the Austin Group, and the member bodies and technical experts of ISO/IEC JTC 1/SC 22.
- XSI option The portions of POSIX.1-2008 addressing the extension added for support of the Single UNIX Specification.

Typographical Conventions

The following typographical conventions are used throughout this standard. In the text, this standard is referred to as POSIX.1-2008, which is technically identical to The Open Group Base Specifications, Issue 7.

The typographical conventions listed here are for ease of reading only. Editorial inconsistencies in the use of typography are unintentional and have no normative meaning in POSIX.1-2008.

Reference	Example	Notes
C-Language Data Structure	aiocb	
C-Language Data Structure Member	aio_lio_opcode	
C-Language Data Type	long	
C-Language External Variable	errno	
C-Language Function	system()	
C-Language Function Argument	arg	
C-Language Function Family	exec	
C-Language Header	<sys stat.h=""></sys>	
C-Language Keyword	return	
C-Language Macro with Argument	assert()	
C-Language Macro with No Argument	NET_ADDRSTRLEN	
C-Language Preprocessing Directive	#define	
Commands within a Utility	a, c	
Conversion Specifier, Specifier/Modifier Character	%A, g, E	1
Environment Variable	PATH	
Error Number	[EINTR]	
Example Output	Hello, World	
Filename	/tmp	
Literal Character	'c', '\r'	2
Literal String	"abcde"	2
Optional Items in Utility Syntax	1 1	
Parameter	<directory pathname=""></directory>	
Special Character	<newline></newline>	3
Symbolic Constant	_POSIX_VDISABLE	
Symbolic Limit, Configuration Value	{LINE_MAX}	4
Syntax	<pre>#include <sys stat.h=""></sys></pre>	
User Input and Example Code	echo Hello, World	5
Utility Name	awk	
Utility Operand	file_name	
Utility Option	-c	
Utility Option with Option-Argument	-w width	

Note that:

- 1. Conversion specifications, specifier characters, and modifier characters are used primarily in date-related functions and utilities and the *fprintf()* and *fscanf()* formatting functions.
- 2. Unless otherwise noted, the quotes shall not be used as input or output. When used in a list item, the quotes are omitted. The literal characters <apostrophe> (also known as single-quote) and <backslash> are either shown as the C constants '\' and '\\', respectively, or as the special characters <apostrophe>, single-quote, and <backslash> depending on context.
- 3. The style selected for some of the special characters, such as <newline>, matches the form of the input given to the *localedef* utility. Generally, the characters selected for this special treatment are those that are not visually distinct, such as the control characters <tab> or <newline>.
- 4. Names surrounded by braces represent symbolic limits or configuration values which may be declared in appropriate headers by means of the C **#define** construct.

Brackets shown in this font, "[]", are part of the syntax and do not indicate optional items. In syntax the '|' symbol is used to separate alternatives, and ellipses ("...") are used to show that additional arguments are optional.

Shading is used to identify extensions and options.

Footnotes and notes within the body of the normative text are for information only (informative).

Informative sections (such as Rationale, Change History, Application Usage, and so on) are denoted by continuous shading bars in the margins.

Ranges of values are indicated with parentheses or brackets as follows:

- (a,b) means the range of all values from a to b, including neither a nor b.
- [a,b] means the range of all values from a to b, including a and b.
- 3. [a,b) means the range of all values from a to b, including a, but not b.
- 4. (a,b] means the range of all values from a to b, including b, but not a.

A symbolic limit beginning with POSIX is treated differently, depending on context. In a C-language header, Note: the symbol POSIXstring (where string may contain underscores) is represented by the C identifier .TS. es ott. POSIX*string*, with a leading underscore required to prevent ISO C standard name space pollution. However, in other contexts, such as languages other than C, the leading underscore is not used because this requirement does not exist.

Notice to Users

Laws and Regulations

Users of this document should consult all applicable laws and regulations. Compliance with the provisions of this standard does not imply compliance to any applicable regulatory requirements. Implementers of the standard are responsible for observing or referring to the applicable regulatory requirements. IEEE and The Open Group do not, by the publication of standards, intend to urge action that is not in compliance with applicable laws, and these documents may not be construed as doing so.

Copyrights

This document is copyrighted by the IEEE and The Open Group. It is made available for a wide variety of both public and private uses. These include both use, by reference, in laws and regulations, and use in private self-regulation, standardization, and the promotion of engineering practices and methods. By making this document available for use and adoption by public authorities and private users, the IEEE and The Open Group do not waive any rights in copyright to this document.

Updating of IEEE Documents

Users of IEEE standards should be aware that these documents may be superseded at any time by the issuance of new editions or may be amended from time to time through the issuance of amendments, corrigenda, or errata. An official IEEE document at any point in time consists of the current edition of the document together with any amendments, corrigenda, or errata then in effect. In order to determine whether a given document is the current edition and whether it has been amended through the issuance of amendments, corrigenda, or errata, visit the IEEE Standards Association web site at ieeexplore.ieee.org/xpl/standards.jsp, or contact the IEEE at the address listed previously.

For more information about the IEEE Standards Association or the IEEE standards development process, visit the IEEE-SA web site at standards.ieee.org.

Errata

Errata, if any, for this and all other standards can be accessed at the following web site: standards.ieee.org/reading/ieee/updates/errata. Users are encouraged to check this URL for errata periodically.

Feedback

POSIX.1-2008 has been prepared by the Austin Group. Feedback relating to the material contained in POSIX.1-2008 may be submitted using the Austin Group web site at www.opengroup.org/austin/defectform.html.

Interpretations

Current interpretations can be accessed at the following web site: standards.ieee.org/reading/ieee/interp.

Patents

Attention is called to the possibility that implementation of this standard may require use of subject matter covered by patent rights. By publication of this standard, no position is taken with respect to the existence or validity of any patent rights in connection therewith. A patent holder or patent applicant has filed a statement of assurance that it will grant licenses under these rights without compensation or under reasonable rates, with reasonable terms and conditions that are demonstrably free of any unfair discrimination to applicants desiring to obtain such licenses. Other Essential Patent Claims may exist for which a statement of assurance has not been received. The IEEE and The Open Group are not responsible for identifying Essential Patent Claims for which a license may be required, for conducting inquiries into the legal validity or scope of Patents Claims, or determining whether any licensing terms or conditions are reasonable or non-discriminatory. Further information may be obtained from the IEEE Standards Association and The Open Group.

Volume	1	Base Definitions, Issue 7	1
Chapter	1	Introduction	3
Olivir 101	1.1	Scope	3
	1.2	Conformance	4
	1.3	Normative References	4
	1.4	Change History	5
	1.5	Terminology	5
	1.6	Definitions and Concepts	6
	1.7	Portability	6
	1.7.1	Codes	7
	1.7.2	Margin Code Notation	13
Chapter	2	Conformance	15
Chapter	2.1	Implementation Conformance	15
	2.1.1	Requirements	15
	2.1.2	Documentation	16
	2.1.3	POSIX Conformance	16
	2.1.4	XSI Conformance	19
	2.1.4	Option Groups	20
	2.1.6	Options	26
	2.1.0	Application Conformance	29
	2.2.1	Strictly Conforming POSIX Application	29
	2.2.1	Conforming POSIX Application	30
	2.2.2		30
	2.2.3	Conforming POSIX Application Using Extensions	30
	2.2.4	Strictly Conforming XSI Application	31
	2.2.3	Conforming XSI Application Using Extensions	31
	2.3	Language-Dependent Services for the C Programming	31
	2.4	Language	31
	2.4	Other Language-Related Specifications	31
Chapter	3	Definitions	33
	3.1	Abortive Release	33
	3.2	Absolute Pathname	33
	3.3	Access Mode	33
	3.4	Additional File Access Control Mechanism	33
	3.5	Address Space	33
	3.6	Advisory Information	34
	3.7	Affirmative Response	34
	3.8	Alert	34
	3.9	Alert Character (<alert>)</alert>	34
	3.10	Alias Name	34
	3.11	Alignment	35
	3.12	Alternate File Access Control Mechanism	35

3.13	Alternate Signal Stack	5
3.14	Ancillary Data	5
3.15	Angle Brackets	5
3.16	Apostrophe Character (<apostrophe>)</apostrophe>	5
3.17	Application	5
3.18	Application Address 36	5
3.19	Application Program Interface (API)	5
3.20	Appropriate Privileges	5
3.21	Argument	5
3.22	Arm (a Timer)	5
3.23	Asterisk Character (<asterisk>)</asterisk>	6
3.24	Async-Cancel-Safe Function	6
3.25	Asynchronous Events	7
3.26	Asynchronous Input and Output	7
3.27	Async-Signal-Safe Function	7
3.28	Asynchronously-Generated Signal 32	7
3.29	Asynchronous I/O Completion	7
3.30	Asynchronous I/O Operation	7
3.31	Authentication 33	7
3.32	Authorization	8
3.33	Background Job	8
3.34	Background Process	8
3.35	Background Process Group (or Background Job)	8
3.36	Backquote Character	8
3.37	Backslash Character (<backslash>)</backslash>	
3.38	Backspace Character (<backspace>)</backspace>	
3.39	Barrier	
3.40	Basename	
3.41	Basic Regular Expression (BRE)	9
3.42	Batch Access List	
3.43	Batch Administrator	9
3.44	Batch Client 3	
3.45	Batch Destination	
3.46	Batch Destination Identifier 4	
3.47	Batch Directive	0
3.48	Batch Job	
3.49	Batch Job Attribute	
3.50	Batch Job Identifier	
3.51	Batch Job Name	
3.52	Batch Job Owner	1
3.53	Batch Job Priority	1
3.54	Batch Job State	1
3.55	Batch Name Service	1
3.56	Batch Name Space	1
3.57	Batch Node	2
3.58	Batch Operator	
3.59	Batch Queue	
3.60	Batch Queue Attribute	
3.61	Batch Queue Position	
3.62	Batch Queue Priority	
3.63	Batch Rerunability	
3 64	Batch Restart 4	

3.65	Batch Server	13
3.66	Batch Server Name	13
3.67	Batch Service	13
3.68	Batch Service Request	13
3.69		13
3.70	Batch System	14
3.71		14
3.72		14
3.73		14
3.74		14
3.75	Blank Line	14
3.76		14
3.77		14
3.78		1 5
3.79		1 5
3.80		1 5
3.81		4 5
3.82		4 5
3.83		16
3.84		16
3.85		16
3.86		16
3.87		17
3.88		17
3.89		17
3.90		17
3.91		17
3.92		17
3.93		1 8
3.94		18
3.95		18
3.96		18
3.97	7 1	18
3.98		18
3.99		19
3.100		19
3.101	Collation	19
3.102		19
3.103		50
3.104	Command	50
3.105		50
3.106		50
3.107		50
3.108		51
3.109	Connection	51
3.110		51
3.111		51
3.112		51
3.113		51
3.114	1	51
3.115	O .	52
3 116	O	52

3.117	Core File	52
3.118	CPU Time (Execution Time)	52
3.119	CPU-Time Clock	52
3.120	CPU-Time Timer	52
3.121	Current Job	52
3.122	Current Working Directory	53
3.123	Cursor Position	53
3.124	Datagram	53
3.125	Data Segment	53
3.126	Deferred Batch Service	53
3.127	Device	53
3.127	Device ID	53
3.129	Directory	53
3.130	Directory Entry (or Link)	53
3.131	Directory Stream	54
3.132	Disarm (a Timer)	54
3.133	Display	54
3.134	Display Line	54
3.135	Dollar-Sign Character (<dollar-sign>)</dollar-sign>	54
3.136	Dot	54
3.137	Dot-Dot	55
3.138	Double-Quote Character	55
3.139	Downshifting	55
3.140	Driver	55
3.141	Effective Group ID	55
3.142	Effective User ID	55
3.143	Eight-Bit Transparency	55
3.144	Empty Directory	56
3.145	Empty Line	56
3.146	Empty String (or Null String)	56
3.147	Empty Wide-Character String	56
3.148	Encoding Rule	56
3.149	Entire Regular Expression	56
3.150	Epoch	57
3.151	EpochEquivalence Class	57
3.152	Era	57
3.153	Event Management	57
3.154	Executable File	57
3.155	Execute	58
3.156	Execution Time	58
3.157	Execution Time Monitoring	58
3.158	Expand	58
3.159	Extended Regular Expression (ERE)	58
3.160	Extended Security Controls	58
3.161	Feature Test Macro	59
3.162	Field	59
3.163	FIFO Special File (or FIFO)	59
3.164	File	59 5 9
3.165	File Description	59
3.166	File Descriptor	60
3.167	File Group Class	60
3.168	File Mode	60

3.169	File Mode Bits
3.170	Filename 60
3.171	File Offset
3.172	File Other Class
3.173	File Owner Class
3.174	File Permission Bits
3.175	File Serial Number
3.176	File System
3.177	File Type
3.178	Filter
3.179	First Open (of a File)
3.180	Flow Control 62
3.181	Foreground Job
3.182	Foreground Process
3.183	Foreground Process Group (or Foreground Job)
3.184	Foreground Process Group ID
3.185	Form-Feed Character (<form-feed>)</form-feed>
3.186	Graphic Character
3.187	Group Database
3.188	Group ID
3.189	Group Name
3.190	Hard Limit
3.191	Hard Link
3.192	Home Directory
3.193	Host Byte Order
3.194	Incomplete Line 64
3.195	Incomplete Line 64 Inf 64
3.196	Instrumented Application
3.197	Interactive Shell 64
3.198	Internationalization 65
3.199	Interprocess Communication 65
3.200	Invoke
3.201	Job
3.202	Job Control
3.203	Job Control Job ID
3.204	Last Close (of a File)
3.205	Line
3.206	Linger 66
3.207	Link 66
3.208	Link Count 66
3.209	Local Customs 66
3.210	Local Interprocess Communication (Local IPC) 66
3.211	Locale
3.212	Localization 67
3.213	Login 67
3.214	Login Name
3.214	Map
3.216	Marked Message
3.217	Matched Message 68
3.218	Memory Mapped Files
3.219	Memory Object 68
3.220	Memory-Resident 68

3.221	Message
3.222	Message Catalog
3.223	Message Catalog Descriptor
3.224	Message Queue
3.225	Mode 69
3.226	Monotonic Clock 69
3.227	Mount Point
3.228	Multi-Character Collating Element
3.229	Mutex
3.230	Name
3.231	Named STREAM
3.232	NaN (Not a Number)
3.233	Native Language
3.234	0 0
3.235	0 1
3.236	
	Network Address 70
3.237	Network Byte Order 77
3.238	Newline Character (<newline>)</newline>
3.239	Nice Value
3.240	Non-Blocking
3.241	Non-Spacing Characters
3.242	NUL
3.243	Null Byte72
3.244	Null Pointer
3.245	Null String 72
3.246	Null Wide-Character Code
3.247	Number-Sign Character (<number-sign>)</number-sign>
3.248	Object File
3.249	Octet
3.250	Offset Maximum
3.251	
3.252	Opaque Address
3.253	Open File Description
3.254	Operand
3.255	Operator
3.256	Option
3.257	Option-Argument
3.258	Orientation 74
3.259	Orphaned Process Group
3.260	Page
3.261	Page Size
3.262	Parameter
3.263	
3.264	Parent Process 75
3.265	Parent Process ID
3.266	Pathname
3.267	Pathname Component
3.268	Path Prefix
3.269	Pattern
3.270	Period Character (<period>)</period>
3.271	Permissions
3.272	Persistence

3.273	Pipe
3.274	Polling
3.275	Portable Character Set
3.276	Portable Filename Character Set
3.277	Positional Parameter
3.278	Preallocation
3.279	Preempted Process (or Thread)
3.280	Previous Job
3.281	Printable Character
3.282	Printable File
3.283	Priority
3.284	Priority Band
3.285	Priority Inversion
3.286	Priority Scheduling
3.287	Priority-Based Scheduling
	Privilege
3.289	Process
3.290	Process Group
3.291	Process Group ID
3.292	Process Group Leader
3.293	Process Group Lifetime
3.294	Process ID
3.295	Process Lifetime
3.296	Process Memory Locking
3.297	Process Termination
3.298	Process-To-Process Communication
3.299	Process Virtual Time
3.300	Program
3.301	Protocol
3.302	Pseudo-Terminal
3.303	Radix Character
3.304	Read-Only File System
3.305	Read-Write Lock
3.306	Real Group ID
3.307	Real Time 8
3.308	Realtime Signal Extension 8
3.309	Real User ID
3.310	Record 8
3.311	Redirection
3.312	Redirection Operator
3.313	Referenced Shared Memory Object
3.314	Refresh
3.315	Regular Expression
3.316	Region
3.317	Regular File
3.318	Relative Pathname
3.319	Relocatable File
3.320	Relocation 8
3.321	Requested Batch Service
3.322	(Time) Resolution
3.323	Robust Mutex
3.324	Root Directory 8

3.325	Runnable Process (or Thread)	85
3.326	Running Process (or Thread)	86
3.327		86
3.328		86
3.329	Saved Set-User-ID	86
3.330		86
3.331	<u> </u>	86
3.332	· ·	86
3.333		87
3.334		87
3.335		87
3.336		87
3.337	1	88
3.338		88
3.339		88
3.340		88
3.341		88
3.342		88
3.343		89
3.344	1	89
3.345		89
3.346		89
3.347		89
3.348		89
3.349		89
3.350		90
3.351		90
3.352		90
	Space Character (<space>)</space>	
3.353	1	90
3.354	Special Built-in	90
3.355		91
3.356		91
3.357	1	91
3.358		91
3.359	1	91
3.360	1	91
3.361		91
3.362		92
3.363		92
3.364		92
3.365		92
3.366	1	92
3.367	O	92
3.368		93
3.369		93
3.370		93
3.371	1	93
3.372	Symbolic Constant	93
3.373	J .	94
3.374	Synchronized Input and Output	94
3.375	, I	94
2 276	Synchronized I/O Data Integrity Completion	0.4

3.377	Synchronized I/O File Integrity Completion
3.378	Synchronized I/O Operation
3.379	Synchronous I/O Operation
3.380	Synchronously-Generated Signal
3.381	System
3.382	System Boot
3.383	System Clock
3.384	System Console
3.385	
3.386	- j
3.387	
3.388	System Documentation 96
	System Process
3.389	System Reboot 96
3.390	System Trace Event 96
3.391	System-Wide
3.392	Tab Character (<tab>)</tab>
3.393	Terminal (or Terminal Device)
3.394	Text Column 97
3.395	Text File
3.396	Thread
3.397	Thread ID
3.398	Thread List
3.399	Thread-Safe
3.400	Thread-Specific Data Key
3.401	Tilde Character (<tilde>)</tilde>
3.402	Timeouts 98
3.403	Timer
3.404	Timer Overrun 98
3.405	Token
3.406	Trace Analyzer Process
3.407	Trace Controller Process 99
3.408	Trace Event
3.409	Trace Event Type
3.410	Trace Event Type Mapping
3.411	Trace Filter 99
3.412	Trace Generation Version
3.413	Trace Log
3.414	Trace Point
3.415	Trace Stream 100
3.416	Trace Stream Identifier
3.417	Trace System
3.418	Traced Process
3.419	Tracing Status of a Trace Stream
3.420	Typed Memory Name Space
3.421	Typed Memory Object
3.422	Typed Memory Pool
3.423	Typed Memory Port
3.424	Unbind
3.425	Unit Data
3.426	Upshifting
3.427	User Database
3.428	User ID

	6.1 6.2	Character Encoding	125 128
Chapter	6	Character Set	125
Chapter	5	File Format Notation	121
	4.22	Variable Assignment	
	4.21	Utility	
	•	Functions	118
	4.20	Treatment of NaN Arguments for the Mathematical	/
	4.19.3	Range Error	
	4.19.2	Pole Error	
	4.19.1	Domain Error	
	1.1/	Functions	116
	4.19	Treatment of Error Conditions for Mathematical	. 117
	4.18	Tracing	
	4.17	Thread-Safety	
	4.16	Semaphore	
	4.15	Seconds Since the Epoch	
	4.14	Scheduling Policy	
	4.13	Process ID Reuse	
	4.12	Pathname Resolution	
	4.11	Memory Synchronization	
	4.10	Measurement of Execution Time	
	4.9	Host and Network Byte Orders	
	4.8	File Times Update	
	4.7	Filename Portability	
	4.6	Filenames	
	4.5	File Hierarchy	
	4.4	File Access Permissions	
	4.3	Extended Security Controls	
	4.2	Directory Protection	
r	4.1	Concurrent Execution	
Chapter	4	General Concepts	107
	2.110		100
	3.445	±0	
	3.444	Zombie Process	
	3.443	XSI-Conformant	
	3.442	XSI	
	3.441	Write	
	3.440	Worldwide Portability Interface	
	3.439	Working Directory (or Current Working Directory)	
	3.438	Word	
	3.437	Wide-Character String	
	3.436	Wide-Character Input/Output Functions	
	3.434	Wide-Character Code (C Language)	
O_{λ}	3.433 3.434	White Space	
	3.432	Vertical-Tab Character (<vertical-tab>)</vertical-tab>	
	3.431 3.432	Utility Variable	
	3.430	User Trace Event	
	3.429	User Name	
	2.420	Licar Nama	107

	6.3	C Language Wide-Character Codes	. 129
	6.4	Character Set Description File	. 129
5.	6.4.1	State-Dependent Character Encodings	. 132
Chapter	7	Locale	. 135
Chapter	7.1	General	
	7.2	POSIX Locale	
	7.3	Locale Definition	
	7.3.1	LC_CTYPE	
	7.3.2	LC_COLLATE	
	7.3.3	LC_MONETARY	
	7.3.4	LC_NUMERIC	
	7.3.5	LC_TIME	
	7.3.6	LC_MESSAGES	
	7.3.0	Locale Definition Grammar	
	7.4.1	Locale Definition Grantinal	
	7.4.1	Locale Grammar	
	7.4.2	Locale Granunai	. 100
Chapter	8	Environment Variables	. 173
Chapter	8.1	Environment Variable Definition	
	8.2	Internationalization Variables	
	8.3	Other Environment Variables	
	0.5	Other Environment variables	. 1//
Chapter	9	Regular Expressions	. 181
•	9.1	Regular Expression Definitions	
	9.2	Regular Expression General Requirements	
	9.3	Basic Regular Expressions	
	9.3.1	BREs Matching a Single Character or Collating	
		Element	. 183
	9.3.2	BRE Ordinary Characters	
	9.3.3	BRE Special Characters	
	9.3.4	Periods in BREs	
	9.3.5	RE Bracket Expression	
	9.3.6	BREs Matching Multiple Characters	
	9.3.7	BRE Precedence	
	9.3.8	BRE Expression Anchoring	
	9.4	Extended Regular Expressions	
	9.4.1	EREs Matching a Single Character or Collating	. 100
		Element	. 188
	9.4.2	ERE Ordinary Characters	. 188
	9.4.3	ERE Special Characters	. 188
	9.4.4	Periods in EREs	
	9.4.5	ERE Bracket Expression	
	9.4.6	EREs Matching Multiple Characters	
	9.4.7	ERE Alternation	
	9.4.8	ERE Precedence	
	9.4.9	ERE Expression Anchoring	
	9.5	Regular Expression Grammar	
	9.5.1	BRE/ERE Grammar Lexical Conventions	
	9.5.2	RE and Bracket Expression Grammar	
	9.5.3	ERE Grammar	

Chapter	10	Directory Structure and Devices	197
•	10.1	Directory Structure and Files	197
	10.2	Output Devices and Terminal Types	198
Chapter	11	General Terminal Interface	199
Crimp ter	11.1	Interface Characteristics	199
	11.1.1	Opening a Terminal Device File	199
	11.1.2	Process Groups	200
	11.1.2	The Controlling Terminal	200
	11.1.4	Terminal Access Control	201
	11.1.5	Input Processing and Reading Data	201
	11.1.6	Canonical Mode Input Processing	202
	11.1.7	Non-Canonical Mode Input Processing	202
	11.1.7	Writing Data and Output Processing	202
	11.1.9	Special Characters	203
	11.1.9	Modem Disconnect	205
	11.1.10		205
	11.1.11	Closing a Terminal Device File	
	11.2.1	Parameters that Can be Set	205
		The termios Structure	205
	11.2.2	Input Modes	206
	11.2.3	Output Modes	207
	11.2.4	Control Modes	209
	11.2.5	Local Modes	210
	11.2.6	Special Control Characters	212
Chapter	12	Utility Conventions	213
•	12.1	Utility Argument Syntax	213
	12.2	Utility Syntax Guidelines	215
Chapter	13	Headers	219
Volume	2	System Interfaces, Issue 7	463
C1 1	4		4.5
Chapter	1	Introduction	465
	1.1	Relationship to Other Formal Standards	465
	1.2	Format of Entries	465
Chamban	2	Consul Information	468
Chapter	2	General Information	467
	2.1	Use and Implementation of Interfaces	467
	2.1.1	Use and Implementation of Functions	467
	2.1.2	Use and Implementation of Macros	468
	2.2	The Compilation Environment	468
	2.2.1	POSIX.1 Symbols	468
	2.2.2	The Name Space	469
	2.3	Error Numbers	477
	2.3.1	Additional Error Numbers	484
	2.4	Signal Concepts	484
	2.4.1	Signal Generation and Delivery	484
	2.4.2	Realtime Signal Generation and Delivery	485
	2.4.3	Signal Actions	486
	2.4.4	Signal Effects on Other Functions	490

2.5	Standard I/O Streams	490	
2.5.1	Interaction of File Descriptors and Standard I/O		
	Streams	491	
2.5.2	Stream Orientation and Encoding Rules	493	
2.6	STREAMS	494	
2.6.1	Accessing STREAMS	495	
2.7	XSI Interprocess Communication	496	
2.7.1	IPC General Description	496	
2.8	Realtime	497	
2.8.1	Realtime Signals	497	
2.8.2	Asynchronous I/O	497	
2.8.3	Memory Management	499	
2.8.4	Process Scheduling	501	
2.8.5	Clocks and Timers	505	
2.9	Threads	507	
2.9.1	Thread-Safety	507	
2.9.2	Thread IDs	508	
2.9.3	Thread Mutexes	508	
2.9.4	Thread Scheduling	509	
2.9.5	Thread Cancellation	511	
2.9.6	Thread Read-Write Locks	515	
2.9.7	Thread Interactions with Regular File Operations	516	
2.9.8	Use of Application-Managed Thread Stacks	516	
2.10	Sockets	517	
2.10.1	Address Families	517	
2.10.1	Addressing	517	
2.10.2	Protocols	517	
2.10.3	Routing	518	
2.10.4	Interfaces	518	
2.10.6	Socket Types	518	
2.10.7	Socket I/O Mode	519	
2.10.7	Socket Owner	519	
2.10.6	Socket Queue Limits	519	
2.10.9	Pending Error	519	
2.10.10	Socket Receive Queue	520	
2.10.11	Socket Necerve Queue	520	
2.10.12	Connection Indication Queue	521	
2.10.13	Cianala	521	
2.10.14	SignalsAsynchronous Errors	521	
	Use of Ontions	521	
2.10.16	Use of Options	525	
2.10.17	Use of Sockets over Internet Protocols		
2.10.18	Use of Sockets over Internet Protocols Based on	525	
2.10.19		EQ.(
2 10 20	IPv4	526	
2.10.20	Use of Sockets over Internet Protocols Based on	EQ.(
0.11	IPv6	526	
2.11	Tracing Data Definitions	529 521	
2.11.1	Tracing Data Definitions	531	
2.11.2	Trace Event Type Definitions	535	
2.11.3	Trace Functions	539	
2.12	Data Types	540	
2.12.1	Defined Types	540	

	2.12.2	The char Type	541
	2.12.3	Pointer Types	541
Chapter	3	System Interfaces	543
		3 y 5 t 6 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	010
Volume	3	Shell and Utilities, Issue 7	2277
Chapter	1	Introduction	2279
1	1.1	Relationship to Other Documents	
(1.1.1	System Interfaces	
	1.1.2	Concepts Derived from the ISO C Standard	2283
	1.2	Utility Limits	2285
	1.3	Grammar Conventions	2287
	1.4	Utility Description Defaults	2288
	1.5	Considerations for Utilities in Support of Files of	
		Arbitrary Size	2295
	1.6	Built-In Utilities	2296
Chapter	2	Shell Command Language	2297
- · · · · ·	2.1	Shell Introduction	
	2.2	Quoting	
	2.2.1	Escape Character (Backslash)	
	2.2.2	Single-Quotes	
	2.2.3	Double-Quotes	
	2.3	Token Recognition	
	2.3.1	Alias Substitution	
	2.4	Reserved Words	2301
	2.5	Parameters and Variables	2301
	2.5.1	Positional Parameters	2301
	2.5.2	Special Parameters	2302
	2.5.3	Shell Variables	
	2.6	Word Expansions	2305
	2.6.1	Tilde Expansion	
	2.6.2	Parameter Expansion	
	2.6.3	Command Substitution	
	2.6.4	Arithmetic Expansion	
	2.6.5	Field Splitting	
	2.6.6	Pathname Expansion	
	2.6.7	Quote Removal	
	2.7	Redirection	
	2.7.1	Redirecting Input	
	2.7.2	Redirecting Output	
	2.7.3	Appending Redirected Output	
	2.7.4	Here-Document	
	2.7.5	Duplicating an Input File Descriptor	
	2.7.6	Duplicating an Output File Descriptor	
	2.7.7	Open File Descriptors for Reading and Writing	
	2.8	Exit Status and Errors	
	2.8.1	Consequences of Shell Errors	
	2.8.2 2.9	Exit Status for Commands	
	4.7	Juch Communication	ZU10

	2.9.1	Simple Commands	
>	2.9.2	Pipelines	2318
	2.9.3	Lists	2319
	2.9.4	Compound Commands	2321
0	2.9.5	Function Definition Command	2324
J .	2.10	Shell Grammar	2325
	2.10.1	Shell Grammar Lexical Conventions	2325
	2.10.2	Shell Grammar Rules	2325
	2.11	Signals and Error Handling	2330
	2.12	Shell Execution Environment	
	2.13	Pattern Matching Notation	
	2.13.1	Patterns Matching a Single Character	
	2.13.2	Patterns Matching Multiple Characters	
	2.13.3	Patterns Used for Filename Expansion	
	2.14	Special Built-In Utilities	
Chapter	3	Batch Environment Services	2275
Chapter	3.1	General Concepts	
	3.1.1	Batch Client-Server Interaction	
	3.1.2	Batch Queues	
	3.1.3	Batch Job Creation	
	3.1.4	Batch Job Tracking	
	3.1.5	Batch Job Routing	
	3.1.6	Batch Job Execution	
	3.1.7	Batch Job Exit	
	3.1.8	Batch Job Abort	
	3.1.9	Batch Authorization	
	3.1.10	Batch Administration	
	3.1.11	Batch Notification	
	3.2	Batch Services	
	3.2.1	Batch Job States	
	3.2.2	Deferred Batch Services.	2381
	3.2.3	Requested Batch Services	2390
	3.3	Common Behavior for Batch Environment Utilities	2397
	3.3.1	Batch Job Identifier	2397
	3.3.2	Destination	2398
	3.3.3	Multiple Keyword-Value Pairs	2399
Cl. (4		
Chapter	4	Utilities	2401
Volume	4	Rationale (Informative), Issue 7	3407
Volume	T	Rationale (informative), 155ue 7	3407
Part	A	Base Definitions	3409
Appendix	A	Rationale for Base Definitions	3411
	A.1	Introduction	3411
	A.1.1	Scope	3411
	A.1.2	Conformance	3414
	A.1.3	Normative References	3414
	A.1.4		~
	A.1.5	Terminology	

A.1.6	Definitions and Concepts	
A.1.7	Portability	
A.2	Conformance	3417
A.2.1	Implementation Conformance	3417
A.2.2	Application Conformance	3421
A.2.3	Language-Dependent Services for the C Programming	
	Language	
A.2.4	Other Language-Related Specifications	
A.3	Definitions	
A.4	General Concepts	
A.4.1	Concurrent Execution	
A.4.2	Directory Protection	
A.4.3	Extended Security Controls	
A.4.4	File Access Permissions	3444
A.4.5	File Hierarchy	
A.4.6	Filenames	3445
A.4.7	Filename Portability	3446
A.4.8	File Times Update	3446
A.4.9	Host and Network Byte Order	3447
A.4.10	Measurement of Execution Time	3447
A.4.11	Memory Synchronization	3447
A.4.12	Pathname Resolution	3449
A.4.13	Process ID Reuse	3450
A.4.14	Scheduling Policy	3450
A.4.15	Seconds Since the Epoch	
A.4.16	Semaphore	
A.4.17	Thread-Safety	
A.4.18	Tracing	
A.4.19	Treatment of Error Conditions for Mathematical	
	Functions	3452
A.4.20	Treatment of NaN Arguments for Mathematical	
	Functions	3452
A.4.21	Utility	
A.4.22	Variable Assignment	
A.5	File Format Notation	
A.6	Character Set	
A.6.1	Portable Character Set	
A.6.2	Character Encoding	
A.6.3	C Language Wide-Character Codes	3454
A.6.4	Character Set Description File	
A.7	Locale	
A.7.1	General	
A.7.2	POSIX Locale	
A.7.3	Locale Definition	
A.7.4	Locale Definition Grammar	
A.7.5	Locale Definition Example	
A.8	Environment Variables	
A.8.1	Environment Variable Definition	
A.8.2	Internationalization Variables	
A.8.3	Other Environment Variables	
A.9	Regular Expressions	
A 9 1	Regular Expression Definitions	3471

	A.9.2	Regular Expression General Requirements	3471
	A.9.3	Basic Regular Expressions	
	A.9.4	Extended Regular Expressions	
	A.9.5	Regular Expression Grammar	3477
	A.10	Directory Structure and Devices	3478
	A.10.1	Directory Structure and Files	3478
	A.10.2	Output Devices and Terminal Types	3478
	A.11	General Terminal Interface	
	A.11.1	Interface Characteristics	3479
	A.11.2	Parameters that Can be Set	3483
	A.12	Utility Conventions	3485
	A.12.1	Utility Argument Syntax	3485
	A.12.2	Utility Syntax Guidelines	3486
	A.13	Headers	3488
	A.13.1	Format of Entries	3488
	A.13.2	Removed Headers in Issue 7	3489
Part	В	System Interfaces	2/101
ı aıt	D	System members	3471
Appendix	В	Rationale for System Interfaces	3493
прренил	B.1	Introduction	
	B.1.1	Change History	
	B.1.2	Relationship to Other Formal Standards	
	B.1.3	Format of Entries	
	B.2	General Information	
	B.2.1	Use and Implementation of Interfaces	
	B.2.2	The Compilation Environment	
	B.2.3	Error Numbers	
	B.2.4	Signal Concepts	
	B.2.5	Standard I/O Streams	
	B.2.6	STREAMS	
	B.2.7	XSI Interprocess Communication	
	B.2.8	Realtime	
	B.2.9	Threads	
	B.2.10	Sockets	
	B.2.11	Tracing	
	B.2.12		
	B.3	Data TypesSystem Interfaces	3622
	B.3.1	System Interfaces Removed in this Version	3622
	B.3.2	System Interfaces Removed in the Previous Version	
	B.3.3	Examples for Spawn	
	D. 0.0	Examples for opawit	3023
D 4	0		
Part	C	Shell and Utilities	3635
Appendix	C	Rationale for Shell and Utilities	3637
11	C.1	Introduction	
	C.1.1	Change History	
	C.1.2	Relationship to Other Documents	3638
	C.1.3	Utility Limits	
	C.1.4	Grammar Conventions	
	C 1.5	Utility Description Defaults	3642

	C.1.6	Considerations for Utilities in Support of Files	
		of Arbitrary Size	
	C.1.7	Built-In Utilities	
	C.2	Shell Command Language	
Ω	C.2.1	Shell Introduction	
	C.2.2	Quoting	3648
	C.2.3	Token Recognition	
	C.2.4	Reserved Words	
	C.2.5	Parameters and Variables	
	C.2.6	Word Expansions	3654
	C.2.7	Redirection	3660
	C.2.8	Exit Status and Errors	3662
	C.2.9	Shell Commands	3662
	C.2.10	Shell Grammar	3669
	C.2.11	Signals and Error Handling	3671
	C.2.12	Shell Execution Environment	3671
	C.2.13	Pattern Matching Notation	3671
	C.2.14	Special Built-In Utilities	
	C.3	Batch Environment Services and Utilities	
	C.3.1	Batch General Concepts	
	C.3.2	Batch Services	
	C.3.3	Common Behavior for Batch Environment Utilities	
	C.4	Utilities	
	C.4.1	Utilities Removed in this Version	
	C.4.2	Utilities Removed in the Previous Version	
	C.4.3	Exclusion of Utilities	3679
	C.4.3	Exclusion of Utilities	3679
Part	_		
Part	C.4.3 D	Portability Considerations	
	D		3683
	D	Portability Considerations (Informative) User Requirements	3683 3685 3685
	D D	Portability Considerations (Informative)	3683 3685 3685
	D D D.1	Portability Considerations (Informative) User Requirements	3683 3685 3685 3686
	D D.1 D.1.1	Portability Considerations (Informative) User Requirements Configuration Interrogation	3683 3685 3686 3686
	D D.1 D.1.1 D.1.2	Portability Considerations (Informative) User Requirements Configuration Interrogation Process Management	3683 3685 3686 3686 3686
	D D.1 D.1.1 D.1.2 D.1.3	Portability Considerations (Informative) User Requirements Configuration Interrogation Process Management Access to Data	3683 3685 3686 3686 3686
	D D.1 D.1.1 D.1.2 D.1.3 D.1.4	Portability Considerations (Informative) User Requirements	3683 3685 3686 3686 3686 3686
	D D.1 D.1.1 D.1.2 D.1.3 D.1.4	Portability Considerations (Informative) User Requirements	3683 3685 3686 3686 3686 3686
	D D.1 D.1.1 D.1.2 D.1.3 D.1.4 D.1.5	Portability Considerations (Informative) User Requirements Configuration Interrogation Process Management Access to Data Access to the Environment Access to Determinism and Performance Enhancements Operating System-Dependent Profile	3683 3685 3686 3686 3686 3686 3686
	D D.1 D.1.1 D.1.2 D.1.3 D.1.4 D.1.5 D.1.6	Portability Considerations (Informative) User Requirements	3683 3685 3686 3686 3686 3686 3687 3687
Part Appendix	D D.1 D.1.1 D.1.2 D.1.3 D.1.4 D.1.5 D.1.6 D.1.7	Portability Considerations (Informative) User Requirements Configuration Interrogation Process Management Access to Data Access to the Environment Access to Determinism and Performance Enhancements Operating System-Dependent Profile I/O Interaction Internationalization Interaction	3683 3685 3686 3686 3686 3686 3687 3687 3687
	D D D.1 D.1.1 D.1.2 D.1.3 D.1.4 D.1.5 D.1.6 D.1.7 D.1.8	Portability Considerations (Informative) User Requirements Configuration Interrogation Process Management Access to Data Access to the Environment Access to Determinism and Performance Enhancements Operating System-Dependent Profile I/O Interaction Internationalization Interaction C-Language Extensions	3683 3685 3686 3686 3686 3686 3687 3687 3687 3687
	D D.1 D.1.1 D.1.2 D.1.3 D.1.4 D.1.5 D.1.6 D.1.7 D.1.8 D.1.9	Portability Considerations (Informative) User Requirements Configuration Interrogation Process Management Access to Data Access to the Environment Access to Determinism and Performance Enhancements Operating System-Dependent Profile I/O Interaction Internationalization Interaction C-Language Extensions Command Language	3683 3685 3686 3686 3686 3686 3687 3687 3687 3687
	D D.1 D.1.1 D.1.2 D.1.3 D.1.4 D.1.5 D.1.6 D.1.7 D.1.8 D.1.9 D.1.10	Portability Considerations (Informative) User Requirements Configuration Interrogation Process Management Access to Data Access to the Environment Access to Determinism and Performance Enhancements Operating System-Dependent Profile I/O Interaction Internationalization Interaction C-Language Extensions Command Language Interactive Facilities	3683 3685 3685 3686 3686 3686 3687 3687 3687 3687 3687
	D D D.1 D.1.1 D.1.2 D.1.3 D.1.4 D.1.5 D.1.6 D.1.7 D.1.8 D.1.9 D.1.10 D.1.11	Portability Considerations (Informative) User Requirements Configuration Interrogation Process Management Access to Data Access to the Environment Access to Determinism and Performance Enhancements Operating System-Dependent Profile I/O Interaction Internationalization Interaction C-Language Extensions Command Language Interactive Facilities Accomplish Multiple Tasks Simultaneously	3683 3685 3685 3686 3686 3686 3687 3687 3687 3687 3687
	D D.1 D.1.1 D.1.2 D.1.3 D.1.4 D.1.5 D.1.6 D.1.7 D.1.8 D.1.9 D.1.10 D.1.11 D.1.12	Portability Considerations (Informative) User Requirements Configuration Interrogation Process Management Access to Data Access to the Environment Access to Determinism and Performance Enhancements Operating System-Dependent Profile I/O Interaction Internationalization Interaction C-Language Extensions Command Language Interactive Facilities Accomplish Multiple Tasks Simultaneously Complex Data Manipulation	3683 3685 3686 3686 3686 3687 3687 3687 3687 3687
	D D.1 D.1.1 D.1.2 D.1.3 D.1.4 D.1.5 D.1.6 D.1.7 D.1.8 D.1.9 D.1.10 D.1.11 D.1.12 D.1.13	Portability Considerations (Informative) User Requirements	3683 3685 3686 3686 3686 3687 3687 3687 3687 3687
	D D D.1 D.1.1 D.1.2 D.1.3 D.1.4 D.1.5 D.1.6 D.1.7 D.1.8 D.1.9 D.1.10 D.1.11 D.1.12 D.1.13 D.1.14 D.1.15	Portability Considerations (Informative) User Requirements Configuration Interrogation Process Management Access to Data Access to the Environment Access to Determinism and Performance Enhancements Operating System-Dependent Profile I/O Interaction Internationalization Interaction C-Language Extensions Command Language Interactive Facilities Accomplish Multiple Tasks Simultaneously Complex Data Manipulation File Hierarchy Manipulation Locale Configuration	3683 3685 3686 3686 3686 3687 3687 3687 3687 3688 3688
	D D D.1 D.1.1 D.1.2 D.1.3 D.1.4 D.1.5 D.1.6 D.1.7 D.1.8 D.1.9 D.1.10 D.1.11 D.1.12 D.1.13 D.1.14	Portability Considerations (Informative) User Requirements Configuration Interrogation Process Management Access to Data Access to the Environment Access to Determinism and Performance Enhancements Operating System-Dependent Profile I/O Interaction Internationalization Interaction C-Language Extensions Command Language Interactive Facilities Accomplish Multiple Tasks Simultaneously Complex Data Manipulation File Hierarchy Manipulation Locale Configuration Inter-User Communication	3683 3685 3685 3686 3686 3686 3687 3687 3687 3687 3687
	D D D.1 D.1.1 D.1.2 D.1.3 D.1.4 D.1.5 D.1.6 D.1.7 D.1.8 D.1.9 D.1.10 D.1.11 D.1.12 D.1.13 D.1.14 D.1.15 D.1.16 D.1.17	Portability Considerations (Informative) User Requirements	3683 3685 3685 3686 3686 3686 3687 3687 3687 3687 3687
	D D.1 D.1.1 D.1.2 D.1.3 D.1.4 D.1.5 D.1.6 D.1.7 D.1.8 D.1.9 D.1.10 D.1.11 D.1.12 D.1.13 D.1.14 D.1.15 D.1.16	Portability Considerations (Informative) User Requirements Configuration Interrogation Process Management Access to Data Access to the Environment Access to Determinism and Performance Enhancements Operating System-Dependent Profile I/O Interaction Internationalization Interaction C-Language Extensions Command Language Interactive Facilities Accomplish Multiple Tasks Simultaneously Complex Data Manipulation File Hierarchy Manipulation Locale Configuration Inter-User Communication	3683 3685 3686 3686 3686 3687 3687 3687 3687 3687

	D.2	Portability Capabilities	3689
	D.2.1	Configuration Interrogation	3689
	D.2.2	Process Management	
*	D.2.3	Access to Data	
	D.2.4	Access to the Environment	
O'	D.2.5	Bounded (Realtime) Response	3692
	D.2.6	Operating System-Dependent Profile	
	D.2.7	I/O Interaction	
	D.2.8	Internationalization Interaction	
	D.2.9	C-Language Extensions	
	D.2.10	Command Language	
	D.2.11	Interactive Facilities	
	D.2.12	Accomplish Multiple Tasks Simultaneously	
	D.2.12 D.2.13	Complex Data Manipulation	
	D.2.13 D.2.14	File Hierarchy Manipulation	
	D.2.14 D.2.15	, 1	
	D.2.16	Locale Configuration	
		Inter-User Communication	
	D.2.17	System Environment	
	D.2.18	Printing	
	D.2.19	Software Development	
	D.2.20	Future Growth	
	D.3	Profiling Considerations	
	D.3.1	Configuration Options	
	D.3.2	Configuration Options (Shell and Utilities)	
	D.3.3	Configurable Limits	
	D.3.4	Configuration Options (System Interfaces)	3699
	D.3.5	Configurable Limits	3704
	D.3.6	Optional Behavior	3707
Part	E	Subprofiling Considerations	3709
	_		
Appendix		Subprofiling Considerations (Informative)	
	E.1	Subprofiling Option Groups	3711
		Index	3717
		Index	
List of Fig	ures		
0			
	B-1	Example of a System with Typed Memory	3537
	B-2	Trace System Overview: for Offline Analysis	3600
	B-3	Trace System Overview: for Online Analysis	3601
	B-4	Trace System Overview: States of a Trace Stream	
	B-5	Trace Another Process	
	B-6	Trace Name Space Overview: With Third-Party Library	
List of Tab	les		
	3-1	Job Control Job ID Formats	66
	5-1	Escape Sequences and Associated Actions	121
	6-1	Portable Character Set	125
	6-2	Control Character Set	130

ISO/IEC/IEEE 9945:2009(E)

Contents

7-1	Valid Character Class Combinations	142
10-1	Control Character Names	198
2-1	Value of Level for Socket Options	522
2-2	Socket-Level Options	523
2-3	Trace Option: System Trace Events	537
2-4	Trace and Trace Event Filter Options: System Trace Events	537
2-5	Trace and Trace Log Options: System Trace Events	538
2-6	Trace, Trace Log, and Trace Event Filter Options: System Trace Events	538
2-7	Trace Option: User Trace Event	539
1-1	Actions when Creating a File that Already Exists	2281
1-2	Selected ISO C Standard Operators and Control Flow Keywords	
1-3	Utility Limit Minimum Values	
1-4	Symbolic Utility Limits	
1-5	Regular Built-In Utilities	
3-1	Batch Utilities	
3-2	Environment Variable Summary	
3-3	Next State Table	
3-4	Results/Output Table	
3-5	Batch Services Summary	
A-1	Historical Practice for Cymbolic Links	
	THISTOTICAL PROCESS OF THE PROCESS O	
	Copyright © 2001-2008, IEEE and The Open Group. All rights reserved.	xxxvii

Trademarks

The following information is given for the convenience of users of POSIX.1-2008 and does not constitute an endorsement by the IEEE or The Open Group of these products. Equivalent products may be used if they can be shown to lead to the same results.

There may be other products mentioned in the text that might be covered by trademark protection and readers are advised to verify them independently.

 $754^{\text{\tiny TM}}$, $854^{\text{\tiny TM}}$, $1003.0^{\text{\tiny TM}}$, $1003.1^{\text{\tiny TM}}$, $1003.1d^{\text{\tiny TM}}$, $1003.1g^{\text{\tiny TM}}$, $1003.1g^{\text{\tiny TM}}$, $1003.1g^{\text{\tiny TM}}$, $1003.2d^{\text{\tiny TM}}$, $1003.2d^{\text{\tiny TM}}$, $1003.2d^{\text{\tiny TM}}$, and $1003.13^{\text{\tiny TM}}$ are trademarks of the Institute of Electrical and Electronic Engineers, Inc.

AIX[®] is a registered trademark of IBM Corporation.

AT&T® is a registered trademark of AT&T in the USA and other countries.

Boundaryless Information FlowTM and TOGAFTM are trademarks and Motif[®], Making Standards Work[®], OSF/1[®], The Open Group[®], UNIX[®], and the "X" device are registered trademarks of The Open Group in the United States and other countries.

BSD™ is a trademark of the University of California, Berkeley, USA.

Hewlett-Packard[®], HP[®], and HP-UX[®] are registered trademarks of Hewlett-Packard Company.

IBM® is a registered trademark of International Business Machines Corporation.

IEEE® is a registered trademark of the Institute of Electrical and Electronic Engineers, Inc.

Linux[®] is a registered trademark of Linus Torvalds.

POSIX[®] is a registered trademark of the Institute of Electrical and Electronic Engineers, Inc.

Sun[®] and Sun Microsystems[®] are registered trademarks of Sun Microsystems, Inc.

/usr/group[®] is a registered trademark of UniForum, the International Network of UNIX System Users.

Acknowledgements

The contributions of the following organizations to the development of POSIX.1-2008 are gratefully acknowledged:

- AT&T for permission to reproduce portions of its copyrighted System V Interface Definition (SVID) and material from the UNIX System V Release 2.0 documentation.
- Hewlett-Packard Company, International Business Machines Corporation, Novell Inc., The Open Software Foundation, and Sun Microsystems Inc. for permission to reproduce portions of their copyrighted documentation
- ISO/IEC JTC 1/SC 22/WG 14 C Language Committee
- Red Hat Inc. for permission to reproduce portions of its copyrighted documentation

the A. 22. POSIX.1-2008 was prepared by the Austin Group, a joint working group of the IEEE, The Open Group, and ISO/IEC JTC 1/SC 22.

Normative References

Normative references for POSIX.1-2008 are defined in Section 1.3 (on page 4).

Informative References

The following documents are referenced in POSIX.1-2008:

1984 /usr/group Standard

/usr/group Standards Committee, Santa Clara, CA, UniForum 1984.

Almasi and Gottlieb

George S. Almasi and Allan Gottlieb, *Highly Parallel Computing*, The Benjamin/Cummings Publishing Company, Inc., 1989, ISBN: 0-8053-0177-1.

ANSI C

American National Standard for Information Systems: Standard X3.159-1989, Programming Language C.

ANSI X3.226-1994

American National Standard for Information Systems: Standard X3.226-1994, Programming Language Common LISP.

Brawer

Steven Brawer, *Introduction to Parallel Programming*, Academic Press, 1989, ISBN: 0-12-128470-0.

DeRemer and Pennello Article

DeRemer, Frank and Pennello, Thomas J., *Efficient Computation of LALR(1) Look-Ahead Sets*, SigPlan Notices, Volume 15, No. 8, August 1979.

Draft ANSI X3J11.1

IEEE Floating Point draft report of ANSI X3J11.1 (NCEG).

FIPS 151-1

Federal Information Procurement Standard (FIPS) 151-1. Portable Operating System Interface (POSIX)—Part 1: System Application Program Interface (API) [C Language].

FIPS 151-2

Federal Information Procurement Standards (FIPS) 151-2, Portable Operating System Interface (POSIX)— Part 1: System Application Program Interface (API) [C Language].

HP HY Manual

Hewlett-Packard HP-UX Release 9.0 Reference Manual, Third Edition, August 1992.

IEC 60559: 1989

IEC 60559: 1989, Binary Floating-Point Arithmetic for Microprocessor Systems (previously designated IEC 559: 1989).

IEEE Standards Terms

IEEE 100, The Authoritative Dictionary of IEEE Standards Terms, Seventh Edition.

IEEE Std 754TM-1985

IEEE Std 754-1985 (Reaff 1990), IEEE Standard for Binary Floating-Point Arithmetic.

IEEE Std 854™-1987

IEEE Std 854-1987, IEEE Standard for Radix-Independent Floating-Point Arithmetic.

IEEE Std 1003.9™-1992

IEEE Std 1003.9-1992, IEEE Standard for Information Technology — POSIX FORTRAN 77 Language Interfaces — Part 1: Binding for System Application Program Interface API.

IETF RFC 791

Internet Protocol, Version 4 (IPv4), September 1981 (available at: www.ietf.org/rfc/rfc0791.txt).

IETF RFC 819

The Domain Naming Convention for Internet User Applications, Z. Su, J. Postel, August 1982 (available at: www.ietf.org/rfc/rfc0819.txt).

IETF RFC 822

Standard for the Format of ARPA Internet Text Messages, D.H. Crocker, August 1982 (available at: www.ietf.org/rfc/rfc0822.txt).

IETF RFC 919

Broadcasting Internet Datagrams, J. Mogul, October 1984 (available at: www.ietf.org/rfc/rfc0919.txt).

IETF RFC 920

Domain Requirements, J. Postel, J. Reynolds, October 1984 (available at: www.ietf.org/rfc/rfc0920.txt).

IETF RFC 921

Domain Name System Implementation Schedule, J. Postel, October 1984 (available at: www.ietf.org/rfc/rfc0921.txt).

IETF RFC 922

Broadcasting Internet Datagrams in the Presence of Subnets, J. Mogul, October 1984 (available at: www.ietf.org/rfc/rfc0922.txt).

IETF RFC 1034

Domain Names — Concepts and Facilities, P. Mockapetris, November 1987 (available at: www.ietf.org/rfc/rfc1034.txt).

IETF RFC 1035

Domain Names — Implementation and Specification, P. Mockapetris, November 1987 (available at: www.ietf.org/rfc/rfc1035.txt).

IETE REC 1123

Requirements for Internet Hosts — Application and Support, R. Braden, October 1989 (available at: www.ietf.org/rfc/rfc1123.txt).

IETF RFC 1886

DNS Extensions to Support Internet Protocol, Version 6 (IPv6), C. Huitema, S. Thomson, December 1995 (available at: www.ietf.org/rfc/rfc1886.txt).

IETF RFC 2045

Multipurpose Internet Mail Extensions (MIME), Part 1: Format of Internet Message Bodies, N. Freed, N. Borenstein, November 1996 (available at: www.ietf.org/rfc/rfc2045.txt).

ISO/IEC/IEEE 9945:2009(E)

Referenced Documents

IETF RFC 2181

Clarifications to the DNS Specification, R. Elz, R. Bush, July 1997 (available at: www.ietf.org/rfc/rfc2181.txt).

IETF RFC 2373

Internet Protocol, Version 6 (IPv6) Addressing Architecture, S. Deering, R. Hinden, July 1998 (available at: www.ietf.org/rfc/rfc2373.txt).

IETF RFC 2460

Internet Protocol, Version 6 (IPv6), S. Deering, R. Hinden, December 1998 (available at: www.ietf.org/rfc/rfc2460.txt).

Internationalisation Guide

Guide, July 1993, Internationalisation Guide, Version 2 (ISBN: 1-859120-02-4, G304), published by The Open Group.

ISO 2375: 1985

ISO 2375: 1985, Data Processing — Procedure for Registration of Escape Sequences.

ISO 8652: 1987

ISO 8652: 1987, Programming Languages — Ada (technically identical to ANSI standard 1815A-1983).

ISO/IEC 1539: 1991

ISO/IEC 1539: 1991, Information Technology — Programming Languages — Fortran (technically identical to the ANSI X3.9-1978 standard [FORTRAN 77]).

ISO/IEC 4873: 1991

ISO/IEC 4873: 1991, Information Technology — ISO 8-bit Code for Information Interchange — Structure and Rules for Implementation.

ISO/IEC 6429: 1992

ISO/IEC 6429:1992, Information Technology — Control Functions for Coded Character Sets.

ISO/IEC 6937: 1994

ISO/IEC 6937:1994, Information Technology — Coded Graphic Character Set for Text Communication — Latin Alphabet.

ISO/IEC 8802-3: 1996

ISO/IEC 8802-3: 1996, Information Technology — Telecommunications and Information Exchange Between Systems — Local and Metropolitan Area Networks — Specific Requirements — Part 3: Carrier Sense Multiple Access with Collision Detection (CSMA/CD) Access Method and Physical Layer Specifications.

ISO/IEC 8859

ISO/IEC 8859, Information Technology — 8-Bit Single-Byte Coded Graphic Character Sets:

Part 1: Latin Alphabet No. 1

Part 2: Latin Alphabet No. 2

Part 3: Latin Alphabet No. 3

Part 4: Latin Alphabet No. 4

Part 5: Latin/Cyrillic Alphabet

Part 6: Latin/Arabic Alphabet

Part 7: Latin/Greek Alphabet

Part 8: Latin/Hebrew Alphabet

Part 9: Latin Alphabet No. 5

Part 10: Latin Alphabet No. 6

Part 11: Latin/Thai Alphabet

2

Part 13: Latin Alphabet No. 7

Part 14: Latin Alphabet No. 8 (Celtic)

Part 15: Latin Alphabet No. 9

Part 16: Latin Alphabet No. 10

ISO/IEC 9899: 1990

ISO/IEC 9899: 1990, Programming Languages — C, including Amendment 1: 1995 (E), C Integrity (Multibyte Support Extensions (MSE) for ISO C).

ISO POSIX-1: 1996

ISO/IEC 9945-1:1996, Information Technology — Portable Operating System Interface (POSIX) — Part 1: System Application Program Interface (API) [C Language] (identical to ANSI/IEEE Std 1003.1-1996). Incorporating ANSI/IEEE Stds 1003.1-1990, 1003.1b-1993, 1003.1c-1995, and 1003.1i-1995.

ISO POSIX-2: 1993

ISO/IEC 9945-2: 1993, Information Technology — Portable Operating System Interface (POSIX) — Part 2: Shell and Utilities (identical to ANSI/IEEE Std 1003.2TM-1992, as amended by ANSI/IEEE Std 1003.2aTM-1992).

Issue 1

X/Open Portability Guide, July 1985 (ISBN: 0-444-87839-4).

Issue 2

X/Open Portability Guide, January 1987:

- Volume 1: XVS Commands and Utilities (ISBN: 0-444-70174-5)
- Volume 2: XVS System Calls and Libraries (ISBN: 0-444-70175-3)

Issue 3

X/Open Specification, 1988, 1989, February 1992:

- Commands and Utilities, Issue 3 (ISBN: 1-872630-36-7, C211); this specification was formerly X/Open Portability Guide, Issue 3, Volume 1, January 1989, XSI Commands and Utilities (ISBN: 0-13-685835-X, XO/XPG/89/002)
- System Interfaces and Headers, Issue 3 (ISBN: 1-872630-37-5, C212); this specification was formerly X/Open Portability Guide, Issue 3, Volume 2, January 1989, XSI System Interface and Headers (ISBN: 0-13-685843-0, XO/XPG/89/003)
- Curses Interface, Issue 3, contained in Supplementary Definitions, Issue 3 (ISBN: 1-872630-38-3, C213), Chapters 9 to 14 inclusive; this specification was formerly X/Open Portability Guide, Issue 3, Volume 3, January 1989, XSI Supplementary Definitions (ISBN: 0-13-685850-3, XO/XPG/89/004)
- Headers Interface, Issue 3, contained in Supplementary Definitions, Issue 3 (ISBN: 1-872630-38-3, C213), Chapter 19, Cpio and Tar Headers; this specification was formerly X/Open Portability Guide Issue 3, Volume 3, January 1989, XSI Supplementary Definitions (ISBN: 0-13-685850-3, XO/XPG/89/004)

Issue 4

CAE Specification, July 1992, published by The Open Group:

- System Interface Definitions (XBD), Issue 4 (ISBN: 1-872630-46-4, C204)
- Commands and Utilities (XCU), Issue 4 (ISBN: 1-872630-48-0, C203)
- System Interfaces and Headers (XSH), Issue 4 (ISBN: 1-872630-47-2, C202)

Issue 4, Version 2

CAE Specification, August 1994, published by The Open Group:

- System Interface Definitions (XBD), Issue 4, Version 2 (ISBN: 1-85912-036-9, C434)
- Commands and Utilities (XCU), Issue 4, Version 2 (ISBN: 1-85912-034-2, C436)
- System Interfaces and Headers (XSH), Issue 4, Version 2 (ISBN: 1-85912-037-7, C435)

Issue 5

Technical Standard, February 1997, published by The Open Group:

- System Interface Definitions (XBD), Issue 5 (ISBN: 1-85912-186-1, C605)
- Commands and Utilities (XCU), Issue 5 (ISBN: 1-85912-191-8, C604)
- System Interfaces and Headers (XSH), Issue 5 (ISBN: 1-85912-181-0, C606)

Issue 6

Technical Standard, April 2004, published by The Open Group:

- Base Definitions (XBD), Issue 6 (ISBN: 1-931624-43-7, C046)
- System Interfaces (XSH), Issue 6 (ISBN: 1-931624-44-5, C047)
- Shell and Utilities (XCU), Issue 6 (ISBN: 1-931624-45-3, C048)

Knuth Article

Knuth, Donald E., *On the Translation of Languages from Left to Right*, Information and Control, Volume 8, No. 6, October 1965.

KornShell

Bolsky, Morris I. and Korn, David G., The New KornShell Command and Programming Language, March 1995, Prentice Hall.

MSE Working Draft

Working draft of ISO/IEC 9899: 1990/Add3: Draft, Addendum 3 — Multibyte Support Extensions (MSE) as documented in the ISO Working Paper SC22/WG14/N205 dated 31 March 1992.

POSIX.0: 1995

IEEE Std 1003.0[™]-1995, IEEE Guide to the POSIX Open System Environment (OSE) (identical to ISO/IEC TR 14252).

POSIX.1: 1988

IEEE Std 1003.1 $^{\text{\tiny TM}}$ -1988, IEEE Standard for Information Technology — Portable Operating System Interface (POSIX) — Part 1: System Application Program Interface (API) [C Language].

POSIX.1: 1990

IEEE Std 1003.1™-1990, IEEE Standard for Information Technology — Portable Operating System Interface (POSIX) — Part 1: System Application Program Interface (API) [C Language].

POSIX.1a

P1003.1a, Standard for Information Technology — Portable Operating System Interface (POSIX) — Part 1: System Application Program Interface (API) — (C Language) Amendment.

POSIX.1d: 1999

IEEE Std 1003.1d™-1999, IEEE Standard for Information Technology — Portable Operating System Interface (POSIX) — Part 1: System Application Program Interface (API) —

Amendment 4: Additional Realtime Extensions [C Language].

POSIX.1g: 2000

IEEE Std 1003.1g[™]-2000, IEEE Standard for Information Technology — Portable Operating System Interface (POSIX) — Part 1: System Application Program Interface (API) — Amendment 6: Protocol-Independent Interfaces (PII).

POSIX.1j: 2000

IEEE Std 1003.1j[™]-2000, IEEE Standard for Information Technology — Portable Operating System Interface (POSIX) — Part 1: System Application Program Interface (API) — Amendment 5: Advanced Realtime Extensions [C Language].

POSIX.1q: 2000

IEEE Std 1003.1q[™]-2000, IEEE Standard for Information Technology — Portable Operating System Interface (POSIX) — Part 1: System Application Program Interface (API) — Amendment 7: Tracing [C Language].

POSIX.2b

P1003.2b, Standard for Information Technology — Portable Operating System Interface (POSIX) — Part 2: Shell and Utilities — Amendment.

POSIX.2d: 1994

IEEE Std 1003.2d[™]-1994, IEEE Standard for Information Technology — Portable Operating System Interface (POSIX) — Part 2: Shell and Utilities — Amendment 1: Batch Environment.

POSIX.13: 1998

IEEE Std 1003.13[™]-1998, IEEE Standard for Information Technology — Standardized Application Environment Profile (AEP) — POSIX Realtime Application Support.

Sarwate Article

Sarwate, Dilip V., Computation of Cyclic Redundancy Checks via Table Lookup, Communications of the ACM, Volume 30, No. 8, August 1988.

Sprunt, Sha, and Lehoczky

Sprunt, B., Sha, L., and Lehoczky, J.P., *Aperiodic Task Scheduling for Hard Real-Time Systems*, The Journal of Real-Time Systems, Volume 1, 1989, Pages 27-60.

SVID, Issue 1

American Telephone and Telegraph Company, System V Interface Definition (SVID), Issue 1; Morristown, NJ, UNIX Press, 1985.

SVID, Issue 2

American Telephone and Telegraph Company, System V Interface Definition (SVID), Issue 2; Morristown, NJ, UNIX Press, 1986.

SVID, Issue 3

American Telephone and Telegraph Company, System V Interface Definition (SVID), Issue 3; Morristown, NJ, UNIX Press, 1989.

The AWK Programming Language

Aho, Alfred V., Kernighan, Brian W., and Weinberger, Peter J., *The AWK Programming Language*, Reading, MA, Addison-Wesley 1988.

UNIX Programmer's Manual

American Telephone and Telegraph Company, *UNIX Time-Sharing System: UNIX Programmer's Manual*, 7th Edition, Murray Hill, NJ, Bell Telephone Laboratories, January 1979.

ISO/IEC/IEEE 9945:2009(E)

Referenced Documents

XNS, Issue 4

CAE Specification, August 1994, Networking Services, Issue 4 (ISBN: 1-85912-049-0, C438), published by The Open Group.

XNS, Issue 5

CAE Specification, February 1997, Networking Services, Issue 5 (ISBN: 1-85912-165-9, C523), published by The Open Group.

XNS, Issue 5.2

Technical Standard, January 2000, Networking Services (XNS), Issue 5.2 (ISBN: 1-85912-241-8, C808), published by The Open Group.

X/Open Curses, Issue 4, Version 2

CAE Specification, May 1996, X/Open Curses, Issue 4, Version 2 (ISBN: 1-85912-171-3, C610), published by The Open Group.

Yacc

Yacc: Yet Another Compiler Compiler, Stephen C. Johnson, 1978.

Source Documents

Parts of the following documents were used to create the base documents for POSIX.1-2008:

AIX 3.2 Manual

AIX Version 3.2 For RISC System/6000, Technical Reference: Base Operating System and Extensions, 1990, 1992 (Part No. SC23-2382-00).

OSF/1

OSF/1 Programmer's Reference, Release 1.2 (ISBN: 0-13-020579-6).

OSF AES

Application Environment Specification (AFS) Operating System Programming Interfaces Volume, Revision A (ISBN: 0-13-043522-8).

System V Release 2.0

- UNIX System V Release 2.0 Programmer's Reference Manual (April 1984 Issue 2).
- UNIX System V Release 2.0 Programming Guide (April 1984 Issue 2).

System V Release 4.2

Operating System API Reference, UNIX® SVR4.2 (1992) (ISBN: 0-13-017658-3).

Standard for Information Technology— Portable Operating System Interface (POSIX®)

Technical Standard: Base Specifications, Issue 7

Prepared by the Austin Group (www.opengroup.org/austin).

IMPORTANT NOTICE: This standard is not intended to assure safety, security, health, or environmental protection in all circumstances. Implementors of the standard are responsible for determining appropriate safety, security, environmental, and health practices or regulatory requirements.

This IEEE document is made available for use subject to important notices and legal disclaimers. These notices and disclaimers appear in all publications containing this document and may be found under the heading "Important Notice" or "Important Notices and Disclaimers Concerning IEEE Documents". They can also be obtained on request from IEEE or viewed at http://standards.ieee.org/IPR/disclaimers.html.

This document is a previous general ded by tills

Technical Standard

- Vol. 1:
- **Base Definitions, Issue 7**
- The Open Group
- The Institute of Electrical and Electronics Engineers, Inc.

A page) Chapter 1
Introduction

1.1 Scope

POSIX.1-2008 defines a standard operating system interface and environment, including a command interpreter (or "shell"), and common utility programs to support applications portability at the source code level. It is intended to be used by both application developers and system implementors.

POSIX.1-2008 comprises four major components (each in an associated volume):

- 1. General terms, concepts, and interfaces common to all volumes of POSIX.1-2008, including utility conventions and C-language header definitions, are included in the Base Definitions volume of POSIX.1-2008.
- 2. Definitions for system service functions and subroutines, language-specific system services for the C programming language, function issues, including portability, error handling, and error recovery, are included in the System Interfaces volume of POSIX.1-2008.
- 3. Definitions for a standard source code-level interface to command interpretation services (a "shell") and common utility programs for application programs are included in the Shell and Utilities volume of POSIX.1-2008.
- 4. Extended rationale that did not fit well into the rest of the document structure, containing historical information concerning the contents of POSIX.1-2008 and why features were included or discarded by the standard developers, is included in the Rationale (Informative) volume of POSIX.1-2008.

The following areas are outside of the scope of POSIX.1-2008:

- Graphics interfaces
- Database management system interfaces
- Record I/O considerations
- Object or binary code portability
- System configuration and resource availability

POSIX.1-2008 describes the external characteristics and facilities that are of importance to application developers, rather than the internal construction techniques employed to achieve these capabilities. Special emphasis is placed on those functions and facilities that are needed in a wide variety of commercial applications.

The facilities provided in POSIX.1-2008 are drawn from the following base documents:

• IEEE Std 1003.1, 2004 Edition (POSIX-1) (incorporating IEEE Std 1003.1-2001, IEEE Std 1003.1-2001/Cor 1-2002, and IEEE Std 1003.1-2001/Cor 2-2004)

40

41

42

43

45

48

49

50

51

52

54

55

56

57

59

60

61

62

63

64

65

68

69

70

71

72

73

Scope Introduction

- The Open Group Technical Standard, 2006, Extended API Set Part 1
- The Open Group Technical Standard, 2006, Extended API Set Part 2
- The Open Group Technical Standard, 2006, Extended API Set Part 3
- The Open Group Technical Standard, 2006, Extended API Set Part 4
- ISO/IEC 9899: 1999, Programming Languages C, including ISO/IEC 9899: 1999/Cor.1: 2001(E), ISO/IEC 9899: 1999/Cor.2: 2004(E), and ISO/IEC 9899: 1999/Cor.3

Emphasis has been placed on standardizing existing practice for existing users, with changes and additions limited to correcting deficiencies in the following areas:

- Issues raised by Austin Group defect reports, IEEE Interpretations against IEEE Std 1003.1, and ISO/IEC defect reports against ISO/IEC 9945
- Issues raised in corrigenda for The Open Group Technical Standards and working group resolutions from The Open Group
- Issues arising from ISO TR 24715: 2006, Conflicts between POSIX and the LSB
- Changes to make the text self-consistent with the additional material merged
- Features, marked Legacy or obsolescent in the base documents, have been considered for removal in this version
- · A review and reorganization of the options within the standard
- Alignment with the ISO/IEC 9899: 1999 standard, including ISO/IEC 9899: 1999/Cor.2: 2004(E)

1.2 Conformance

Conformance requirements for POSIX.1-2008 are defined in Chapter 2 (on page 15).

1.3 Normative References

The following standards contain provisions which, through references in POSIX.1-2008, constitute provisions of POSIX.1-2008. At the time of publication, the editions indicated were valid. All standards are subject to revision, and parties to agreements based on POSIX.1-2008 are encouraged to investigate the possibility of applying the most recent editions of the standards listed below. Members of IEC and ISO maintain registers of currently valid International Standards.

ANS X3.9-1978

(Reaffirmed 1989) American National Standard for Information Systems: Standard X3.9-1978, Programming Language FORTRAN.¹

ISO/IEC 646: 1991

ISO/IEC 646:1991, Information Processing — ISO 7-Bit Coded Character Set for Information Interchange.²

ANSI documents can be obtained from the Sales Department, American National Standards Institute, 1430 Broadway, New York, NY
 10018, USA.