# INTERNATIONAL STANDARD

ISO/IEC 14496-25

First edition 2009-04-01

# Information technology — Coding of audio-visual objects —

Part 25: **3D Graphics Compression Model** 

Technologies de l'information — Codage d'objets audiovisuels — Partie 25: Modèle de compression graphique 3D




### PDF disclaimer

This PDF file may contain embedded typefaces. In accordance with Adobe's licensing policy, this file may be printed or viewed but shall not be edited unless the typefaces which are embedded are licensed to and installed on the computer performing the editing. In downloading this file, parties accept therein the responsibility of not infringing Adobe's licensing policy. The ISO Central Secretariat accepts no liability in this area.

Adobe is a trademark of Adobe Systems Incorporated.

Details of the software products used to create this PDF file can be found in the General Info relative to the file; the PDF-creation parameters were optimized for printing. Every care has been taken to ensure that the file is suitable for use by ISO member bodies. In the unlikely event that a problem relating to it is found, please inform the Central Secretariat at the address given below





### **COPYRIGHT PROTECTED DOCUMENT**

### © ISO/IEC 2009

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office Case postale 56 • CH-1211 Geneva 20 Tel. + 41 22 749 01 11 Fax + 41 22 749 09 47 E-mail copyright@iso.org Web www.iso.org

Published in Switzerland

| Cont       | ents  | Page |
|------------|---|------|
| Forewo     | ord   | iv   |
| Introdu    | ıction  | vi   |
| 1          | Scope   | 1    |
| 2          | Architecture model  | 1    |
| -<br>2.1   | Global view   | 1    |
| 2.2        | Layer 1: Toxtual Data Representation  | 2    |
| 2.3        | Layer 2: Biharization   |      |
| 2.4        | Layer 3: Compression  | 3    |
| 2.5        | Interface between Layer 2 and Layer 3   |      |
| 3          | Decoder model   | 4    |
|            | A (informative) Encoding model  |      |
| Annex      | B (normative) Binarization and Compression of Scene Graph expressed with XMT  | 7    |
| B.1        | Introduction  | 7    |
| B.2        | Scene Graph and Object Graph binarization   | 7    |
| B.3        | 3DMCe StreamPI, OI, CI Streams  | 7    |
| B.4        | PI, OI, CI Streams  | 8    |
| B.5        | BBA Stream  | 8    |
| D.0        | C (normative) Binarization and Compression of Scene Graph expressed with COLLADA Introduction Scene Graph and Object Graph binarization | 9    |
| Annex      | C (normative) Binarization and Compression of Scene Graph expressed with COLLADA  | 10   |
| C.1        | Introduction  | 10   |
| C.2        | Scene Graph and Object Graph binarization   | 10   |
| C.3        | 3DMCe Stream  | 10   |
| C.4<br>C.5 | PI, OI, CI Streams  | 11   |
| C.6        | EAMC Stream   | 11   |
| C.6        | PAINC Stream  | 11   |
| Annex      | D (normative) Binarization and Compression of Score Graph expressed with X3D  | 12   |
| D.1        | D (normative) Binarization and Compression of Scene Graph expressed with X3D  | 12   |
| D.2        | Scene Graph and Object Graph binarization   | 12   |
| D.3        | 3DMCe Stream  | 12   |
| D.4        | PI, OI, CI Streams  | 13   |
|            | Scene Graph and Object Graph binarization 3DMCe Stream PI, OI, CI Streams   |      |

### **Foreword**

ISO (the International Organization for Standardization) and IEC (the International Electrotechnical Commission) form the specialized system for worldwide standardization. National bodies that are members of ISO or IEC participate in the development of International Standards through technical committees established by the respective organization to deal with particular fields of technical activity. ISO and IEC technical committees collaborate in fields of mutual interest. Other international organizations, governmental and non-governmental, in liaison with ISO and IEC, also take part in the work. In the field of information technology, ISO and IEC have established a joint technical committee, ISO/IEC JTC 1.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of the joint technical committee is to prepare International Standards. Draft International Standards adopted by the joint technical committee are circulated to national bodies for voting. Publication as an International Standard requires approval by at least 75 % of the national bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO and IEC shall not be held responsible for identifying any or all such patent rights.

ISO/IEC 14496-25 was prepared by Joint Technology, Subcommittee SC 29, Coding of audio, picture, multimedia and hypermedia information.

ISO/IEC 14496 consists of the following parts, under the general title *Information technology — Coding of audio-visual objects*:

- Part 1: Systems
- Part 2: Visual
- Part 3: Audio
- Part 4: Conformance testing
- Part 5: Reference software
- Part 6: Delivery Multimedia Integration Framework (DMIF)
- Part 7: Optimized reference software for coding of audio-visual objects [Technical Report]
- Part 8: Carriage of ISO/IEC 14496 contents over IP networks
- Part 9: Reference hardware description
- Part 10: Advanced Video Coding
- Part 11: Scene description and application engine
- Part 12: ISO base media file format
- Part 13: Intellectual Property Management and Protection (IPMP) extensions
- Part 14: MP4 file format
- Part 15: Advanced Video Coding (AVC) file format

- Part 16: Animation Framework eXtension (AFX)
- Part 17: Streaming text format
- Part 18: Font compression and streaming
- Part 19: Synthesized texture stream
- . 20: Lightweight .
  . 3rt 21: MPPO J Graphics .
  Part 22: Open Fort Format

  Part 23: Symbolic Wesic Representation

   Part 24: Audio and systems interaction [Techn.]

   Part 25: 3D Graphics Compression Model — Part 20: Lightweight Application Scene Representation (LASeR) and Simple Aggregation Format (SAF)

© ISO/IEC 2009 - All rights reserved

Jetion

SO/IEC 14496-11 and ISO/IEC 14496-16, sever, addred (for geometry, texture and animation). Suc. lation as defined in ISO/IEC 14496-11 (commonly know).

Is International Standard, the paradigm changes, making it pos. Johics defined in ISO/IEC 14496-11 and ISO/IEC 14496-16 to po. zene graph and graphus significes expressed in XML.

Currently, the model is implemented for XMT, COLLADA and X3D.

# Information technology — Coding of audio-visual objects —

## Part 25:

# **3D Graphics Compression Model**

# Scope

This part of ISO/IEC 174496 describes a model for connecting 3D Graphics Compression tools defined in ISO/IEC 14496 to graphics primitives defined in any other standard, specification or recommendation.

The goal of this part of ISO 14496 is to specify an architectural model able to accommodate

- third-party XML based description of scene graph and graphics primitives with
- (potential) binarization tools and with
- MPEG-4 3D Graphics Complession tools specified in ISO/IEC 14496-2, ISO/IEC 14496-11 and ISO/IEC 14496-16.

The advantages of such an approach are only side the use of powerful compression tools for graphics and on the other side the generality of graphics primitives representation. Hence, compression tools developed in ISO/IEC 14496-2, ISO/IEC 14496-11 and ISO/IEC 14496-16 would be applied not only to the scene graph defined by ISO/IEC 14496-11 but to any scene graph definition. The bitstreams obtained when using the model are MP4 formatted and contain XML (or binaried XML) for the scene graph and binary elementary streams for graphics compression (geometry, texture and animation).

#### 2 **Architecture model**

2.1 Global view

The architectural model, illustrated in Figure 1, has three layers. Pertual Data Representation, Binarization and Compression.