

INTERNATIONAL STANDARD

NORME INTERNATIONALE



INTERNATIONAL SPECIAL COMMITTEE ON RADIO INTERFERENCE
COMITÉ INTERNATIONAL SPÉCIAL DES PERTURBATIONS RADIOÉLECTRIQUES

BASIC EMC PUBLICATION
PUBLICATION FONDAMENTALE EN CEM

Specification for radio disturbance and immunity measuring apparatus and methods –

Part 2-3: Methods of measurement of disturbances and immunity – Radiated disturbance measurements

Spécifications des méthodes et des appareils de mesure des perturbations radioélectriques et de l'immunité aux perturbations radioélectriques –

Partie 2-3: Méthodes de mesure des perturbations et de l'immunité – Mesurages des perturbations rayonnées



THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2016 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de l'IEC ou du Comité national de l'IEC du pays du demandeur. Si vous avez des questions sur le copyright de l'IEC ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de l'IEC de votre pays de résidence.

IEC Central Office
3, rue de Varembe
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
Fax: +41 22 919 03 00
info@iec.ch
www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

IEC Catalogue - webstore.iec.ch/catalogue

The stand-alone application for consulting the entire bibliographical information on IEC International Standards, Technical Specifications, Technical Reports and other documents. Available for PC, Mac OS, Android Tablets and iPad.

IEC publications search - www.iec.ch/searchpub

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and also once a month by email.

Electropedia - www.electropedia.org

The world's leading online dictionary of electronic and electrical terms containing 20 000 terms and definitions in English and French, with equivalent terms in 15 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

IEC Glossary - std.iec.ch/glossary

65 000 electrotechnical terminology entries in English and French extracted from the Terms and Definitions clause of IEC publications issued since 2002. Some entries have been collected from earlier publications of IEC TC 37, 77, 86 and CISPR.

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: csc@iec.ch.

A propos de l'IEC

La Commission Electrotechnique Internationale (IEC) est la première organisation mondiale qui élabore et publie des Normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

A propos des publications IEC

Le contenu technique des publications IEC est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

Catalogue IEC - webstore.iec.ch/catalogue

Application autonome pour consulter tous les renseignements bibliographiques sur les Normes internationales, Spécifications techniques, Rapports techniques et autres documents de l'IEC. Disponible pour PC, Mac OS, tablettes Android et iPad.

Recherche de publications IEC - www.iec.ch/searchpub

La recherche avancée permet de trouver des publications IEC en utilisant différents critères (numéro de référence, texte, comité d'études,...). Elle donne aussi des informations sur les projets et les publications remplacées ou retirées.

IEC Just Published - webstore.iec.ch/justpublished

Restez informé sur les nouvelles publications IEC. Just Published détaille les nouvelles publications parues. Disponible en ligne et aussi une fois par mois par email.

Electropedia - www.electropedia.org

Le premier dictionnaire en ligne de termes électroniques et électriques. Il contient 20 000 termes et définitions en anglais et en français, ainsi que les termes équivalents dans 15 langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International (IEV) en ligne.

Glossaire IEC - std.iec.ch/glossary

65 000 entrées terminologiques électrotechniques, en anglais et en français, extraites des articles Termes et Définitions des publications IEC parues depuis 2002. Plus certaines entrées antérieures extraites des publications des CE 37, 77, 86 et CISPR de l'IEC.

Service Clients - webstore.iec.ch/csc

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions contactez-nous: csc@iec.ch.

INTERNATIONAL STANDARD

NORME INTERNATIONALE



INTERNATIONAL SPECIAL COMMITTEE ON RADIO INTERFERENCE
COMITÉ INTERNATIONAL SPÉCIAL DES PERTURBATIONS RADIOÉLECTRIQUES

BASIC EMC PUBLICATION
PUBLICATION FONDAMENTALE EN CEM

Specification for radio disturbance and immunity measuring apparatus and methods –

Part 2-3: Methods of measurement of disturbances and immunity – Radiated disturbance measurements

Spécifications des méthodes et des appareils de mesure des perturbations radioélectriques et de l'immunité aux perturbations radioélectriques –

Partie 2-3: Méthodes de mesure des perturbations et de l'immunité – Mesurages des perturbations rayonnées

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

COMMISSION
ELECTROTECHNIQUE
INTERNATIONALE

ICS 33.100.10; 33.100.20

ISBN 978-2-8322-3590-4

Warning! Make sure that you obtained this publication from an authorized distributor.
Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.

CONTENTS

FOREWORD.....	7
1 Scope.....	9
2 Normative references	9
3 Terms, definitions and abbreviations	10
3.1 Terms and definitions	10
3.2 Abbreviated terms	15
4 Types of disturbance to be measured	16
4.1 General.....	16
4.2 Types of disturbance	16
4.3 Detector functions	16
5 Connection of measuring equipment	16
6 General measurement requirements and conditions.....	17
6.1 General.....	17
6.2 Disturbance not produced by the equipment under test	17
6.2.1 General.....	17
6.2.2 Compliance (conformity assessment) testing.....	17
6.3 Measurement of continuous disturbance	17
6.3.1 Narrowband continuous disturbance	17
6.3.2 Broadband continuous disturbance	17
6.3.3 Use of spectrum analyzers and scanning receivers	17
6.4 EUT arrangement and measurement conditions	18
6.4.1 General arrangement of the EUT	18
6.4.2 Operation of the EUT	20
6.4.3 EUT time of operation	20
6.4.4 EUT running-in time	21
6.4.5 EUT supply	21
6.4.6 EUT mode of operation.....	21
6.4.7 Operation of multifunction equipment.....	21
6.4.8 Determination of arrangement(s) causing maximum emissions	21
6.4.9 Recording of measurements	21
6.5 Interpretation of measuring results	22
6.5.1 Continuous disturbance	22
6.5.2 Discontinuous disturbance.....	22
6.5.3 Measurement of the duration of disturbance.....	22
6.6 Measurement times and scan rates for continuous disturbance	22
6.6.1 General.....	22
6.6.2 Minimum measurement times	23
6.6.3 Scan rates for scanning receivers and spectrum analyzers.....	23
6.6.4 Scan times for stepping receivers	24
6.6.5 Strategies for obtaining a spectrum overview using the peak detector.....	25
6.6.6 Timing considerations using FFT-based instruments	29
7 Measurement of radiated disturbances	32
7.1 Introductory remarks	32
7.2 Loop-antenna system measurements (9 kHz to 30 MHz)	33
7.2.1 General.....	33
7.2.2 General measurement method.....	33

7.2.3	Test environment	34
7.2.4	Configuration of the equipment under test.....	35
7.2.5	Measurement uncertainty for LAS	35
7.3	Open-area test site or semi-anechoic chamber measurements (30 MHz to 1 GHz)	35
7.3.1	Measurand	35
7.3.2	Test site requirements	38
7.3.3	General measurement method	38
7.3.4	Measurement distance	39
7.3.5	Antenna height variation	40
7.3.6	Product specification details	40
7.3.7	Measurement instrumentation	42
7.3.8	Field-strength measurements on other outdoor sites	42
7.3.9	Measurement uncertainty for OATS and SAC	42
7.4	Fully-anechoic room measurements (30 MHz to 1 GHz)	42
7.4.1	Test set-up and site geometry	42
7.4.2	EUT position	45
7.4.3	Cable layout and termination	46
7.4.4	Measurement uncertainty for FAR	47
7.5	Radiated emission measurement method (30 MHz to 1 GHz) and radiated immunity test method (80 MHz to 1 GHz) with common test set-up in semi-anechoic chamber	47
7.5.1	Applicability	47
7.5.2	EUT perimeter definition and antenna-to-EUT separation distance	47
7.5.3	Uniform test volume	48
7.5.4	Specifications for EUT set-up in common emissions/immunity test set-up	49
7.5.5	Measurement uncertainty for common emission/immunity set-up and method	55
7.6	Fully-anechoic room and absorber-lined OATS/SAC measurements (1 GHz to 18 GHz)	55
7.6.1	Quantity to measure	55
7.6.2	Measurement distance	55
7.6.3	Set-up and operating conditions of the equipment under test (EUT)	56
7.6.4	Measurement site	56
7.6.5	Measurement instrumentation	56
7.6.6	Measurement procedure	57
7.6.7	Measurement uncertainty for FAR	63
7.7	<i>In situ</i> measurements (9 kHz to 18 GHz)	64
7.7.1	Applicability of and preparation for <i>in situ</i> measurements	64
7.7.2	Field-strength measurements <i>in situ</i> in the frequency range 9 kHz to 30 MHz	65
7.7.3	Field-strength measurements <i>in situ</i> in the frequency range above 30 MHz	65
7.7.4	<i>In situ</i> measurement of the disturbance effective radiated power using the substitution method	66
7.7.5	Documentation of the measurement results	70
7.7.6	Measurement uncertainty for <i>in situ</i> method	70
7.8	Substitution measurements (30 MHz to 18 GHz)	70
7.8.1	General	70
7.8.2	Test site	71

7.8.3	Test antennas	71
7.8.4	EUT configuration	72
7.8.5	Test procedure	72
7.8.6	Measurement uncertainty for substitution method	72
7.9	Reverberation chamber measurements (80 MHz to 18 GHz)	72
7.10	TEM waveguide measurements (30 MHz to 18 GHz)	72
8	Automated measurement of emissions	72
8.1	Introduction – Precautions for automated measurements	72
8.2	Generic measurement procedure	73
8.3	Pre-scan measurements	73
8.3.1	General	73
8.3.2	Determination of the required measurement time	74
8.3.3	Pre-scan requirements for different types of measurements	74
8.4	Data reduction	75
8.5	Emission maximization and final measurement	76
8.6	Post-processing and reporting	77
8.7	Emission measurement strategies with FFT-based measuring instruments	77
Annex A (informative)	Measurement of disturbances in the presence of ambient emissions	78
A.1	General	78
A.2	Terms and definitions	78
A.3	Problem description	78
A.4	Proposed solution	78
A.4.1	Overview	78
A.4.2	Pre-testing the EUT in a shielded room	81
A.4.3	Method of measurement of EUT disturbances in the presence of narrowband ambient emissions	82
A.4.4	Method of measurement of EUT disturbance in the presence of broadband ambient emissions	85
A.5	Determination of the EUT disturbance in case of superposition	87
Annex B (informative)	Use of spectrum analyzers and scanning receivers	92
B.1	General	92
B.2	Overload	92
B.3	Linearity test	92
B.4	Selectivity	92
B.5	Normal response to pulses	92
B.6	Peak detection	92
B.7	Frequency scan rate	93
B.8	Signal interception	93
B.9	Average detection	93
B.10	Sensitivity	93
B.11	Amplitude accuracy	94
Annex C (informative)	Scan rates and measurement times for use with the average detector	95
C.1	Purpose	95
C.2	Suppression of disturbances	95
C.2.1	Suppression of impulsive disturbance	95
C.2.2	Suppression of impulsive disturbance by digital averaging	96
C.2.3	Suppression of amplitude modulation	96

C.3	Measurement of slowly intermittent, unsteady or drifting narrowband disturbances	96
C.4	Recommended procedure for automated or semi-automated measurements	98
Annex D (informative)	Explanation of the APD measurement method applying to the compliance test	99
Annex E (normative)	Determination of suitability of spectrum analyzers for compliance tests	101
Bibliography		102
Figure 1	– Measurement of a combination of a CW signal (NB) and an impulsive signal (BB) using multiple sweeps with maximum hold	26
Figure 2	– Example of a timing analysis	27
Figure 3	– A broadband spectrum measured with a stepped receiver	28
Figure 4	– Intermittent narrowband disturbances measured using fast short repetitive sweeps with maximum hold function to obtain an overview of the emission spectrum	29
Figure 5	– FFT scan in segments	31
Figure 6	– Frequency resolution enhanced by FFT-based measuring instrument	32
Figure 7	– Concept of magnetic field induced current measurements made with the loop antenna system	34
Figure 8	– Measurement distance	36
Figure 9	– Separation distance relative to the phase centre of an LPDA antenna	38
Figure 10	– Concept of electric field strength measurements made on an open-area test site (OATS) or semi-anechoic chamber (SAC) showing the direct and reflected rays arriving at the receiving antenna	39
Figure 11	– Position of CMAD for table-top equipment on OATS or in SAC	42
Figure 12	– Typical FAR site geometry, where a , b , c , e depend upon the room performance	43
Figure 13	– Typical test set-up for table-top equipment within the test volume of a FAR	44
Figure 14	– Typical test set-up for floor-standing equipment within the test volume of a FAR	45
Figure 15	– Positions of reference planes for uniform field calibration (top-view)	48
Figure 16	– Test set-up for table-top equipment	52
Figure 17	– Test set-up for table-top equipment – Top view	53
Figure 18	– Test set-up for floor-standing equipment	54
Figure 19	– Test set-up for floor-standing equipment – Top view	55
Figure 20	– Measurement method above 1 GHz, receive antenna in vertical polarization	57
Figure 21	– Illustration of height scan requirements for two different categories of EUTs	59
Figure 22	– Determination of the transition distance	69
Figure 23	– Substitution method set-up geometries for: a) measurement, b) calibration	71
Figure 24	– Process to give reduction of measurement time	73
Figure A.1	– Flow diagram for the selection of bandwidths and detectors and the estimated measurement errors due to that selection	80
Figure A.2	– Relative difference in adjacent emission amplitudes during preliminary testing	82
Figure A.3	– Disturbance by an unmodulated signal (dotted line)	83

Figure A.4 – Disturbance by an amplitude-modulated signal (dotted line)	83
Figure A.5 – Indication of an amplitude-modulated signal as a function of modulation frequency with the QP detector in CISPR bands B, C and D	84
Figure A.6 – Indication of a pulse-modulated signal (pulse width 50 μ s) as a function of pulse repetition frequency with peak, QP and average detectors	85
Figure A.7 – Disturbance by a broadband signal (dotted line)	85
Figure A.8 – Unmodulated EUT disturbance (dotted line)	86
Figure A.9 – Amplitude-modulated EUT disturbance (dotted line)	87
Figure A.10 – Increase of peak value with superposition of two unmodulated signals	88
Figure A.11 – Determination of the amplitude of the disturbance signal by means of the amplitude ratio d and the factor i (see Equation (A.3) and Equation (A.6))	89
Figure A.12 – Increase of average indication measured with a real receiver and calculated from Equation (A.8)	90
Figure C.1 – Weighting function of a 10 ms pulse for peak (PK) and average detections with (CISPR AV) and without (AV) peak reading: meter time constant 160 ms	97
Figure C.2 – Weighting functions of a 10 ms pulse for peak (PK) and average detections with (CISPR AV) and without (AV) peak reading: meter time constant 100 ms	97
Figure C.3 – Example of weighting functions (of a 1 Hz pulse) for peak (PK) and average detections as a function of pulse width: meter time constant 160 ms	98
Figure C.4 – Example of weighting functions (of a 1 Hz pulse) for peak (PK) and average detections as a function of pulse width: meter time constant 100 ms	98
Figure D.1 – Example of APD measurement Method 1 for fluctuating disturbances	99
Figure D.2 – Example of APD measurement Method 2 for fluctuating disturbances	100
Table 1 – Minimum measurement times for the four CISPR bands	23
Table 2 – Minimum scan times for the three CISPR bands with peak and quasi-peak detectors	23
Table 3 – Applicable frequency ranges and document references for CISPR radiated emission test sites and test methods	33
Table 4 – Minimum dimension of w ($w_{\min}$)	58
Table 5 – Example values of w for three antenna types	59
Table 6 – Horizontal polarization correction factors as a function of frequency	69
Table 7 – Recommended antenna heights to guarantee signal interception (for pre-scan) in the frequency range 30 MHz to 1 000 MHz	75
Table A.1 – Combinations of EUT disturbance and ambient emissions	79
Table A.2 – Measurement error depending on the detector type and on the combination of ambient and disturbing signal spectra	91
Table C.1 – Pulse suppression factors and scan rates for a 100 Hz video bandwidth	96
Table C.2 – Meter time constants and the corresponding video bandwidths and minimum scan times	96
Table E.1 – Maximum amplitude difference between peak and quasi-peak detected signals	101

INTERNATIONAL ELECTROTECHNICAL COMMISSION
INTERNATIONAL SPECIAL COMMITTEE ON RADIO INTERFERENCE

**SPECIFICATION FOR RADIO DISTURBANCE AND IMMUNITY
MEASURING APPARATUS AND METHODS –**

**Part 2-3: Methods of measurement of disturbances and immunity –
Radiated disturbance measurements**

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard CISPR 16-2-3 has been prepared by CISPR subcommittee A: Radio-interference measurements and statistical methods.

This fourth edition edition cancels and replaces the third edition published in 2010, its Amendment 1:2010 and its Amendment 2:2014. This edition constitutes a technical revision.

This edition includes the following significant technical change with respect to the previous edition: addition of content on correction of the electric field strength to account for phase centre of log-periodic dipole array antennas.

It has the status of a basic EMC publication in accordance with IEC Guide 107, *Electromagnetic compatibility – Guide to the drafting of electromagnetic compatibility publications*.

The text of this standard is based on the following documents:

FDIS	Report on voting
CISPR/A/1176A/FDIS	CISPR/A/1182/RVD

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts of the CISPR 16 series, published under the general title *Specification for radio disturbance and immunity measuring apparatus and methods*, can be found on the IEC website.

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC website under "<http://webstore.iec.ch>" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

SPECIFICATION FOR RADIO DISTURBANCE AND IMMUNITY MEASURING APPARATUS AND METHODS –

Part 2-3: Methods of measurement of disturbances and immunity – Radiated disturbance measurements

1 Scope

This part of CISPR 16 specifies the methods of measurement of radiated disturbance phenomena in the frequency range of 9 kHz to 18 GHz. The aspects of measurement uncertainty are specified in CISPR 16-4-1 and CISPR 16-4-2.

NOTE In accordance with IEC Guide 107 [13]¹, CISPR 16-2-3 is a basic EMC publication for use by product committees of the IEC. As stated in Guide 107, product committees are responsible for determining the applicability of the EMC standard. CISPR and its subcommittees are prepared to co-operate with product committees in the evaluation of the value of particular EMC tests for specific products.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

CISPR 14-1:2016, *Electromagnetic compatibility – Requirements for household appliances, electric tools and similar apparatus – Part 1: Emission*

CISPR 16-1-1, *Specification for radio disturbance and immunity measuring apparatus and methods – Part 1-1: Radio disturbance and immunity measuring apparatus – Measuring apparatus*

CISPR 16-1-2:2014, *Specification for radio disturbance and immunity measuring apparatus and methods – Part 1-2: Radio disturbance and immunity measuring apparatus – Coupling devices for conducted disturbance measurements*

CISPR 16-1-4:2010, *Specification for radio disturbance and immunity measuring apparatus and methods – Part 1-4: Radio disturbance and immunity measuring apparatus – Antennas and test sites for radiated disturbance measurements*
CISPR 16-1-4:2010/AMD1:2012

CISPR 16-2-1:2014, *Specification for radio disturbance and immunity measuring apparatus and methods – Part 2-1: Methods of measurement of disturbances and immunity – Conducted disturbance measurements*

CISPR TR 16-4-1, *Specification for radio disturbance and immunity measuring apparatus and methods – Part 4-1: Uncertainties, statistics and limit modelling – Uncertainties in standardized EMC tests*

CISPR 16-4-2, *Specification for radio disturbance and immunity measuring apparatus and methods – Part 4-2: Uncertainties, statistics and limit modelling – Measurement instrumentation uncertainty*

¹ Numbers in square brackets refer to the Bibliography.

CISPR TR 16-4-5, *Specification for radio disturbance and immunity measuring apparatus and methods – Part 4-5: Uncertainties, statistics and limit modelling – Conditions for the use of alternative test methods*

IEC 60050-161, *International Electrotechnical Vocabulary – Chapter 161: Electromagnetic compatibility*

IEC 61000-4-3:2006, *Electromagnetic compatibility (EMC) – Part 4-3: Testing and measurement techniques – Radiated, radio-frequency, electromagnetic field immunity test*

IEC 61000-4-3:2006/AMD1:2007

IEC 61000-4-3:2006/AMD2:2010

IEC 61000-4-20, *Electromagnetic compatibility (EMC) – Part 4-20: Testing and measurement techniques – Emission and immunity testing in transverse electromagnetic (TEM) waveguides*

3 Terms, definitions and abbreviations

3.1 Terms and definitions

For the purposes of this document, the terms and definitions given in IEC 60050-161, as well as the following apply.

3.1.1

absorber-lined OATS/SAC

OATS or SAC with ground plane partially covered by RF-energy absorbing material

3.1.2

ancillary equipment

transducers (e.g. current and voltage probes and artificial networks) connected to a measuring receiver or (test) signal generator and used in the disturbance signal transfer between the EUT and the measuring or test equipment

3.1.3

antenna beam

main lobe of the antenna pattern (gain pattern) of the receive antenna (usually the direction with maximum sensitivity or lowest antenna factor) that is directed towards the EUT

3.1.4

antenna beamwidth

angle between the half-power (3 dB) points of the main lobe of the antenna beam, when referenced to the maximum power of the main lobe

Note 1 to entry: It may be expressed for the *H* plane or for the *E* plane of the antenna.

Note 2 to entry: Antenna beamwidth is expressed in degrees.

3.1.5

associated equipment

AE

apparatus, that is not part of the system under test, but needed to help exercise the EUT

Note 1 to entry: This note applies to the French language only.

3.1.6

auxiliary equipment

AuxEq

peripheral equipment that is part of the system under test