

RAUDTEEALASED RAKENDUSED. AERODÜNAAMIKA.
OSA 6: NÕUDED JA TESTPROTSEDUURID KÜLGITUULE
HINDAMISEKS

Railway applications - Aerodynamics - Part 6:
Requirements and test procedures for cross wind
assessment

EESTI STANDARDI EESSÕNA

NATIONAL FOREWORD

See Eesti standard EVS-EN 14067-6:2018 sisaldab Euroopa standardi EN 14067-6:2018 ingliskeelset teksti.	This Estonian standard EVS-EN 14067-6:2018 consists of the English text of the European standard EN 14067-6:2018.
Standard on jõustunud sellekohase teate avaldamisega EVS Teatajas.	This standard has been endorsed with a notification published in the official bulletin of the Estonian Centre for Standardisation.
Euroopa standardimisorganisatsioonid on teinud Euroopa standardi rahvuslikele liikmetele kättesaadavaks 25.07.2018.	Date of Availability of the European standard is 25.07.2018.
Standard on kättesaadav Eesti Standardikeskusest.	The standard is available from the Estonian Centre for Standardisation.

Tagasisidet standardi sisu kohta on võimalik edastada, kasutades EVS-i veebilehel asuvat tagasiside vormi või saates e-kirja meiliaadressile standardiosakond@evs.ee.

ICS 45.060.01

Standardite reprodutseerimise ja levitamise õigus kuulub Eesti Standardikeskusele

Andmete paljundamine, taastekitamine, kopeerimine, salvestamine elektroonsesse süsteemi või edastamine ükskõik millises vormis või millisel teel ilma Eesti Standardikeskuse kirjaliku loata on keelatud.

Kui Teil on küsimusi standardite autorikaitse kohta, võtke palun ühendust Eesti Standardikeskusega:
Koduleht www.evs.ee; telefon 605 5050; e-post info@evs.ee

The right to reproduce and distribute standards belongs to the Estonian Centre for Standardisation

No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying, without a written permission from the Estonian Centre for Standardisation.

If you have any questions about copyright, please contact Estonian Centre for Standardisation:

Homepage www.evs.ee; phone +372 605 5050; e-mail info@evs.ee

English Version

**Railway applications - Aerodynamics - Part 6:
Requirements and test procedures for cross wind
assessment**

Applications ferroviaires - Aérodynamique - Partie 6 :
Exigences et procédures d'essai pour l'évaluation de la
stabilité vis-à-vis des vents traversiers

Bahnanwendungen - Aerodynamik - Teil 6:
Anforderungen und Prüfverfahren zur Bewertung von
Seitenwind

This European Standard was approved by CEN on 3 March 2018.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

Contents

Page

European foreword	5
Introduction	7
1 Scope.....	8
2 Normative references.....	8
3 Terms and definitions	8
4 Symbols and abbreviations	9
5 Methods and requirements to assess cross wind stability of vehicles	22
5.1 General.....	22
5.2 Applicability of cross wind methodologies for rolling stock assessment purposes.....	23
5.3 Determination of aerodynamic coefficients.....	25
5.3.1 General.....	25
5.3.2 Predictive formula.....	25
5.3.3 Simulations by Computational Fluid Dynamics (CFD)	26
5.3.4 Reduced-scale wind tunnel measurements	29
5.4 Determination of wheel unloading due to cross winds.....	34
5.4.1 General.....	34
5.4.2 Simple method	34
5.4.3 Advanced quasi-static method	37
5.4.4 Time-dependent MBS method using a Chinese hat wind scenario	40
5.5 Presentation form of characteristic wind curves (CWCs)	47
5.5.1 General.....	47
5.5.2 CWC presentation form for passenger vehicles and locomotives	48
5.5.3 CWC presentation form for freight wagons	49
5.6 Requirements.....	50
5.6.1 Requirements for passenger vehicles and locomotives running at 250 km/h $\leq v_{\max} \leq$ 360 km/h.....	50
5.6.2 Requirements for passenger vehicles and locomotives running 140 km/h $< v_{\max} <$ 250 km/h.....	53
5.6.3 Requirements for freight wagons	53
6 Method to acquire the needed railway line data	54
6.1 General.....	54
6.2 Presentation form of railway line data	54
6.2.1 General.....	54
6.2.2 Plan profile	54
6.2.3 Vertical profile	55
6.2.4 Track design speed.....	56
6.2.5 Walls	57
6.2.6 Meteorological input data for line description	58
6.2.7 Integrated line database	58
6.2.8 Required minimum resolution/accuracy	60
7 Methods to assess the wind exposure of a railway line	60
8 Guidance for the analysis and assessment of the cross wind risk	61
8.1 General.....	61

8.2	Infrastructure with train speeds at or above 250 km/h	61
8.3	Infrastructure with train speeds below 250 km/h.....	61
9	Required documentation	61
9.1	General	61
9.2	Assessment of cross wind stability of passenger vehicles and locomotives	61
9.3	Assessment of cross wind stability of freight vehicles.....	62
9.4	Acquisition of railway line data.....	62
Annex A (informative) Application of methods to assess cross wind stability of vehicles within Europe.....		63
Annex B (informative) Blockage correction.....		67
B.1	Dynamic pressure method	67
B.2	German method.....	67
B.3	UK method.....	67
B.4	Slotted walls	68
Annex C (normative) Wind tunnel benchmark test data for standard ground configuration.....		69
C.1	General	69
C.2	ICE 3 leading vehicle wind tunnel model	69
C.3	TGV Duplex power car wind tunnel model.....	70
C.4	ETR 500 power car wind tunnel model	71
Annex D (informative) Other ground configurations for wind tunnel testing		73
D.1	Flat ground with gap (TSI HS RST)	73
D.2	Double track ballast and rails (TSI HS RST).....	73
D.3	Standard embankment of 6 m height (TSI HS RST).....	74
D.4	Flat ground without gap (Finnish method).....	75
D.5	Double track ballast and rails (UK method)	75
Annex E (informative) Wind tunnel benchmark test data for other ground configurations		77
E.1	General	77
E.2	ICE 3 leading vehicle wind tunnel model	77
E.3	TGV Duplex power car wind tunnel model.....	81
E.4	ETR 500 power car wind tunnel model	87
Annex F (informative) Embankment overspeed effect.....		90
Annex G (informative) Atmospheric boundary layer wind tunnel testing		91
G.1	General	91
G.2	Benchmark tests	91
G.3	Wind simulation.....	92
G.3.1	Boundary layer profiles	92
G.3.2	Turbulence intensities.....	92
G.3.3	Turbulence integral length scale	93
G.4	Model scale and blockage requirements.....	93
G.5	Modelling accuracy	93
G.6	Instrumentation requirements	93
G.6.1	General	93
G.6.2	Speed measurement	93
G.6.3	Force and moment balance	94
G.7	Data acquisition requirements.....	94
G.7.1	General	94
G.7.2	Time scale, sampling frequency and acquisition duration.....	94
G.7.3	Measurement of temperature and atmospheric pressure	95
G.8	Calculation of mean values.....	95

G.9	Calculation of peak values	95
G.10	Calculation of air density	96
G.11	Calculation of the uncorrected rolling moment coefficient.....	96
G.12	Determination of the lee rail roll moment coefficient.....	96
G.13	Data interpolation	97
Annex H	(informative) Five mass model.....	98
H.1	General.....	98
H.2	Derivation of formulae.....	100
H.3	Example calculations	104
H.3.1	General.....	104
H.3.2	Example vehicle 1	105
H.3.3	Example vehicle 2	108
Annex I	(normative) Mathematical model for the Chinese hat	113
I.1	Mathematical model for Chinese hat	113
I.2	Example calculation for Chinese hat.....	116
Annex J	(informative) Stochastic wind model	122
J.1	General.....	122
J.2	Assumptions	122
J.3	Application range.....	122
J.4	General Approach.....	122
J.4.1	General.....	122
J.4.2	First step: wind tunnel tests (aerodynamic properties determination)	123
J.4.3	Second step: calculation of turbulent wind speed	123
J.4.4	Third step: evaluation of aerodynamic forces.....	127
J.4.5	Fourth step: simulation of vehicle dynamics	128
J.4.6	Fifth step: evaluation of characteristic wind speed.....	128
Annex K	(informative) Stability of passenger vehicles and locomotives against overturning according to national guidelines.....	130
K.1	General.....	130
K.2	According to DB Guideline 80704 (Germany)	130
K.3	According to Railway Group Standard GM/RT 2141 (Great Britain).....	131
Annex L	(informative) Information on methods to assess the wind exposure of a railway line..	133
L.1	General.....	133
L.2	Wind map approaches	133
L.3	Transfer approaches.....	134
Annex M	(informative) Extended CWCs	136
Annex ZA	(informative) Relationship between this European Standard and the Essential Requirements of EU Directive 2008/57/EC aimed to be covered.....	139
Bibliography	142

European foreword

This document (EN 14067-6:2018) has been prepared by Technical Committee CEN/TC 256 "Railway applications", the secretariat of which is held by DIN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by January 2019, and conflicting national standards shall be withdrawn at the latest by January 2019.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

This document supersedes EN 14067-6:2010.

This document has been prepared under a mandate given to CEN/CENELEC/ETSI by the European Commission and the European Free Trade Association, and supports essential requirements of EU Directive 2008/57/EC.

For the relationship with EU Directive 2008/57/EC, see informative Annex ZA, which is an integral part of this document.

The main changes with respect to the previous edition are listed below:

- a) References to Part 1 were removed, the coordinate system and all relevant symbols from Part 1 were added to this part.
- b) New requirements were added for passenger vehicles and locomotives running at $250 \text{ km/h} \leq v_{\max} \leq 360 \text{ km/h}$.
- c) New tables were added with reference CWCs for passenger vehicles and locomotives running at $250 \text{ km/h} \leq v_{\max} \leq 360 \text{ km/h}$.
- d) Formula (1) was corrected as well as the factor f_L in Table 3.
- e) Guidance on application of reference CWCs in cross wind risk assessments of railway lines is given in Clause 8.
- f) The migration rule (former Annex M) has been removed from the general document and will be provided in national forewords, wherever required.
- g) A new Annex M has been added and provides extended CWCs.
- h) Annex ZA has been updated.
- i) Extension of the scope to track gauges 1 435 mm to 1 668 mm.

This European Standard is part of the series "Railway applications — Aerodynamics" which consists of the following parts:

- *Part 1: Symbols and units;*
- *Part 3: Aerodynamics in tunnels;*
- *Part 4: Requirements and test procedures for aerodynamics on open track;*

- *Part 5: Requirements and test procedures for aerodynamics in tunnels;*
- *Part 6: Requirements and test procedures for cross wind assessment.*

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

Introduction

Trains running on open track are exposed to cross winds. The cross wind safety of railway operations depends on vehicle and infrastructure characteristics and operational conditions. Important parameters are:

- aerodynamic characteristics of the vehicle;
- vehicle dynamics (e.g. mass, suspension, bump stops);
- track gauge;
- line characteristics (radius and cant of the track, height of embankments and bridges, walls near the track);
- wind exposure of the line;
- operating speed, mode of operation (non-tilting, tilting, running direction).

1 Scope

This document gives guidelines for the cross wind assessment of railways.

This document is applicable to all passenger vehicles, locomotives and power cars (with a maximum train speed above 140 km/h up to 360 km/h) and freight wagons (with a maximum train speed above 80 km/h up to 160 km/h) and track gauges from 1 435 mm to 1 668 mm inclusive. For passenger vehicles, locomotives and power cars with a maximum train speed between 250 km/h and 360 km/h, a requirement to demonstrate the cross wind stability is imposed. This document is not applicable to light rail and urban rail vehicles.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 14067-4, *Railway applications – Aerodynamics – Part 4: Requirements and test procedures for aerodynamics on open track*

EN 14363, *Railway applications - Testing and Simulation for the acceptance of running characteristics of railway vehicles - Running Behaviour and stationary tests*

EN 15663, *Railway applications - Vehicle reference masses*

3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- IEC Electropedia: available at <http://www.electropedia.org/>
- ISO Online browsing platform: available at <http://www.iso.org/obp>

3.1

bias

systematic error affecting an estimate

Note 1 to entry: In this document, it is expressed as the ratio of a coefficient obtained during benchmark wind tunnel tests to the equivalent coefficient obtained during new wind tunnel tests.

3.2

coordinate system

system denoting the axis for forces, moments, dimensions and wind speeds as defined in Figure 1

Note 1 to entry: The coordinate system is shown in Figure 1.