Aerospace series - Quality management systems - Data Matrix Quality Requirements for Parts Marking



EESTI STANDARDI EESSÕNA

NATIONAL FOREWORD

	This Estonian standard EVS-EN 9132:2017 consists of the English text of the European standard EN 9132:2017.
Standard on jõustunud sellekohase teate avaldamisega EVS Teatajas.	This standard has been endorsed with a notification published in the official bulletin of the Estonian Centre for Standardisation.
Euroopa standardimisorganisatsioonid on teinud Euroopa standardi rahvuslikele liikmetele kättesaadavaks 22.02.2017.	Date of Availability of the European standard is 22.02.2017.
Standard on kättesaadav Eesti Standardikeskusest.	The standard is available from the Estonian Centre for Standardisation.

Tagasisidet standardi sisu kohta on võimalik edastada, kasutades EVS-i veebilehel asuvat tagasiside vormi või saates e-kirja meiliaadressile <u>standardiosakond@evs.ee</u>.

ICS 03.100.70, 03.120.10, 49.020

Standardite reprodutseerimise ja levitamise õigus kuulub Eesti Standardikeskusele

Andmete paljundamine, taastekitamine, kopeerimine, salvestamine elektroonsesse süsteemi või edastamine ükskõik millises vormis või millisel teel ilma Eesti Standardikeskuse kirjaliku loata on keelatud.

Kui Teil on küsimusi standardite autorikaitse kohta, võtke palun ühendust Eesti Standardikeskusega: Koduleht www.evs.ee; telefon 605 5050; e-post info@evs.ee

The right to reproduce and distribute standards belongs to the Estonian Centre for Standardisation

No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying, without a written permission from the Estonian Centre for Standardisation.

If you have any questions about copyright, please contact Estonian Centre for Standardisation:

Homepage www.evs.ee; phone +372 605 5050; e-mail info@evs.ee

EUROPEAN STANDARD NORME EUROPÉENNE

EN 9132

February 2017

ICS 03.100.70; 03.120.10; 49.020

EUROPÄISCHE NORM

Supersedes EN 9132:2006

English Version

Aerospace series - Quality management systems - Data Matrix Quality Requirements for Parts Marking

Série aérospatiale - Systèmes de management de la qualité - Exigences qualité du marquage des pièces en code-barres Data Matrix Luft- und Raumfahrt - Qualitätsmanagementsysteme -Data Matrix Qualitätsanforderungen für Teilemarkierung

This European Standard was approved by CEN on 4 December 2016.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION COMITÉ EUROPÉEN DE NORMALISATION EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

Cont	ents	Page
Europe	ean foreword	4
Ration	ale	5
Forewo	ord	5
1	Scope	6
1.1	Convention	
2	Normative references	6
3	Marking requirements	7
3.1	General requirements	
3.2	Dot peening	
3.2.1	Description of process	7
3.2.2	Requirements	
3.3	Laser	
3.3.1	Description of process	
3.3.2	Limitations	
3.3.3	Requirements	
3.3.4	Metallographic	
3.3.5	Quality assurance	
3.4	Electro-chemical etching	
3.4.1	Description of process	
3.4.2	Scope	
3.4.3	Sub-surface marking	
3.4.4	Surface marking	
3.4.5	Components - Condition	
3.4.6	Instructions for determination of electro-chemical etch marking parameters	
3.4.7	Stencil material	
3.4.8	Electrolyte solutions	
3.4.9	Marking requirements	
	Testing	
	Corrosion protection Ouality assurance	
3.4.12		
4	Marking verification	
5	Marking validation and monitoring	21
6	Notes	22
Annex	A (informative) Dot peening data capacity guidelines for selected surface textures	23
Annex	B (informative) Dot peening - Recommendation for stylus grinding	25
Annex	C (informative) Examples of required tolerances with reference to the nominal module sizes for dot peening	26
Annex	D (informative) Visual quality guidelines - Electro-chemical etching	28
	E (informative) Example methodology for checking dot peen characteristics	
Figures	s	
Figure	1 — Angle of distortion	7
	2 — Instructions for determination of marking parameters	
_	3 — Minimum module size (inch) by surface texture (μinch)	
	4 — Minimum module size (mm) by surface texture (µm)	

Figure 5 — Definition of ovality		11
Figure 6 — Definition of nominal module size	e, dot size, and dot centre offset	12
Figure 7 — Detail definition of dot size		12
Figure 8 — Laser marking data matrix examp	ole	13
Figure 9 — Diagram illustrating typical laser	beam profile at working range	14
Figure 10 — Instructions for determination of	of marking parameters	16
Figure 11 — Scale of grey density		16
Figure 12 — Diagram showing laser marking	with acceptable fill of modules	17
Figure 13 — Diagram showing different laser	engraved module profiles	17
Figure B.1 — Tolerance on stylus		25
Figure B.2 — Grinding		25
Figure D.1 — Visual quality assessment		28
Figure E.1 — Dot size and dot centre offset		29
Figure E.2 — Angle of distortion		29
Figure E.3 — Example with 60 degree stylus a	angle and .004 radius	30
Figure E.4 — Dot size measurement		30
Figure E.5 — Stylus wear measurement		32
Tables	5	
Table 1 — Minimum readable module size by	surface texture (Ra)	9
Table 2 — Limits for dot size and dot centre offset Table A.1 — Surface texture with Ra = 1.50 μm or 63 microinches		11
		23
Table A.2 — Surface texture with Ra = 2.40 μm or 95 microinches		
Table A.3 — Surface texture with Ra = 3.25 μ	m or 125 microinches	24
Table A.4 — Surface texture with Ra = 3.80 μ	m or 150 microinches	24
Table C.1 — Requirements in inches		26
Table C.2 — Requirements in millimetres Table E.1 — Calculated dot depth (1 of 2)		27
Table E.1 — Calculated dot depth (1 of 2)		31

European foreword

This document (EN 9132:2017) has been prepared by the Aerospace and Defence Industries Association of Europe - Standardization (ASD-STAN).

After enquiries and votes carried out in accordance with the rules of this Association, this Standard has received the approval of the National Associations and the Official Services of the member countries of ASD, prior to its presentation to CEN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by August 2017, and conflicting national standards shall be withdrawn at the latest by August 2017.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

This document supersedes EN 9132:2006.

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Swea Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

Rationale

This standard has been revised to clean up the general text/content and to reformat the document to the latest format/style guide. This standard was created to provide for uniform quality and technical requirements relative to metallic parts marking performed within the aviation, space, and defence industry. This standard can be invoked as a stand-alone requirement or used in conjunction with EN 9100-series standards (i. e., EN 9100, EN 9110, EN 9120).

Foreword

To assure customer satisfaction, the aviation, space, and defence industry organizations must produce and continually improve safe, reliable products that meet or exceed customer and regulatory authority requirements. The globalization of the industry, and the resulting diversity of regional/national requirements and expectations, has complicated this objective. End-product organizations face the challenge of assuring the quality of, and integrating, product purchased from suppliers throughout the world and at all levels within the supply chain. Furthermore, suppliers and processors, within the industry, face the challenge of delivering product to multiple customers having varying quality expectations and requirements.

The aviation, space, and defence industry established the International Aerospace Quality Group (IAQG) for the purpose of achieving significant improvements in quality and safety, and reductions in cost, throughout the value stream. This organization includes representation from companies in the Americas, Asia/Pacific, and Europe. This document standardizes data matrix quality requirements for parts marking for the industry. The establishment of common requirements, for use at all levels of the supply-chain by organizations, should result in improved quality and safety, and decreased costs, due to the elimination or reduction of organization-unique requirements and the resultant variation inherent in these multiple expectations.

1 Scope

This standard defines uniform quality and technical requirements relative to metallic parts marking performed using "data matrix symbology" within the aviation, space, and defence industry. ISO/IEC 16022 specifies general requirements (e. g., data character encodation, error correction rules, decoding algorithm). In addition to ISO/IEC 16022 specification, part identification with such symbology is subject to the requirements in this standard to ensure electronic reading of the symbol.

The marking processes covered by this standard are as follows:

- Dot Peening;
- Laser;
- Electro-Chemical Etching.

Further marking processes will be included, if required.

Unless specified otherwise in the contractual business relationship, the company responsible for the design of the part shall determine the location of the data matrix marking. Symbol position should allow optimum illumination from all sides for readability.

This standard does not specify information to be encoded.

1.1 Convention

The following conventions are used in this standard:

- The word "shall" indicates mandatory requirements;
- The word "should" indicates requirements with some flexibility allowed in compliance methodology. Producers choosing other approaches to satisfy a "should" shall be able to show that their approach meets the intent of the standard's requirement;
- The words "typical", "example", "for reference" or "e. g." indicate suggestions given for guidance only;
- Appendices to this document are for information only and are provided for use as guidelines;
- Dimensions used in this document are as follows. Metric millimetre (mm) sizes followed by inches (in) in parentheses, unless otherwise stated.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 9102, Quality Systems — First article inspection requirement

ISO/IEC 16022, Information technology — Automatic identification and data capture techniques — Data Matrix bar code symbology specification