
**Road vehicles — Communication
between vehicle and external equipment
for emissions-related diagnostics —**

**Part 5:
Emissions-related diagnostic services**

*Véhicules routiers — Communications entre un véhicule et un
équipement externe pour le diagnostic relatif aux émissions —*

Partie 5: Services de diagnostic relatif aux émissions



This document is a preview generated by EVS



COPYRIGHT PROTECTED DOCUMENT

© ISO 2011

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Case postale 56 • CH-1211 Geneva 20
Tel. + 41 22 749 01 11
Fax + 41 22 749 09 47
E-mail copyright@iso.org
Web www.iso.org

Published in Switzerland

Contents

Page

Foreword	iv
Introduction.....	v
1 Scope.....	1
2 Normative references	2
3 Terms, definitions and abbreviated terms	3
3.1 Terms and definitions	3
3.2 Abbreviated terms	5
4 Conventions	6
5 Document overview.....	6
6 Technical requirements	6
6.1 General requirements	6
6.2 Diagnostic service requirements	7
6.3 Diagnostic message format	34
6.4 Byte Order Convention	38
6.5 Allowance for expansion and enhanced diagnostic services	38
6.6 Definition of PIDs for services 0x01 and 0x02.....	39
6.7 Format of data to be displayed	39
7 Diagnostic service definition for ISO 9141-2, ISO 14230-4, and SAE J1850.....	39
7.1 Service 0x01 — Request current powertrain diagnostic data	39
7.2 Service 0x02 — Request powertrain freeze frame data.....	44
7.3 Service 0x03 — Request emission-related diagnostic trouble codes	48
7.4 Service 0x04 — Clear/Reset emission-related diagnostic information	53
7.5 Service 0x05 — Request oxygen sensor monitoring test results	55
7.6 Service 0x06 — Request On-board monitoring test results for Specific monitored systems	60
7.7 Service 0x07 — Request emission-related diagnostic trouble codes detected during current or last completed driving cycle	65
7.8 Service 0x08 — Request control of on-board system, test or component	66
7.9 Service 0x09 — Request vehicle information.....	69
8 Diagnostic service definition for ISO 15765-4	83
8.1 Service 0x01 — Request current powertrain diagnostic data.....	83
8.2 Service 0x02 — Request powertrain freeze frame data.....	89
8.3 Service 0x03 — Request emission-related diagnostic trouble codes	95
8.4 Service 0x04 — Clear/Reset emission-related diagnostic information	98
8.5 Service 0x05 — Request oxygen sensor monitoring test results	100
8.6 Service 0x06 — Request on-board monitoring test results for specific monitored systems ...	100
8.7 Service 0x07 — Request emission-related diagnostic trouble codes detected during current or last completed driving cycle	110
8.8 Service 0x08 — Request control of on-board system, test or component	111
8.9 Service 0x09 — Request vehicle information.....	115
8.10 Service 0x0A — Request emission-related diagnostic trouble codes with permanent status	127
Bibliography.....	129

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of technical committees is to prepare International Standards. Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights.

ISO 15031-5 was prepared by Technical Committee ISO/TC 22, *Road vehicles*, Subcommittee SC 3, *Electrical and electronic equipment*.

This second edition cancels and replaces the first edition (ISO 15031-5:2006), which has been technically revised.

This part of ISO 15031 is technically equivalent to SAE J1979:2010, with the addition of new capabilities required by revised regulations from the California Air Resources Board and revised regulations from the European Commission.

ISO 15031 consists of the following parts, under the general title *Road vehicles — Communication between vehicle and external equipment for emissions-related diagnostics*.

- *Part 1: General information and use case definition*
- *Part 2: Guidance on terms, definitions, abbreviations and acronyms*
- *Part 3: Diagnostic connector and related electrical circuits, specification and use*
- *Part 4: External test equipment*
- *Part 5: Emissions-related diagnostic services*
- *Part 6: Diagnostic trouble code definitions*
- *Part 7: Data link security*

Introduction

0.1 Overview

ISO 15031 consists of a number of parts which, taken together, provide a coherent self-consistent set of specifications to facilitate emissions-related diagnostics. ISO 15031-1 provides an introduction to the series of International Standards. Parts 2 through 7 are based on SAE recommended practices. This part of ISO 15031 is based on SAE J1979.

This document set includes the communication between the vehicle's On-Board Diagnostic (OBD) systems and test equipment implemented across vehicles within the scope of the legislated emissions-related OBD.

To achieve this, it is based on the Open Systems Interconnection (OSI) Basic Reference Model in accordance with ISO/IEC 7498-1 and ISO/IEC 10731, which structures communication systems into seven layers. When mapped on this model, the services specified by ISO 15031 are broken into the following layers in accordance with Table 1:

- diagnostic services (layer 7), specified in
 - this part of ISO 15031,
 - ISO 27145-3 (WWH-OBD),
- presentation layer (layer 6), specified in
 - ISO 15031-2, SAE J1930-DA,
 - this part of ISO 15031, SAE J1979-DA,
 - ISO 15031-6, SAE J2012-DA,
 - ISO 27145-2, SAE J2012-DA,
- session layer services (layer 5), specified in
 - ISO 14229-2 support ISO 15765-4 DoCAN and ISO 14230-4 DoK-Line protocols,
 - ISO 14229-2 is not applicable to the SAE J1850 and ISO 9141-2 protocols,
- transport layer services (layer 4), specified in
 - ISO 15765-2,
 - SAE J1850 defined in this part of ISO 15031,
 - ISO 9141-2 defined in this part of ISO 15031,
 - ISO 14230-4, defined in this part of ISO 15031,

- network layer services (layer 3), specified in:
 - ISO 15765-2,
 - SAE J1850 defined in this part of ISO 15031,
 - ISO 9141-2 defined in this part of ISO 15031,
 - ISO 14230-4 defined in this part of ISO 15031,
- data link layer (layer 2), specified in:
 - ISO 15765-4, ISO 11898-1, and ISO 11898-2,
 - SAE J1850,
 - ISO 9141-2,
 - ISO 14230-2,
- physical layer (layer 1), specified in:
 - ISO 15765-4, ISO 11898-1, and ISO 11898-2,
 - SAE J1850,
 - ISO 9141-2,
 - ISO 14230-1.

Table 1 — Legislated emissions-related OBD/WWH¹⁾-OBD diagnostic specifications applicable to the OSI layers

Applicability	OSI 7 layers	Emissions-related OBD communication requirements			Emissions-related WWH-OBD communication requirements		
Seven layer according to ISO/IEC 7498-1 and ISO/IEC 10731	Application (layer 7)	ISO 15031-5			ISO 27145-3		
	Presentation (layer 6)	ISO 15031-2, ISO 15031-5, ISO 15031-6			ISO 27145-2		
		SAE J1930-DA/SAE J1979-DA/ SAE J2012-DA			SAE J2012-DA		
	Session (layer 5)	ISO 14229-2		Not Applicable		ISO 14229-2	
	Transport (layer 4)	ISO 15765-2	ISO 15765-4	ISO 15031-5			ISO 14230-4
	Network (layer 3)						
	Data link (layer 2)	ISO 11898-1 ISO 11898-2		SAE J1850	ISO 9141-2	ISO 14230-2	
	Physical (layer 1)					ISO 14230-1	


1) World-Wide Harmonized.

0.2 SAE document reference concept

ISO 15031 references several SAE documents which contain all terms, data and DTC (diagnostic trouble code) definitions. This is illustrated in Figure 1.

Additional information on the content of the referenced documents is given below:

- SAE J1930: the document is concerned with a procedure for naming objects and systems and with the set of words from which names are built. It references SAE J1930-DA which contains all standardized naming objects, terms and abbreviations.
- SAE J1979: the document is concerned with the definition of emissions-related diagnostic services (diagnostic test modes). It references SAE J1979-DA which contains all standardized data items such as PIDs, Test IDs, Monitor IDs and INFOTYPE IDs.
- SAE J2012: the document is concerned with the procedure for defining emissions-related DTCs. It references SAE J2012-DA which contains all standardized data items such as DTCs and FTBs (failure type bytes).



Key

- 1 SAE Digital Annexes

Figure 1 — SAE Digital Annex document reference

OBD regulations require passenger cars, and light, medium and heavy duty trucks, to support a minimum set of diagnostic information to external (off-board) “generic” test equipment.

0.3 SAE J1979-DA (OBD) Digital Annex

This part of ISO 15031 references SAE J1979-DA. SAE J1979-DA is concerned with the definition of:

- Parameter Identifiers (PIDs),
- Test Identifiers (TIDs),
- OBD Monitor Identifiers (OBDMIDs),
- Unit and Scaling Identifiers (UASIDs), and
- INFOTYPEs (INFOTYPEs).

0.4 SAE Digital Annex revision procedure

New emissions-related regulatory requirements drive new in-vehicle technology to lower emissions. New technology related OBD monitor data and DTCs need to be standardized to support the external (off-board) “generic” test equipment. All relevant information is proposed by the automotive industry represented by members of the appropriate SAE task force.

The revision request form and instructions for updating the registers to this part of ISO 15031 can be obtained on the Registration Authority's website at:

<http://www.sae.org/servlets/works/committee/home.do?comtID=TEVDS14>

The column titled “Resources” shows a document with the title: J1979-DA_Revision_Request_Form.doc. Double click on the name and you will be asked to download the document with the file name:

SAE_J1979-DA_Revision_Request_Form.doc

Fill out the revision request form with your request.

Please send an e-mail with the completed revision request form as an attachment to:

SAE Headquarters
755 West Big Beaver Road
Suite 1600
Troy, MI 48084-4093, USA
Fax: +1 (248) 273-2494
Email: saej1979@sae.org

Road vehicles — Communication between vehicle and external equipment for emissions-related diagnostics —

Part 5: Emissions-related diagnostic services

1 Scope

This part of ISO 15031 is intended to satisfy the data reporting requirements of On-Board Diagnostic (OBD) regulations in the United States and Europe, and any other region that may adopt similar requirements in the future. This part of ISO 15031 specifies:

- a) message formats for request and response messages,
- b) timing requirements between request messages from external test equipment and response messages from vehicles, and between those messages and subsequent request messages,
- c) behaviour of both the vehicle and external test equipment if data is not available,
- d) a set of diagnostic services, with corresponding content of request and response messages, to satisfy OBD regulations.

This part of ISO 15031 includes capabilities required to satisfy OBD requirements for multiple regions, model years, engine types, and vehicle types. Those regulations are not yet final for some regions, and are expected to change in the future. This part of ISO 15031 makes no attempt to interpret the regulations and does not include applicability of the included diagnostic services and data parameters for various vehicle applications. The user of this part of ISO 15031 is responsible for verifying the applicability of each clause of this part of ISO 15031 for a specific vehicle, engine, model year and region.

This part of ISO 15031 specifies diagnostic services and functionally addressed request/response messages required to be supported by motor vehicles and external test equipment for diagnostic purposes which pertain to motor vehicle emission-related data. Any external test equipment meeting the requirements of ISO 15031-4 use these messages to retrieve emissions-related information from the vehicle.

Each clause in this part of ISO 15031 which specifies additional details to existing sections of ISO 9141-2, ISO 14230-4, SAE J1850, and ISO 15765-4 supersede those specifications.

This part of ISO 15031 references SAE J1979-DA (Digital Annex), which includes all definitions of PIDs, OBDMIDs, TIDs and INFOTYPES.

This part of ISO 15031 provides the mechanism to satisfy the requirements included in the country-specific regulations and not all capabilities included in this part of ISO 15031 are required by the country-specific regulations. This part of ISO 15031 is not considered a final authority for interpretation of the regulations. Therefore readers should determine the applicability of capabilities defined in this part of ISO 15031 for their own specific needs.

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO/IEC 7498-1, *Information technology — Open Systems Interconnection — Basic Reference Model: The Basic Model*

ISO/IEC 10731, *Information technology — Open Systems Interconnection — Basic Reference Model — Conventions for the definition of OSI services*

ISO 9141-2:1994, *Road vehicles — Diagnostic systems — Part 2: CARB requirements for interchange of digital information*

ISO 14229-2²⁾, *Road vehicles — Unified diagnostic services (UDS) — Part 2: Session layer services*

ISO 14230-2, *Road vehicles — Diagnostic systems — Keyword Protocol 2000 — Part 2: Data link layer*

ISO 14230-4:2000, *Road vehicles — Diagnostic systems — Keyword Protocol 2000 — Part 4: Requirements for emission-related systems*

ISO 15765-2, *Road vehicles — Diagnostics on Controller Area Networks (CAN) — Part 2: Network layer services*

ISO 15765-4, *Road vehicles — Diagnostics on Controller Area Networks (CAN) — Part 4: Requirements for emissions-related systems*

ISO 15031-1, *Road vehicles — Communication between vehicle and external equipment for emissions-related diagnostics — Part 1: General information and use case definition*

ISO 15031-2, *Road vehicles — Communication between vehicle and external equipment for emissions-related diagnostics — Part 2: Guidance on terms, definitions, abbreviations, and acronyms*

ISO 15031-3, *Road vehicles — Communication between vehicle and external equipment for emissions-related diagnostics — Part 3: Diagnostic connector and related electrical circuits, specification and use*

ISO 15031-4, *Road vehicles — Communication between vehicle and external equipment for emissions-related diagnostics — Part 4: External test equipment*

ISO 15031-6, *Road vehicles — Communication between vehicle and external equipment for emissions-related diagnostics — Part 6: Diagnostic trouble code definitions*

SAE J1930-DA, *Digital Annex of Electrical/Electronic Systems Diagnostic Terms, Definitions, Abbreviations, and Acronyms*

SAE J1979-DA, *Digital Annex of E/E Diagnostic Test Modes*

SAE J2012-DA, *Digital Annex of Diagnostic Trouble Code Definitions and Failure Type Byte Definitions*

2) To be published.