INTERNATIONAL STANDARD



Second edition 2009-03-15

Methods of evaluation of the battery life of a battery-powered watch

Méthodes d'évaluation de l'autonomie de fonctionnement d'une montre à pile



Reference number ISO 12819:2009(E)

PDF disclaimer

This PDF file may contain embedded typefaces. In accordance with Adobe's licensing policy, this file may be printed or viewed but shall not be edited unless the typefaces which are embedded are licensed to and installed on the computer performing the editing. In downloading this file, parties accept therein the responsibility of not infringing Adobe's licensing policy. The ISO Central Secretariat accepts no liability in this area.

Adobe is a trademark of Adobe Systems Incorporated.

Details of the software products used to create this PDF file can be found in the General Info relative to the file; the PDF-creation parameters were optimized for printing. Every care has been taken to ensure that the file is suitable for use by ISO member bodies. In the unlikely event that a problem relating to it is found, please inform the Central Secretariat at the address given below

Anis document is a preview denerated by Fig.



COPYRIGHT PROTECTED DOCUMENT

© ISO 2009

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office Case postale 56 • CH-1211 Geneva 20 Tel. + 41 22 749 01 11 Fax + 41 22 749 09 47 E-mail copyright@iso.org Web www.iso.org Published in Switzerland

Contents

Forew	ordi	v
1	Scope	1
2	Normative references	1
3	Terms and definitions	1
4	General	2
4.1	Parameters	2
4.2	Types of batter life	2
4.3	Operating mode	
4.4	Environmental conditions	2
5	Current consumption of a watch	2
5.1	Mean current consume M_m)	
-		~
5.2	Capacity of the battery (2
5.3	Self-discharge currents (<i>I</i> _{as} , <i>I</i> _{ad})	
5.4	Current consumption of additional functions (If)	3
6	Calculation of battery life	4
6.1		
6.2	Practical battery life (<i>AP</i>): method Theoretical battery life (<i>AT</i>)	4
7	Labelling	
-		4
Annex	A (normative) Self-discharge currents	5
	B (normative) Practical battery life, AP	
		0

Oenerated by The


Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in traison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The main task of technical convertees is to prepare International Standards. Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent

This second edition cancels and replaces the most edition (ISO 12819:1999) and Technical Corrigendum



Methods of evaluation of the battery life of a battery-powered watch

1 Scope

This International Standard specifies two methods for determining the battery life of a battery-powered watch and specifies the labeling to be used by the manufacturers or the distributors to inform the users.

According to the available information, either the theoretical battery life or the practical battery life must be calculated using the equations given in this International Standard.

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 6426-2, Horological vocabulary — Part 2: Technical and commercial definitions

IEC 60086-3, Primary batteries — Part 3: Watch batteries

3 Terms and definitions

For the purposes of this document, the terms and definitions given in ISO 6426-2 and the following apply.

3.1

battery life

operating duration of a battery-powered watch, as determined by the characteristics of the battery and the movement

NOTE The battery life starts when the battery is inserted and starts powering the movement of the watch and lasts until the point when the voltage falls below the level required for operation and the watch stops.

3.2

practical battery life

AP

calculation of the battery life, taking in account the self-discharge current of the battery during storage and operation

3.3 theoretical battery life

AT

calculation of the battery life assuming an ideal battery with no self-discharge of current