

ISO

INTERNATIONAL ORGANIZATION FOR STANDARDIZATION

ISO RECOMMENDATION

R 1790

MODULAR CO-ORDINATION

REFERENCE LINES

OF HORIZONTAL CONTROLLING CO-ORDINATING DIMENSIONS

1st EDITION

April 1970

COPYRIGHT RESERVED

The copyright of ISO Recommendations and ISO Standards belongs to ISO Member Bodies. Reproduction of these documents, in any country, may be authorized therefore only by the national standards organization of that country, being a member of ISO.

For each individual country the only valid standard is the national standard of that country.

Printed in Switzerland

Also issued in French and Russian. Copies to be obtained through the national standards organizations.

FOREWORD

This ISO Recommendation belongs to a series of ISO Recommendations concerning modular co-ordination in building construction.

This series includes, among others, the following ISO Recommendations :

- ISO/R 1006, *Modular co-ordination – Basic module;*
- ISO/R 1040/I, *Modular co-ordination – Horizontal multimodules;*
- ISO/R 1040/II, *Modular co-ordination – Horizontal multimodules (Part II);*
- ISO/R 1789, *Modular co-ordination – Storey heights and room heights for residential buildings;*
- ISO/R 1791, *Modular co-ordination – Vocabulary.*

MODULAR CO-ORDINATION
REFERENCE LINES
OF HORIZONTAL CONTROLLING CO-ORDINATING DIMENSIONS

1. SCOPE

This ISO Recommendation fixes the position of the reference lines of horizontal controlling co-ordinating dimensions.

2. SPECIFICATIONS

Horizontal controlling co-ordinating dimensions should be applied between modular reference planes* which may be boundary (see Fig. 1) or axial (see Fig. 2).




FIG. 1 - Controlling dimension between boundary planes




FIG. 2 - Controlling dimensions between axial planes

NOTE. - In the case of asymmetrical elements (for example : endwalls), the reference planes designated as axial may not coincide with the centreplanes.

* *Modular reference planes* : Theoretical planes by reference to which the positions of the building elements are fixed and which are separated from one another by modular distances. (See ISO Recommendation R 1791, *Modular co-ordination - Vocabulary*.)