

Geometrical product specifications (GPS) -  
Decomposition of geometrical characteristics for  
manufacturing control (ISO 20170:2019)

## EESTI STANDARDI EESSÕNA

## NATIONAL FOREWORD

|                                                                                                                     |                                                                                                                                    |
|---------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------|
| See Eesti standard EVS-EN ISO 20170:2019 sisaldab Euroopa standardi EN ISO 20170:2019 ingliskeelset teksti.         | This Estonian standard EVS-EN ISO 20170:2019 consists of the English text of the European standard EN ISO 20170:2019.              |
| Standard on jõustunud sellekohase teate avaldamisega EVS Teatajas                                                   | This standard has been endorsed with a notification published in the official bulletin of the Estonian Centre for Standardisation. |
| Euroopa standardimisorganisatsioonid on teinud Euroopa standardi rahvuslikele liikmetele kättesaadavaks 15.05.2019. | Date of Availability of the European standard is 15.05.2019.                                                                       |
| Standard on kättesaadav Eesti Standardikeskusest.                                                                   | The standard is available from the Estonian Centre for Standardisation.                                                            |

Tagasisidet standardi sisu kohta on võimalik edastada, kasutades EVS-i veebilehel asuvat tagasiside vormi või saates e-kirja meiliaadressile [standardiosakond@evs.ee](mailto:standardiosakond@evs.ee).

ICS 17.040.01, 17.040.40

Standardite reprodutseerimise ja levitamise õigus kuulub Eesti Standardikeskusele

Andmete paljundamine, taastekitamine, kopeerimine, salvestamine elektroonsesse süsteemi või edastamine ükskõik millises vormis või millisel teel ilma Eesti Standardikeskuse kirjaliku loata on keelatud.

Kui Teil on küsimusi standardite autorikaitse kohta, võtke palun ühendust Eesti Standardikeskusega:  
Koduleht [www.evs.ee](http://www.evs.ee); telefon 605 5050; e-post [info@evs.ee](mailto:info@evs.ee)

The right to reproduce and distribute standards belongs to the Estonian Centre for Standardisation

No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying, without a written permission from the Estonian Centre for Standardisation.

If you have any questions about copyright, please contact Estonian Centre for Standardisation:

Homepage [www.evs.ee](http://www.evs.ee); phone +372 605 5050; e-mail [info@evs.ee](mailto:info@evs.ee)

English Version

**Geometrical product specifications (GPS) - Decomposition  
of geometrical characteristics for manufacturing control  
(ISO 20170:2019)**

Spécification géométrique des produits (GPS) -  
Décomposition des caractéristiques géométriques pour  
la maîtrise de la fabrication (ISO 20170:2019)

Geometrische Produktspezifikation (GPS) - Zerlegung  
von geometrischen Merkmalen für die  
Fertigungskontrolle (ISO 20170:2019)

This European Standard was approved by CEN on 19 February 2019.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION  
COMITÉ EUROPÉEN DE NORMALISATION  
EUROPÄISCHES KOMITEE FÜR NORMUNG

**CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels**

## European foreword

This document (EN ISO 20170:2019) has been prepared by Technical Committee ISO/TC 213 "Dimensional and geometrical product specifications and verification" in collaboration with Technical Committee CEN/TC 290 "Dimensional and geometrical product specification and verification" the secretariat of which is held by AFNOR.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by November 2019, and conflicting national standards shall be withdrawn at the latest by November 2019.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

## Endorsement notice

The text of ISO 20170:2019 has been approved by CEN as EN ISO 20170:2019 without any modification.

# Contents

Page

|                                                                             |           |
|-----------------------------------------------------------------------------|-----------|
| <b>Foreword</b> .....                                                       | <b>iv</b> |
| <b>Introduction</b> .....                                                   | <b>v</b>  |
| <b>1 Scope</b> .....                                                        | <b>1</b>  |
| <b>2 Normative references</b> .....                                         | <b>1</b>  |
| <b>3 Terms and definitions</b> .....                                        | <b>1</b>  |
| <b>4 Symbols</b> .....                                                      | <b>3</b>  |
| <b>5 Principles</b> .....                                                   | <b>3</b>  |
| 5.1 General.....                                                            | 3         |
| 5.2 Decomposition process.....                                              | 4         |
| 5.3 Determination of components of a collected characteristic.....          | 12        |
| 5.4 Use of collected characteristics.....                                   | 13        |
| 5.5 Presentation of a GPS or a collected characteristic results.....        | 14        |
| 5.5.1 General.....                                                          | 14        |
| 5.5.2 Decomposition steps.....                                              | 15        |
| <b>Annex A (informative) Relationship to the ISO GPS matrix model</b> ..... | <b>19</b> |
| <b>Bibliography</b> .....                                                   | <b>20</b> |

## Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see [www.iso.org/directives](http://www.iso.org/directives)).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see [www.iso.org/patents](http://www.iso.org/patents)).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT) see [www.iso.org/iso/foreword.html](http://www.iso.org/iso/foreword.html).

This document was prepared by Technical Committee ISO/TC 213, *Dimensional and geometrical product specifications and verification*.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at [www.iso.org/members.html](http://www.iso.org/members.html).

## Introduction

This document is a geometrical product specifications (GPS) standard and is to be regarded as a fundamental GPS standard (see ISO 14638). It influences indirectly chain link E of the chains of standards of geometrical characteristic (size, distance, form, orientation, location and run-out) in the general GPS matrix model as graphically illustrated in [Table A.1](#). The measurement as given in chain link E is decomposed to evaluate quantity values of a geometrical characteristic, and to define manufacturing adjustment values, not to manage the conformance of a workpiece.

The ISO GPS matrix model given in ISO 14638 gives an overview of the ISO GPS system of which this document is a part. The fundamental rules of ISO GPS given in ISO 8015 apply to this document and the default decision rules given in ISO 14253-1 apply to specifications made in accordance with this document, unless otherwise indicated.

For more detailed information on the relationship of this document to other standards and to the GPS matrix model, see [Annex A](#).

The geometrical specification, as defined in ISO 1101, allows the evaluation of conformance or non-conformance by defining a limit value for a geometrical characteristic as a univariate characteristic (non-signed value). This evaluation alone does not provide the information necessary to adjust machine tools parameters to maintain the production of conforming workpieces. The goal of decomposition of the measurement result is to isolate parameter values that can be used to adjust the manufacturing process. This document uses simple examples to illustrate the fundamental principles.

This document defines a number of independent characteristics obtained by decomposition that are intended to assist with adjusting and evaluating the manufacturing process.

In statistical analysis the mean value and standard deviation are used to calculate capability indices. In the case of a position tolerance, for example the location of a hole, which applies in a plane perpendicular to the axis of the hole, the position characteristic is two times the radial distance between the centre of the hole and its theoretically exact location. Capability indices based on the mean value and standard deviation of this characteristic do not properly reflect the capability of a manufacturing process. Instead, the position characteristic could be decomposed according to the kinematic arrangement of the manufacturing process. If the axis of the hole is manufactured using a machine with linear X- and Y-axes, the position characteristic could be decomposed into an X-component and a Y-component and the studies of capability could be calculated based on these components so that they properly reflect the capability of the manufacturing process.

# Geometrical product specifications (GPS) — Decomposition of geometrical characteristics for manufacturing control

## 1 Scope

This document describes principles and tools to control a manufacturing process in accordance with a GPS specification. For this purpose a set of one or more complementary, independent characteristics (size, form, orientation, and location characteristics independent to each other) that correlate to the manufacturing process parameters and to the manufacturing process coordinate system established from the manufacturing datum system are used.

This document describes the concept of decomposition of the macro-geometrical part of the GPS specification. It does not cover the micro-geometry, i.e. surface texture.

The objective of the decomposition presented in this document is to define correction values for manufacturing control or to perform a statistical analysis of the process.

## 2 Normative references

There are no normative references in this document.

## 3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- ISO Online browsing platform: available at <https://www.iso.org/obp>
- IEC Electropedia: available at <http://www.electropedia.org/>

### 3.1

#### **univariate characteristic**

characteristic represented by a single scalar variable

EXAMPLE A global size characteristic is a univariate characteristic.

### 3.2

#### **collected characteristic**

*C*

set of a *univariate characteristic* (3.1) and the multivariate characteristic required to derive it (see 3.3)

EXAMPLE For a position specification, the median line of a hole is constrained by a cylindrical tolerance zone with a diameter of 0,4 mm. The global univariate characteristic result is 0,5 mm (out of tolerance). The decomposition of the location in two directions (X, Y) at a given height is given by the multivariate characteristic result (+0,15; +0,2). The collected characteristic combines the global result and its decomposition.